

Update: Board of Governors' Meeting and Other SSPC Activities

The SSPC Board of Governors met on September 15, 2009, in Pittsburgh, to assess the overall performance of the association. The meeting was a one-day event at the SSPC office, allowing the board members to interact with all the staff and talk to them individually. The board welcomed its newest member, Jim King, of John B. Conomos, Inc. Jim represents the coatings contractor demographic. One of the main areas the board covered was the fiscal well-being of the society. The financial reports ending August 31, 2009, show that SSPC is having a solid year, unlike many associations. Revenues have exceeded budget and expenses have been controlled. We can also report that we are ahead of last year's performance. The board reminded the staff that diligence must prevail because the economy is very fragile right now. In spite of reports of the recession showing signs of ending, caution must be taken because nothing is certain at this point.



The board was presented the budget for 2010, which was subsequently approved. Again, the budget is a conservative projection based on the unknowns of our future economy. In addition, the board received briefings on the upcoming PACE conference in February 2010 and an update on SSPC's plan for returning to its own show in 2011. Other updates covered the actions of the Government Affairs Committee; training execution and development; standards development; applicator certification; accreditations; membership initiatives, including the latest chapter activities; marketing approaches; development of an SSPC values statement; and the SSPC-QP 3/AISC SPE (American Institute of Steel Construction Sophisticated Paint Endorsement) collaboration.

The board also conducted an executive session on refining the long-term organizational goals. In other board actions on governance, Bob McMurdy, CEO of Mohawk Garnet Inc., was elected vice president. The board also voted to change its by-laws, adding an international representative to the board.

SSPC's other current activities include holding our first webinar, Coatings Failures, on September 17. There were some minor glitches in the system, but overall, we see it as a

success. The webinar was the first in a series on the subject, and additional areas will be covered in future webinars. With the economic downturn, webinars are seen as a vehicle to disseminate information while eliminating travel and per diem costs.

The e-learning version of the Marine Coatings Program was launched on August 15. SSPC is actively involved in developing other short e-courses where education can be delivered on-line. E-courses also save the cost of travel and per diem, and will cover different topics than the webinars.

Another e-learning initiative is to put recertification exams on-line. On August 1, the Navsea Basic Paint Inspector certification was put in the recertification exam center on our website. Our goal is to have other recertification exams placed in this center by October 1. Included will be the Bridge Coating Inspector, the Concrete Coating Inspector, and the Protective Coatings Inspector exams. On-line exams will make it easier for certification holders to maintain their credentials.

As always, the board and I solicit your comments on SSPC's performance. Input from the membership is very important to any organization. We value your feedback on any of the subjects I mentioned in the report of the board meeting held on September 15th, or the other activities we have begun. We also want your comments on any standards or training programs you request. Having your input helps us serve you better. The staff's directive is to serve the needs of the membership and the industry, and we are committed to fulfilling that mission.



Bill Shoup
Executive Director, SSPC

SSPC Announces Technical Program for PACE 2010

SSPC will offer many skill-building workshops and an abundance of educational opportunities at PACE 2010. Below is a preliminary list of the workshops and technical sessions scheduled for the event, which will be held February 7–10 in Phoenix, AZ, at the Phoenix Convention Center. Upcoming issues of *JPCL* will feature details of each session.



Courtesy of the Phoenix Convention Center

Workshops

- Failure Analysis of Paints and Coatings
- Quality Systems for Industrial Painting Contractors
- Are You Prepared for Paperless QA?
- Creating an Inspection Plan: Strategic Planning for the Coatings Inspector
- An In-Depth Look at Standards Most Frequently Used by Industrial Painters
- Protective Coatings—An Overview

Technical Sessions

Each session features several technical papers.

- The Art & Science of Creating High Performance Coatings
- Corrosion Prevention & Protective Coatings
- 110 Degrees in the Shade: Protecting Concrete in the Desert

- Making Protective Coatings “Green”
- It’s More Than Water...Other Challenges in Protecting Ships & Marine Structures
- Can Protective and Marine Coatings be “Green”?
- The Role of Coatings in Protecting America’s Transportation Infrastructure
- Raising the Bar on Concrete Coatings
- Global Markets, Global Performance

- Architecture of Industrial Structures
- High Performance Coatings: Not Just for Breakfast Anymore!
- Protecting Concrete
- Bridges: Protecting Above the Waterline
- Environmental, Health & Safety
- On the Surface: The Challenge of Getting Ready to Coat
- Selecting Coatings for Their Aesthetic Properties
- The Art of Getting Coatings to Stick
- Coatings & Technology for The Marine Marketplace
- Coating Types
- Testing & Inspection
- A Quality Approach: Getting the Results You Want from the Spec You Have

For more information, visit www.pace2010.com.

PPG Names Dellinger Senior Finance UP, CFO

PPG Industries (Pittsburgh, PA) has announced the appointment of Robert J. Dellinger as senior vice president, finance, and chief financial officer designate, effective Sept. 8, 2009. He will officially assume the responsibilities of chief financial officer on October 15, 2009.

Mr. Dellinger, 49, began his career with General Electric Co. (GE). Over a 19-year tenure with GE, he served in various positions in financial management, including as chief financial officer for GE Superabrasives, GE Plastics Pacific, GE Motors and Industrial Systems, and GE Employers Reinsurance Corp. Mr. Dellinger was appointed president and chief executive officer of GE Property and Casualty Reinsurance, Europe and Asia, and president and CEO of GE Frankona Re, based in Munich, Germany, in 2000. He left GE in 2002 to become executive vice president and CFO for Sprint Corp. He most recently spent three

years as executive vice president and CFO for Delphi Corp. Mr. Dellinger holds a bachelor’s degree in economics from Ohio Wesleyan University.

“Bob comes to us well-qualified to lead PPG’s financial operations and will add great depth of international experience and expertise to our senior management team,” said Charles E. Bunch, PPG chairman and CEO. “His international assignments and perspectives will prove valuable as we continue our global transformation.”

William H. Hernandez will continue as PPG’s CFO until October 15. PPG announced in May that Hernandez would transition his responsibilities by the end of 2009.

PPG is a global supplier of paints, coatings, optical products, specialty materials, chemicals, glass, and fiber glass. Operating in more than 60 countries, the company has over 140 manufacturing facilities and equity affiliates.

Puget Sound Naval Shipyard Earns OSHA Award

The U.S. Occupational Safety and Health Administration (OSHA) has recognized the Puget Sound Naval Shipyard and Intermediate Maintenance Facility in Bremerton, WA, for its continued excellence in worker health and safety.

At a ceremony held at the facility on Sept. 8, OSHA honored the shipyard for again achieving the "VPP star," the highest level in OSHA's Voluntary Protection Programs (VPP). The facility has been in the VPP since January 2006.

"The Puget Sound Naval Shipyard continues to demonstrate that a systematic approach to safety involving labor and management working together in a cooperative manner can be extremely successful," said Richard S. Terrill, OSHA's Region 10 administrator. "Adopting a cooperative approach has significantly reduced hazards and consequently reduced injuries."

The mission of the shipyard is to perform reactor servicing, ship overhaul, ship repair, and alteration to U.S. naval surface ships and submarines. The shipyard also recycles nuclear submarines and surface ships for the Navy. With approximately 9,400 employees and 2,500 contract workers, the shipyard performs its work primarily in the Pacific Northwest but also has projects at off-yard sites, such as in San Diego, CA; Mayport, FL; Kings Bay, GA; Pearl Harbor, HI; and abroad.

OSHA's VPP recognizes and promotes effective workplace safety and health management. Management, labor, and OSHA establish a cooperative relationship at a work-site that has implemented strong safety and health systems. To qualify for VPP status, a site must meet or exceed all OSHA regulatory standards and submit to an OSHA review of the site's programs.

For more information, visit <http://www.osha.gov>.

Bayou to Acquire Canadian Pipe Coating Plant

The Bayou Companies, Inc. (Bayou), a subsidiary of Insituform Technologies, Inc., has announced its agreement with Garneau, Inc. to acquire Garneau's pipe coating and insulation facility and associated assets in Camrose, Alberta, Canada.

Garneau's shareholders are expected to vote on the agreement, which has been approved by its Board of Directors, in late October 2009. The transaction is expected to close on or before October 31, 2009.

Bayou Perma-Pipe Canada, Ltd., a joint venture between Bayou and Perma-Pipe, Inc., will acquire the Garneau facility and assets, and will serve as the operating company for Bayou's Canadian operation. The Camrose facility, constructed in 1997, was upgraded in 2007 and provides over 75,000 square feet of space in its coating facility, according to Bayou.

Bayou is based in New Iberia, LA, and provides pipe coating, fabrication, and logistics capabilities to oil and gas companies in the Gulf of Mexico.

Insituform Technologies (Chesterfield, MO), a worldwide provider of proprietary technologies and services for rehabilitating sewer, water, energy, and mining piping systems and for the corrosion protection of industrial pipelines, acquired Bayou in February 2009.

Int'l Paint Completes Devoe Lab Integration



International Paint LLC has announced that the Devoe High Performance Coatings research and development laboratory in Strongsville, OH,

has been fully vetted to meet all International Paint Protective Coatings worldwide technical standards.

According to Strategic Integration Project Manager Tanuj Agarwal, "A thorough analysis of the Strongsville laboratory was conducted in June to assess the lab's technological capabilities, operational and administrative processes. Aligning the laboratory with International Paint's worldwide technical standards will ensure that lab procedures, methods of testing, and reporting processes are consistent with all labs globally."

Alignment of the Strongsville laboratory follows a strategic decision in January 2009 by parent company AkzoNobel (Amsterdam, the Netherlands) to integrate Devoe High Performance Coatings with Akzo's International Paint Protective Coatings Americas business.

To date, International Paint Protective Coatings has 131 technical personnel in laboratories across North America, Brazil, Europe, China, Asia, Australia, and the UK.

On Abrasive Blasting Thin Steel Substrates

What do you do when the spec calls for SSPC-SP 10, Near-White, but the metal gauge won't support abrasive blasting at the standard pressure of 100 psi or more at the nozzle?

**Patti Roman, Clemco Industries Corp.,
Washington, MO**

The question is vague because it gives no details about the substrate size and condition, abrasive, or application.

Blast cleaning is commonly used for cleaning, corrosion removal, coating removal, and surface preparation, which may or may not require a specified profile. To do a job efficiently and effectively, the proper combination of tools (nozzle type and size) and techniques (blast pressure, distance from the surface, and angle of impingement, i.e., the angle of the nozzle with respect to the blast surface) must be used.

If the application is corrosion removal, what to do will depend upon the degree of corrosion. On heavily corroded, thin metal, achieving Near-White without destroying the substrate might be impossible.

The blast method will depend upon the condition of the metal at the outset. It might be lightly or heavily corroded. It might be coated; and some coatings are more easily removed than others. With a light gauge metal, as the question implies, blasting might warp the surface.

To understand why there is no standard solution to the problem, it may help to describe the basics of abrasive blasting. When blasting at a nozzle pressure of 100 psi, the particles of abrasive travel between the nozzle and substrate at approximately 450 mph. The force propelling the abrasive is kinetic energy, which converts into heat. This heat can

be one cause of warping. Another cause of warping is the abrasive media striking the surface, which compresses and distorts the surface.

Consequently, to avoid warping, it will be necessary to change one of the constants: the mass, the velocity, or both. Choosing a medium with a smaller mesh size or lighter weight will reduce the kinetic energy produced. Lowering the blast pressure will decrease velocity, therefore producing less kinetic energy. On the down side, either approach will result in production loss. The rule of thumb is 1½% production loss for every psi of pressure reduction.

It is our company's experience that reducing the mesh size or weight of the media will provide better results than reducing the air pressure. For light corrosion, if blast pressure is reduced, and dwell time is increased, Near-White metal might be achieved.

To clean to the spec and avoid warping the work-piece, trial and error will have to be used to determine the proper balance of pressure, distance, angle, nozzle selection (a straight barrel versus a venture barrel) and media.

If the application is coating removal, and the conditions of coatings certainly vary, a successful outcome will depend upon the thickness of both the substrate and the coating and how quickly Near-White can be achieved.

Success may prove difficult if, in addition to obtaining a Near-White surface, a profile is required. However,

when a profile is not required and light gauge metal is involved, blasting is usually done at low pressures, in the range of 40 psi to 50 psi, and with fine mesh or lightweight media that is softer than the substrate—such as soda, plastic, or other non-aggressive media.

Patti Roman is vice president of marketing for Clemco Industries Corp. She has been in the industry for more than 30 years and has held various sales- and marketing-related positions. She received a master's degree in international business from St. Louis University. She has written articles for JPCL and other industry publications.

**Simon Hope, RBG Ltd,
Aberdeen, Scotland**

This question only gives a degree of cleanliness without the required profile, which actually simplifies the answer.

Abrasive blasting on thin steel work should not present a major problem, as it generally only removes the corrosion products and existing coatings, leaving the sound, remaining steel, although this can be relatively frightening once what remains is actually exposed!

The problem becomes more acute when dealing with pressurized and hydrocarbon-containing pipes and systems. The normal worry is that the blast cleaning will penetrate the steel and lead to loss of containment. But if the steel is this far gone, it is well past its design corrosion limit and should be replaced. Unfortunately, in the real world, operators try to squeeze every last minute out of these wretched pipes rather than shutting down a facility and replacing pipework. Because of this situation, our company recently per-

formed empirical testing to determine the damage inflicted on steel pipework when using dry and wet blasting.

Holding a 1/2-inch (13-mm) venturi dry blast nozzle 6 in. from the substrate (standard schedule 80 6-inch nominal pipe) with a blast pressure of 130 psi at the nozzle and 60/30 garnet, the results were as follows.

- 1 minute, <0.5 mm steel loss
- 2 minutes, 1.1 mm steel loss
- 5 minutes, 3.5 mm steel loss

These figures are not representative of "proper" blasting; no normal blaster would operate that close and for so long on a single point. However, they highlight that blasting does remove a measurable amount of material.

In the same tests, a dustless blasting unit (wet) with the same pressure and abrasive but a 7/16-in. nozzle created a smaller area of impingement, but the

crater was approximately 10% deeper for the equivalent dwell times.

Reduction in pressure for both systems dramatically reduced the erosion rate, and at 90 psi, the rate was reduced to less than 50% of the erosion at 130 psi. At 45 psi, the rate of steel erosion was less than 10% of the erosion at 130 psi; this was highlighted by blasting a full can of Coca Cola: the printing was removed before the can was punctured.

At all pressures, finer abrasives give more control but a greatly reduced profile.

As an alternative to abrasive blasting, a relatively new, proprietary rotary impact tool, still in the evaluation stage, was also tried. It produced very little steel loss, even over extended times. Once a few issues are resolved with the tool, it will be a welcome addition to working with marginal substrates.

I doubt whether there is a single definitive answer to this PSF question. What is really needed is a large dose of common sense, particularly when it comes to items that have exceeded their "sell by dates" considerably.

One may also ask if dry blasting is the best option. Wet blast is inherently safer due to the lack of a "hot spark," with the added benefit of removing chlorides and corrosion salts. Most manufacturers produce coatings that tolerate low to medium flash rust; these coatings generally have excellent life expectancies to first maintenance. But this is a whole different story!

Simon Hope is a consultant corrosion engineer and technical authority with RBG Ltd (Aberdeen, Scotland). He has over 30 years experience in the marine and military coatings industries.

PosiTest® Pull-Off Adhesion Tester

Measures adhesion of coatings to metal, wood, concrete and other rigid substrates – revolutionary self-alignment feature and pull rate indicator

NEW
Automatic
Model

- New electronically controlled hydraulic pump automatically applies smooth and continuous pressure
- Test with the simple push of a button. No twisting, pumping or cranking. No valves to close, needles to reset, or scales to adjust
- User-selectable pull rates ensure compliance with international test methods



AT Manual
Also available

DeFelsko®
The Measure of Quality

1-800-448-3835 • www.defelsko.com

Ogdensburg, New York USA

Phone: +1-315-393-4450 • Email: techsale@defelsko.com



The Cost of Going Green?

Filiform Corrosion of Powder-Coated Aluminum on the Gulf Coast

By Richard Burgess and Kenneth B. Tator, KTA-Tator, Inc.

Thousands of linear feet of aluminum hand railing have been powder coated by electrostatic spray in the shop and installed on balconies of condominiums along the Atlantic and Gulf Coasts. Over the past five years, the writers have investigated several premature failures of such railings from Orange Beach, AL, to Florida's Marco Island and Ft. Lauderdale area.

The failure typically propagates as bubbles and blisters in the coating. They result from under-film corrosion, which commonly begins as small, localized bubbles or bumps along crevices or thread-like tracks of filiform corrosion. Should the initial conditions go unnoticed, film distortion becomes larger and progresses to delamination, cracking, and peeling. Premature failure typically occurs within a few months after installation but may go unnoticed for a year or longer.

Three failure cases involving extruded aluminum are briefly described in this article. A failure mechanism common to them was filiform corrosion, but the case histories suggest the outcomes should have been quite different. Filiform corrosion developed even when it appeared that everything was done "correctly." Although condominium buildings are not considered industrial structures, the aggressive environment described is common to many industrial structures. Moreover, because of the environmentally friendly, i.e., "green," advantages of powder over liquid coatings, newer powder coating applications for industrial use are developing. Lessons from these railings, therefore, can also benefit the protective coatings industry.

Background

The aluminum alloy (AA) used in each case was reported to be 6xxx, Al-Mg-Si,

series (6063-T5/T52 or 6061-T6) for extruded bar, tube, plate, and sheet.

For each case, a different manufacturer supplied the powder coatings.

- Case 1: Polyester TGIC (triglycidyl isocyanurate), "a weather resistant powder coating for interior and exterior applications." Recommended coating thickness, 2.5 to 3.5 mils.

- Case 2: TGIC-Free Polyester coating having "...superior weatherability compared to standard polyester powder coatings." Recommended coating thickness, 1.5 to 4.0 mils.

- Case 3: Fluoropolymer, "...for high performance architectural applications." Recommended coating thickness, 1.5 to 2.5 mils.

After surface cleaning and preparation, the thermoset powder coating products were applied to the aluminum railing sections. The powders were cured by heating the pieces

to the temperature-time curing cycle, as recommended by the powder manufacturer.

In Cases 1 and 2, project specifications called for coatings to meet the requirements of American Architectural Manufacturers Association (AAMA) 603-98, Voluntary Specification, Performance Requirements and Test Procedures for Pigmented Organic Coatings on Aluminum Extrusions and Panels. For surface preparation, AAMA 603-98 says only that "cleaning and metal preparation shall be to ensure compliance with the performance requirements."¹ When the metal in Case 1 was prepared (in 2003), AAMA 603-98 had been superseded by AAMA

Continued



Photos courtesy of KTA-Tator, Inc.

Table 1: Summary of the Powder Coating Thickness on Aluminum Hand Rails (mils)

Case 1 Surfaces	Average	Range
Top Rail	3.5	1.8 to 5.1
Post	2.7	1.3 to 5.4
Picket	3.3	1.8 to 4.5
Bottom Rail	3.7	1.8 to 6.3
Case 2 Surfaces	Average	Maximum
Top Rail	3.2	2.5 to 6.1
Post	2.5	1.1 to 3.9
Picket	2.3	1.1 to 3.3
Bottom Rail	3.7	1.8 to 6.3
Case 3 Surfaces	Average	Maximum
Bottom Rail	3.0	1.4 to 3.7
Mid-Rail	2.5	1.9 to 3.3
Posts and Spindles	2.6	1.4 to 4.1

Cases from the F-Files

2603-02, which calls for a multi-stage pretreatment and conversion coating of the metal before coating the aluminum. However, the Case 1 applicator may have followed AAMA 603-98 as given in the project specification. Only glass bead blast cleaning was performed to prepare the substrate. In Case 2, the applicator employed a multi-stage pretreatment process as described below. Product performance certifications were not available for the investigations of Case 1.

(It should be noted that of the AAMA's three voluntary performance specifications for coating work, 2603-02 is the least rigorous and addresses "Pigmented Organic Coatings." AAMA 2604-02 addresses "High Performance Organic Coatings." AAMA 2605-02 addresses "Superior Performing Organic Coatings" and contains the most rigorous performance protocols. As in AAMA 2603-02, AAMA 2604-02 and AAMA 2605-02 state that a multi-stage pretreatment and conversion coating application should be performed before coating aluminum.)

In Case 1, the manufacturer's product data sheet (PDS) did not contain claims that the powder coatings comply with any AAMA standards. In Case 2, the manufacturer's PDS stated that the high-gloss series meets AAMA 2603-02 requirements.

There were no project specifications provided for Case 3. However, the applicator reported that a fluoropolymer-based powder coating, considered superior to the products in Cases 1 and 2, was selected due to project warranty requirements. The manufacturer's PDS included data demonstrating the fluoropolymer-based powder coating met test requirements in AAMA 2605.

For surface preparation, each manufacturer's PDS stated that aluminum substrates require multiple cleaning/treatment steps before applying powder coatings. As noted above, the aluminum substrate in Case 1 was prepared by (glass) bead blast cleaning. The substrates in the Cases 2

and 3 underwent multi-step cleaning and preparation processes, described by the powder coaters as follows.

Case 2: Cleaning and Preparation

- Alkaline cleaner (90–120 F)
- Fresh water rinse
- Back-up rinse
- Chrome-free pretreatment
- High-temperature drying (250–350 F)
- Automated electrostatic powder coat application
- Transport through a baking oven (400–425 F for 15 minutes)



Fig 1: (Case 1) Surface soiling shows the area of a split film exposed to weather. the white corrosion products include aluminum hydroxides and oxides that are somewhat dry (not fully hydrated).



Fig 2: (Case 1) Bottom rail patches of small, irregular blisters between picket penetrations do not appear to be directly linked to filiform corrosion from the edges associated with the penetrations. Not to scale.




Fig 3: (Case 2) Typical appearance of filiform threads on powder coated aluminum at a picket penetration of the bottom rail. Not to scale.



Fig 4: (Case 2) Small blister caps were lifted from the coating film with a knife tip, exposing the aluminum substrate. These were located near, and appeared associated with, filiform strands. Not to scale.

Case 3: Cleaning and Preparation

- Alkaline cleaning, pH 11.0, 120 F
- Acidic water rinse (pH 4.5–5.0)
- Hydrofluoric acid cleaning, pH 2.0–3.0, ambient temperature 2 minutes
- Acidic water rinse (pH 4.5–5.0)
- Non-chromate chemical surface treatment, pH 3.0 (ammonium fluoride and fluorozirconium acids)
- Coated pieces heated, transported through baking (400–430 F).

The applicators supplied no quality control or performance test data for the aluminum alloy or powder coatings in any of the cases.

Field Investigation

The field examination included visual examinations, coating thickness measurements (Table 1, p. 11), adhesion testing, sample removal for laboratory analysis, and substrate examination.

Observations from Case 1

The coating failure included filiform corrosion; blisters of differing size; and split, delaminated films (Fig. 1). The origin of

Continued

the filiform strands was associated with edges and seams, most commonly where aluminum pickets passed through the lower railing.

Blister clusters and split coatings were present without indication that filiform corrosion was the initiating mechanism (Fig. 2, p. 13). The aluminum top rails exhibited occasional blister clusters at the ends, while adjacent rails were unaffected.



Fig 5: (Case 3) Coating blisters developed where stainless steel screws were used to fasten an aluminum railing to a post.

edges and seams, most commonly where aluminum pickets passed through the bottom and mid rails (Figs. 3 and 4, p. 13).

- Distinct individual blisters were present in otherwise intact coating, as were clusters of smaller, irregular blisters.

Observations from Case 3

- The aluminum substrate exhibited filiform corrosion, crevice corrosion, and probable galvanic corrosion at stainless steel screw penetrations (Fig. 5). Corrosion was primarily limited to edges and connections.
- The products of aluminum corrosion created blisters (bub-

Observations from Case 2

- Filiform corrosion was the principal mode of corrosion at

Table 2: Typical Seven-Step Aluminum Pre-Treatment Process⁴

Step	Process	Description	Time	Temperature
1	Clean	Alkaline or acid uniform mild etching to remove surface soils	1-5 minutes	140-180 F
2	Rinse	Tap water, overflowing	30 seconds	Ambient
3	Deoxidize (optional)	Acid treatment to remove natural oxide film	1 minute	Ambient
4	Rinse	Tap water, overflowing	45 seconds	Ambient
5	Conversion Coating*	Amorphous Chromium Phosphate or Amorphous Chromate**	45 seconds 45 seconds	100-120 F 75-90 F
6	Rinse	Tap water, overflowing	30 seconds	Ambient
7	Final Rinse (and oven dry)	Acidulated rinse or water (TDS, 300 ppm)	15 seconds	Ambient***

* Coatings weight range: 30 to 100 mg/ft²

** Applies to AAMA 2605 only. Chrome or chrome free can be used for AAMA 2603 and AAMA 2604

*** May be heated to 150 F to facilitate drying

Table 3: Comparison of Voluntary Specification Performance Requirements for Organic Coatings Applied to Aluminum Extrusions and Panels

Voluntary Specification	AAMA 2603	AAMA 2604	AAMA 2605
Pretreatment System	Chrome (30 mg/SF) or Non-chrome (per mfg)	Chrome or Non-chrome	Chrome, 40 mg/SF
Dry Film Thickness Minimum (mils)	0.8	1.2	1.2
Outdoor Exposure	1 Year, South Florida	5 Years, South Florida	10 Years, South Florida
Chalking Resistance	1 Year, Slight Chalk	5 Years, Chalk = 8	10 Years, Chalk = 8
Accelerated Corrosion Resistance	1500 Hours Salt Spray	3000 Hours Salt Spray	4000 Hours Salt Spray
	1500 Hours 100% Humidity	3000 Hours 100% Humidity	4000 Hours 100% Humidity
Gloss Retention	None specified	5 years, 30%	10 Years, 50%
Erosion Retention	None specified	5 Years, 10% loss	10 Years, 10% loss
Color Uniformity	Excellent color uniformity of all finishes is required. Final color approval should be made with applicator-prepared production line samples for all finish specifications.		
Warranty*	1-5 Years	5-10 Years	10-20 Years

* Varies by manufacturer




Fig 6: (Case 3) Intact coating blisters on a railing section prior to removal of the coating (left) and the appearance of the substrate (right) with confined spots of corrosion product.

bles) in the coating film on extruded pieces (Fig. 6). However, the blistered coating was not split or ruptured.

Commonalities and Uniqueness

Factors common to all three cases were the use of powder coatings, extruded aluminum alloys suitable for marine (coastal) environments, and the presence of filiform corrosion and blisters. Apart from surfaces with under-film corrosion, adhesion was good, the substrate appeared clean, and the coating appeared durable. Filiform corrosion in all cases originated at edges, penetrations, and similar locations where the coating was not continuous.

In each case, adhesion was tested in accordance with ASTM D3359² and ASTM D6677³ and by subjective probing around blisters and bubbles. For all intact coating, adhesion was excellent. Wherever the coating film was failing, the underside showed white corrosion products.

Unique factors included the type of powder coat resin, surface cleaning and preparation methods, and degree of failure observed. Case 1 had the least rigorous preparation, a TGIC polyester powder coat, and the most extensive failure. Case 2 had several surface cleaning and preparation steps, a TGIC-free polyester powder coat, and less extensive failure than Case 1. Case 3 had the most thorough surface cleaning and preparation, a high grade (fluoropolymer) powder coat, and the least degree of failure.

Research

Research into the failures began with investigation into proper surface preparation. Among documents reviewed was ASTM D 1730, Standard Practices for Preparation of Aluminum and Aluminum-Alloy Surfaces for Painting, which, simply summarized, says that unless the service environment is interior (ambient) or very mild, chemical treatment or anodizing should be employed. Research of applicable powder coat manufacturers' PDS and literature consistently showed that some measure of chemical treatment was necessary. Voluntary specifications and other published AAMA information were reviewed. This included an article⁴

Continued

remove SALTS prevent FLASH RUST cut GREASE

HoldTight® 102 is simply different – the standard of performance for preventing flash rust for more than a decade. It **has never just prevented flash rust.**

No Salt. *HoldTight® 102* is the best because it first removes **all** contaminants – chlorides, sulfates, phosphates and more. Our standard is “**zero-detectable salts.**”

No Rust. *HoldTight® 102* leaves a rust-free surface for 48-hours or more – often 3 to 5 days!

No Detectable Residue. There is nothing – *absolutely nothing* – left on the surface that might interfere with your coating. Ten years in the field; 1,000's of tests prove it.

A Little Goes a Long Way. *HoldTight® 102* is diluted in water between 50 to 1 and 200 to 1 depending on the application.

Among rust preventers and salt removers, **HoldTight® 102** is **the most... widely used, reliable, time-proven, lab-tested, field-tested, recommended and approved by coating companies, period.**

HoldTight[®]
SOLUTIONS

To order or for more information:
phone 800.319.8802 • 713.266.9339
fax 713.266.1022 • email info@holdtight.com
web www.holdtight.com

Cases from the F-Files

that described a “typical” pre-treatment process for aluminum fenestration products (Table 2, p. 14). Table 3 (p. 14) briefly compares the three AAMA Voluntary Specifications named above.

Corrosion mechanisms common to aluminum were also investigated with particular emphasis on filiform corrosion as an initial corrosion form and a likely predecessor to crevice corrosion and many of the blisters.

Filiform corrosion occurs on coated aluminum under particular conditions—temperature (70–105 F), relative humidity (75%–95%), beneath thin films (e.g., 3–4 mils)—and is not observed when coatings are not applied. The presence of soluble salts (e.g., chloride) is also contributory. The driving force of filiform corrosion is the “head,” which serves as the corrosion cell anode and which pushes the filament forward. Humidity and salts provide the elec-

trolyte. The aluminum behind the head where the corrosion products are deposited is (relatively) cathodic. The corrosion products include hydrated forms of aluminum hydroxide and aluminum oxide. The expanded volume of the corrosion products deforms the coating. Without conditions conducive to filiform corrosion, it does not develop. It is the opinion of some that a breach and/or initiating contaminant must be present to result in filiform corrosion progression.

Not surprisingly, the environment along saltwater coasts is conducive to filiform corrosion. During the course of a calendar year, typical average daily relative humidity ranges from 70% to 93%⁵ and daily average temperature can range from 47–85 F. The service environment is classified as Corrosion Class 3⁶: in the vicinity of open water and near the coast.

Conclusions

The aluminum alloys selected were suited to the environment, so the substrate selection appears appropriate.

In Case 1, the surface preparation was not appropriate for the service environment. No reports or data were presented to demonstrate the powder coating would meet the specified performance requirements (AAMA 603), making the coating selection suspect.

In Case 2, the surface preparation was insufficient. The process included cleaning and a conversion coating (non-chromate) but did not include the (optional) deoxidizing acid step. The powder manufacturer recommends a minimum five-step chrome phosphate treatment (or equivalent). No reports or data were presented to demonstrate the powder coating would meet the specified performance requirements (AAMA 603), again making the coating



THE MBX®

BRISTLE BLASTER

Innovative Power Tool Surface Preparation

Clean and Profile in a Single Step

Near White/White Metal Clean

2.7 – 3.3 mil Profile

Pneumatic & Electric Tools

MONTIPOWER

JUST MBX IT!

877 629-8777 • info@mbxit.com
www.mbxit.com

Cases from the F-Files

selection suspect.

In Case 3, the surface preparation was appropriate. A non-chromate treatment was used, which is allowed by AAMA 603 (and AAMA 2603). For aluminum in a marine environment, the fluoropolymer powder coating was considered superior to the polyesters, and the manufacturer showed test data meeting many requirements of AAMA 2605. But AAMA 2605 requires a chromate treatment, not a non-chromate treatment. Failure at penetrations, including crevice corrosion, suggests that coating coverage was too thin or not complete, that contaminants were present, and/or that non-chromate treatments are not equivalent to chromate treatments.

Coating aluminum extrusions requires detailed surface cleaning and preparation and a continuous film. Electrostatic deposition has high transfer efficiency but the

electrical fields formed in channels, boxes, and bends (Faraday cage effect) can yield incomplete coverage or coating films (whether liquid or powder) that are too thin. This effect sets the stage for the failures observed.

Discussion

Applicators have argued that AAMA 2605-compliant products should be specified for marine (coastal) applications and that specifying lesser materials will naturally shorten the coating service life. Arguments have also been made that numerous AAMA 2603-specified projects on the Gulf Coast have been successful. Both arguments merit investigation. If the AAMA Voluntary Specifications are to be used, the industry would benefit if documentation were available demonstrating which powder (and liquid) coatings, when applied to aluminum, have passed the requisite tests.

Resistance to filiform corrosion should also be a performance criterion.

Research in Europe, where powder coatings have had longer and more diverse applications, shows that while the use of conversion coatings reduces the potential for filiform corrosion, such surface treatments are not 100% effective. Although chromate-containing compounds have demonstrated better performance than non-chromate formulations, the use of chromates is diminishing due to environmental and health concerns with hexavalent chromium toxicity. Anodizing before coating has been recommended as an alternative surface preparation process. (The pressure to replace conversion coatings based on hexavalent chromium is also present in the U.S.)

The Environmental Security Technology Certification Program⁷

Continued

TriBlendTM FLOORING SAND

- Silica Sand Aggregate for Industrial Floor Toppings
- Custom Blended for Optimum Packing Density
- Available in Fifty-Pound Bags
- Numerous Blends and Grades Available
- Servicing the Flooring Industry in the Eastern and Central United States

Call 800-345-6170

U.S. Silica Company • P.O. Box 187 • Berkeley Springs, WV 25411

Fax: (304) 258-8295 • <http://www.u-s-silica.com>



Cases from the F-Files

(ESTCP) has issued Non-Chromate Aluminum Pretreatments⁸ (NCAP) Phase I and Phase II Reports. A chromate product was used as a control (reference), and non-chrome and trivalent chrome products were tested. While some of the test products showed adequate performance in some applications, the chromate control perfor-

mance was superior over a wider array of service environments and alloys. One test was for resistance to filiform corrosion. No such specific test is identified in the AAMA Voluntary Specifications but would be a significant addition.

ASTM D2803-03, Standard Guide for Testing Filiform Corrosion Resistance of Organic Coatings on

Metal, contains three methods for exposing coated and scribed test specimens to a corrosive environment before placing them in temperature and humidity conditions conducive to filiform corrosion. The standard does not provide a uniform filiform corrosion rating system. However, the NCAP Phase I report used and described two techniques for rating filiform corrosion.

The first rating method assigned two numbers, one based on filament length and one based on relative filament density along the scribe. The second technique required stripping the coating from half of the test panel; placing a standard, transparent template of a grid of squares on the surface of a scribe leg; and counting the squares without filament corrosion.

Further Considerations

Among the many aluminum handrail coating failure investigations performed or reviewed, the writers have not encountered similar failures where liquid coatings were applied. One manufacturer reports that liquid coatings, particularly the fluoropolymer resins, simply outperform currently available powder coating formulations, a significant advantage for coastal applications. Liquid coatings are reported to meet AAMA 2605 requirements while powder coating products simply do not.

Perhaps aluminum substrates in marine environments represent a unique situation where powder coatings and (non-chrome) surface treatments require further evolution to meet or exceed the performance of chromate treatments and liquid coatings. Performance issues might be mitigated with consideration of the European experience and more transparent performance testing. Without equivalency performance on aluminum, one side effect of going green may be accepting lesser performance. In the meantime, powder coating failures on aluminum in coastal environments may continue.

When you need access to those hard-to-reach places.



QuikDeck™ Suspended Access System

The Access Advantage for bridges, buildings or other structures.

To be successful in today's competitive market, you need an advantage. The versatile QuikDeck™ Suspended Access System's modular platform design can be assembled from just a few basic components and made to fit almost any shape or size.

- Designed for easy installation
- Safe to the environment
- Specially-engineered modular platform to reduce labor costs
- Can be "leapfrogged" to reduce equipment cost
- Professional engineering support and crew training on installation and removal to ensure safety

Access the advantage and contact your local ThyssenKrupp Safway branch to make your next suspended access project a success.

Bridge Division
Toll-Free 800.582.9391
Fax 518.381.4613

ThyssenKrupp Safway, Inc.

A ThyssenKrupp Services company



www.safway.com

ThyssenKrupp

Cases from the F-Files

Notes

1. AAMA 603-98, Voluntary Specification, Performance Requirements and Test Procedures for Pigmented Organic Coatings on Aluminum Extrusions and Panels (superseded by AAMA 2603-02); AAMA 2604 Voluntary Specification, Performance Requirements and Test Procedures for High Performance Organic Coatings on Aluminum Extrusions and Panels;

- AAMA 2605 Voluntary Specification, Performance Requirements and Test Procedures for Superior Performing Organic Coatings on Aluminum Extrusions and Panels; All available from the American Architectural Manufacturers Association, 1827 Walden Office Square, Suite 550, Schaumburg, IL 60173.
2. ASTM D 3359, Standard Test Methods for Measuring Adhesion by Tape Test, ASTM

International, West Conshohocken, PA, www.astm.org.

3. ASTM D 6677, Standard Test Method for Evaluating Adhesion by Knife, ASTM International, West Conshohocken, PA, www.astm.org.
4. Carl Wagus, "Coating 101: A Primer for Aluminum Sprays," *Coatings Door & Window Maker Magazine*, November/December 2004.
5. Based on daily weather data from January 1, 2004, through December 31, 2007.
6. Corrosion Class 3 is defined as an environment in densely populated areas or near industrial areas; in the vicinity of open water and near the coast.
7. The Environmental Security Technology Certification Program (ESTCP) was established as a program of the DoD in December 1993. The ESTCP is managed by the Office of the Deputy Undersecretary of Defense for Environmental Security (DUSD-ES). The ESTCP demonstrates and validates laboratory-proven technologies that target the DoD's most urgent environmental needs. These technologies provide a return on investment through reduced environmental, safety, and occupational health (ESOH) risks; cost savings; and improved efficiency.
8. ESTCP selected the NCAP project, led by Naval Air Systems Command (NAVAIR) and coordinated with JG-PP, to assist in the mitigation of the significant ESOH risks that are associated with the use of chromate conversion coatings.

WIWA Spray Technology

The powerful and reliable WIWA Airless Single and Plural Component Technology satisfies even toughest demands.

**QUALITY PRODUCTS
ENSURE YOUR SUCCESS**







WIWA Plural Component Technology
Robust, powerful and versatile plural component coating units.



Spray Technology • Fluid Handling Equipment

WIWA Wilhelm Wagner LP • 3734A Cook Boulevard • Chesapeake, VA 23323
Phone: 1-757-436-2223 • Fax: 1-757-436-2103 • Toll free: 1-866-661-2139
E-mail: sales@wiwalp.com • Internet: www.wiwa.com

WIWA Wilhelm Wagner GmbH & Co. KG • Gewerbestraße 1-3 • 35633 Lahnau, Germany
Phone: +49 (0)6441-609-0 • Fax: +49 (0)6441-609-50/58
E-mail: info@wiwa.de • Internet: www.wiwa.de



Richard Burgess, a senior coatings consultant with KTA-Tator, Inc. (Pittsburgh, PA), is the editor of the F-Files series.



Ken Tator has been Chairman of the SSPC Research Committee and numerous other SSPC and NACE committees; a member of SSPC's first Board of Directors; Director of NACE; and writer for *JPCL*, *SSPC*, *NACE*, and *ASM*.

Update on Low VOC Regulations for Coatings

By Madelyn Harding, The Sherwin-Williams Company

The industrial painting sector faces a patchwork quilt of tightening environmental regulations governing potential volatile organic compound (VOC) emissions from protective coatings. The tightening of the regulations presents both challenges and opportunities to coating formulators.

Extreme regulatory stringency reached the protective coatings market in 2007 when the South Coast Air Quality Management District's (SCAQMD) Rule 1113 changed to stipulate VOC limits of 100 grams per liter (g/L) for industrial maintenance coatings, making Southern

California the most restrictive jurisdiction in North America.

Moderation prevailed elsewhere in California, where the California Air Resources Board's (CARB) 2007 amendments to the Suggested Control Measure (SCM) maintained the 250 g/L limit for industrial maintenance coatings. Other air quality management districts throughout the state use the SCM as a Model Rule from which they can develop their own versions.

On the other side of the continent, the Ozone Transport Commission (OTC), a Washington, D.C.-based consortium of 12 mid-Atlantic states and the District

of Columbia, is expected to lower its current limits in its Model Rule from 340 g/L to 250 g/L sometime in the next two to three years. At present, the OTC members that have adopted the Model Rule include Connecticut, Delaware, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, some regions of Virginia, and the District of Columbia. In addition, Midwest states have started adopting rules based upon the OTC Model Rule, with Ohio and Illinois already regulated and Indiana expected to implement the rule in 2011.



**Dehumidification?
Temporary heat?
and...
Remote monitoring?
Done.**



WWW.DRYCOGROUP.COM • 866.379.2600

Canada has a proposal for a 340 g/L limit that is expected to become effective sometime in 2010. In addition, the U.S. Environmental Protection Agency is developing an amendment to the national rule, probably with a 340 g/L limit, also to be effective during 2010.

The move toward solvent reduction is resulting in improved resin technologies for coatings formulations. Coatings manufacturers are being challenged to bring to market coatings that comply with these restrictions while still being easy to apply and performing as well as the products they are replacing. One result has been solvent-borne coating formulations using lower molecular weight resins and having viscosities low enough to be applied effectively, with little or no solvent. An example of the dramatic technical advances being made is a solvent-borne alkyd topcoat compliant at 100 g/L, a difficult feat.

These regulatory modifications also are resulting in waterborne, high-solids coatings such as alkyds, epoxies, and urethanes that have the ability to dry as fast as the solvent-borne products. In some instances, the coatings' mechanical and corrosion-resistance properties may even be superior to the higher-VOC coatings being replaced.

When solvents don't have to migrate out of the coating as it cures, as in the case of a 100% solids coating, the coating allows for a thicker film application that performs better than a conventional low-solids, thin-film product. These new resin technologies also facilitate better adhesion and improved corrosion resistance on the sharp edges of structures. The absence of solvents also eliminates shrinkage; thus, the film doesn't pull away from the substrate.

As product improvements continue to be engineered, all indications are that

more of the country will look to California and eventually enact further reductions in VOC limits. We are also seeing signs that SCAQMD will turn its attention to colorants as a strategy for achieving further VOC reductions.

Madelyn K. Harding has been The Sherwin-Williams Company's corporate manager of Regulatory Affairs for 19 of her 28 years with the company. She concentrates on VOC, HAP, and FIFRA regulations and on food contact certifications. She represented Sherwin-Williams on the Federal Advisory Committee negotiating for the VOC regulation of Architectural Coatings and during the EPA developments of HAP regulations for major industrial sources. She continues to represent Sherwin-Williams in negotiations during federal, state, and local rule developments impacting the coatings industry.


PosiTector® DPM Dew Point Meter

Measures and records climate conditions during surface preparation and application of coatings as required by ISO 8502-4 and ASTM D3276.



Magnetic Surface Temperature probe
available for hands-free recording

- **Internal Memory** stores 2,500 datasets in 100 batches
- **Graph Mode** charts all 5 parameters onscreen
- **Smart Trend™ Indicators** identify rising or falling readings
- **Flip Display** enables right-side-up viewing in any position



DeFelsko®

1-800-448-3835 or www.defelsko.com

Phone: 315-393-4450 • Fax: 315-393-8471 • Email: techsale@defelsko.com • Ogdensburg, New York USA



Coating System Guide for Bridges

Systems are alphabetized by first coat.

Exterior Weathering - Mild/Moderate Steel

■ Alkyd/Acrylic/Acrylic

Carboline Company (251-340 g/L)
Dampney Co., Inc.
Diamond Vogel Paint Company (251-450 g/L)
Rodda Paint Corporation (341-450 g/L)
Tnemec Company, Inc.

■ Alkyd/Alkyd/Alkyd

Complementary Coatings/DBA Insl-X (251-340 g/L)
Highland International, Inc.
Jotun Paints Inc. (341-450 g/L)



Rodda Paint Corporation (341-450 g/L)
Sherwin-Williams (101-250 g/L)
Teknos OY
Tnemec Company, Inc.

■ Alkyd/Alkyd/Silicone Alkyd

Highland International, Inc. (341-450 g/L)
Rodda Paint Corporation (341-450 g/L)
Top Secret Coatings

■ Calcium Sulphonate

Daubert Chemical, Co. (251-340 g/L)
Termarust Technologies (101-250 g/L)

■ Coal Tar/Asphalt

The Tapecoat Co.

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Complementary Coatings/DBA Insl-X (101-250 g/L)
Concrete Solutions (101-250 g/L)
Diamond Vogel Paint Company (251-340 g/L)
Epmar Corporation
Flexcrete Technologies Ltd. (<100 g/L)
Highland International, Inc.
Rust-Oleum Corporation (101-250 g/L)

■ Epoxy (1-2 coats)/Urethane

Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Insl-X (101-250 g/L)

Convenience Products (<100 g/L)
Corchem Corporation (101-250 g/L)
Coronado Paint (251-340 g/L)
Cortec Corporation (<100 g/L)



Devco Coatings (AkzoNobel) (<100 g/L)
Euronavy
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
PPG Protective & Marine Coatings (251-340 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sherwin-Williams (101-250 g/L)
Tnemec Company, Inc.
Top Secret Coatings
Watson Coatings, Inc.

■ Epoxy 100% Solids (1-2 coats)

Concrete Solutions (<100 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Gemite Products Inc. (<100 g/L)
JAXXON National Maintenance Products
PolySpec L.P. / THIOKOL (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Epoxy Novolac (1-2 coats)

Sauereisen, Inc.

■ Epoxy/Epoxy 100% Solids

A&E Systems LLC (<100 g/L)
Denso North America
Euronavy
Sauereisen, Inc. (<100 g/L)

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

A&E Systems LLC
Dudick, Inc.

■ Epoxy/Epoxy/Epoxy

A&E Systems LLC
Corrosion Control Products Co.
Euronavy
PolySpec L.P. / THIOKOL (<100 g/L)

Sauereisen, Inc. (<100 g/L)
Top Secret Coatings

■ Fusion-Bonded Epoxy (1-2 coats)/Urethane

Transpo Industries Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Acrylic/Acrylic

Epmar Corporation

■ Inorganic Zinc/Epoxy/Siloxane

International Paint LLC (251-340 g/L)

■ Inorganic Zinc/Epoxy/Urethane

Carboline Company (251-340 g/L)
Corchem Corporation (101-250 g/L)
Devco Coatings (AkzoNobel) (341-450 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Gulf Coast Paint Mfg., Inc.

■ Inorganic Zinc/Polyurea (Pure)

Primeaux Associates LLC (101-250 g/L)

■ MCU Zinc Rich/Epoxy/Urethane

Avilion Inc.
Dampney Co., Inc.
Endura Manufacturing Co. Ltd. (101-250 g/L)

■ MCU Zinc Rich/MCU/MCU

Wasser Corporation (101-250 g/L)

■ MCU Zinc Rich/Urethane/Urethane

Coatings For Industry, Inc. (251-340 g/L)
Polycoat Products (101-250 g/L)



■ MCU/MCU/MCU

Coronado Paint (251-340 g/L)
Cortec Corporation (341-450 g/L)
Polycoat Products (101-250 g/L)
Wasser Corporation (101-250 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Epoxy/Siloxane

Avilion Inc.
International Paint LLC (251-340 g/L)

■ Organic Zinc/Epoxy/Urethane

Avilion Inc.
CMS-Corrosion Management Solutions (101-250 g/L)
Corchem Corporation (101-250 g/L)
Dampney Co., Inc.
Devoe Coatings (AkzoNobel) (341-450 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Fox Industries Inc. (101-250 g/L)
International Paint LLC (251-340 g/L)
Jotun Paints Inc. (251-340 g/L)
KCC Corrosion Control Co., Ltd.
PPG Protective & Marine Coatings (251-340 g/L)
Sherwin-Williams (101-250 g/L)
Teknos OY

■ Organic Zinc/Polyurea (Pure)

Polycoat Products (<100 g/L)

■ Organic Zinc/Polyurea Hybrid

Wasser Corporation (101-250 g/L)

■ Organic Zinc/Siloxane

Carboline Company (251-340 g/L)

carboline®
Coatings - Linings - Fireproofing
THE PROTECTIVE COATINGS PROFESSIONALS™



1-888-CARBOLINE

PPG Protective & Marine Coatings (251-340 g/L)

■ Organic Zinc/Urethane/Urethane

KCC Corrosion Control Co., Ltd.

■ Polyester/Polyester/Polyester

Corrocoat Ltd. (<100 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
Chemline
Corolon Coatings & Corrosion Control (<100 g/L)
DEMILEC (USA) LLC
LINE-X Protective Coatings (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers (<100 g/L)
Chemline
Corolon Coatings & Corrosion Control (<100 g/L)
DEMILEC (USA) LLC
Fox Industries Inc. (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Total Containment Solutions dba FSI (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Siloxane/Siloxane

Evonik Degussa Corporation (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.
Denso North America
The Tapecoat Co.

■ Thermal Spray

Nation Coating Systems, Inc.
Thermion Inc. (<100 g/L)
TMS Metalizing Systems, Ltd.
Unified Technologies
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Chemline
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)

■ Urethane/Urethane

Concrete Solutions (101-250 g/L)
Convenience Products (<100 g/L)
Cortec Corporation (341-450 g/L)
KEMA Coatings LTD.
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Superior Products International II (341-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Dudick, Inc.
PolySpec L.P. / THIOKOL (101-250 g/L)

■ Wax

The Tapecoat Co.
Watson Coatings, Inc.

■ Zinc-Rich, Inorganic

ZRC Worldwide (<100 g/L)

■ Zinc-Rich, Organic

Superior Epoxies & Coatings
ZRC Worldwide (101-450 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
BioCoatings (<100 g/L)
Cantex Coatings Ltd. (<100 g/L)
Corolon Coatings & Corrosion Control (<100 g/L)
ENECON Corporation (<100 g/L)
Evonik Degussa Corporation (<100 g/L)
Flexcrete Technologies Ltd. (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
Industrial Nanotech Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd.
KiON Specialty Polymers - Clariant (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
Rust-Oleum Corporation (<100 g/L)
Safe Encasement Systems (<100 g/L)

Exterior Weathering - Mild/Moderate Concrete

■ Alkyd/Acrylic/Acrylic

Carboline Company (251-340 g/L)
CMS (Corrosion Management Solutions) (<100 g/L)
Corolon Coatings & Corrosion Control (<100 g/L)
Diamond Vogel Paint Company (251-450 g/L)
Fox Industries Inc. (<100 g/L)
PROSOCO, Inc.

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Avilion Inc.
Diamond Vogel Paint Company (251-340 g/L)
Epamar Corporation
Flexcrete Technologies Ltd. (<100 g/L)
PPG Protective & Marine Coatings (251-340 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sherwin-Williams (341-450 g/L)
Tnemec Company, Inc.

■ Epoxy (1-2 coats)/Urethane

Avilion Inc.
Carboline Company (251-340 g/L)
Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Insl-X (101-250 g/L)
Convenience Products (<100 g/L)
Corchem Corporation (101-250 g/L)
Coronado Paint (251-340 g/L)
Devoe Coatings (AkzoNobel) (<100-340 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Euronavy
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
Kemper System Inc. (<100 g/L)
Micor Company, Inc. (341-450 g/L)
PPG Protective & Marine Coatings (251-340 g/L)
Primeaux Associates LLC
Sherwin-Williams (101-340 g/L)
Top Secret Coatings
Watson Coatings, Inc.

■ Epoxy 100% Solids (1-2 coats)

Corchem Corporation (<100 g/L)
Crown Polymers, LLC
Denso North America
Duromar, Inc. (<100 g/L)
International Coatings Inc. (<100 g/L)
JAXXON National Maintenance Products
Kaufman Products, Inc. (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)

■ Epoxy Novolac (1-2 coats)

Chemline
Crown Polymers, LLC (<100 g/L)
Sauereisen, Inc.

■ Epoxy/Epoxy 100% Solids

A&E Systems LLC (<100 g/L)
Corro-Shield International, Inc.
Denso North America
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Enviro Epoxy Products (<100 g/L)
Kaufman Products, Inc. (<100 g/L)
Sauereisen, Inc. (<100 g/L)

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

A&E Systems LLC
Dudick, Inc.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Dudick, Inc.
PolySpec L.P. / THIOKOL (<100 g/L)

■ Epoxy/Epoxy/Epoxy

A&E Systems LLC
Avilion Inc.
Complementary Coatings/DBA Insl-X (101-250 g/L)
Corrosion Control Products Co.
PolySpec L.P. / THIOKOL (<100 g/L)
Sauereisen, Inc. (<100 g/L)
Top Secret Coatings
Transpo Industries Inc.

■ Epoxy/MCU/MCU

Sherwin-Williams (251-340 g/L)

■ Epoxy/Polyester/Polyester

Top Secret Coatings

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Zinc Rich/MCU/MCU

Polycoat Products (101-250 g/L)

■ MCU/MCU/MCU

Coronado Paint (251-340 g/L)
Polycoat Products (101-250 g/L)
Wasser Corporation (101-250 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

BioCoatings (<100 g/L)
Rodda Paint Corporation (>450 g/L)
Stirling Lloyd Group Plc. (<100 g/L)
Transpo Industries Inc.

■ Organic Zinc/Epoxy/Epoxy

Superior Epoxies & Coatings (<100 g/L)

■ Organic Zinc/Polyurea Hybrid

Chemline

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
Corolon Coatings & Corrosion Control (<100 g/L)
Dampney Co., Inc.
DEMILEC (USA) LLC
LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
Chemline
Crown Polymers, LLC
Dampney Co., Inc.
DEMILEC (USA) LLC
Fox Industries Inc. (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Primeaux Associates LLC
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation
Specialty Products, Inc. (SPI) (<100 g/L)
Total Containment Solutions dba FSI (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Siloxane/Siloxane



Advanced Chemical Technologies (341-450 g/L)
BioCoatings (<100 g/L)
Dayton Superior
Evonik Degussa Corporation (<100-450 g/L)
Gemite Products Inc. (<100 g/L)
PROSOCO, Inc.
Rainguard International (<100 g/L)
SaverSystems/Defy (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.
Denso North America

Qnix® 8500

COATING THICKNESS GAGES



- Define a "Virtual Reference Plan" on rough (blast cleaned) surface (BMR). Simultaneously measure and display Paint & Zinc coating thicknesses on Steel;
- Use wireless probes for difficult-to-access areas;
- 3 Year Warranty;
- Free Certificate of Calibration, soft pouch & carrying case.

TestCoat, Inc. 1-800 678 4370

www.testcoat-usa.com

Click our Reader e-Card at paintsquare.com/r/c

Distributor
Opportunities

Metallizing outperforms 40 other coatings.

When lifecycle counts,
contractors trust Thermion.

USA • Canada • Taiwan • Singapore
New Zealand • Czech Republic • U.A.E.

High Production Arc Spray Systems
Metallizing Spray Wires
Custom Design and Engineering
Training and 24-Hr Tech Service
Spare Parts for All Thermion™ Products
Worldwide Distribution



Thermion™

The Original and Reliable


360.692.6469 • info@thermioninc.com
Find out more at www.thermioninc.com

Click our Reader e-Card at paintsquare.com/r/c

CO₂ OUT!

Unique, patented low temperature catalyst purifies compressed breathing air.

- for continuous use to remove carbon monoxide
- no expensive desiccant drying equipment needed
- helps provide comfortable, humidified compressed air to meet Grade-D requirements
- by far, the most economical CO-removal alternative



"Save your breath with

NST[®]

MODERN SAFETY TECHNIQUES

(800) 542-6646
Fax (419) 542-6475
www.modsafe.com
Email: modsafe@bright.net

Don't Just Filter...Purify!

Click our Reader e-Card at paintsquare.com/r/c

Got Lead?

...we've got you covered.

Stretch your Maintenance Budget
ARMOR-SHIELD CSA Series
Calcium Sulfonate Alkyd

- Provides an impermeable barrier, adding years to service life
- 1 or 2 coat applications
- No abrasive blasting required, can be applied over blasted metals
- Surface tolerant over rust and existing coatings
- Apply as low as 0°F - extend painting season 3 months
- Dries quickly to a firm film

WATSON
COATINGS, INC.

Call or email us today • 800-844-4212 • info@watsoncoatings.com

Click our Reader e-Card at paintsquare.com/r/c

■ Thermal Spray

Thermion Inc. (<100 g/L)
TMS Metalizing Systems, Ltd.
Unified Technologies
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Huntsman Polyurethanes (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)

■ Urethane/Urethane

Coatings For Industry, Inc. (251-340 g/L)
Convenience Products (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation
Roadware Incorporated
Specialty Products, Inc. (SPI) (<100 g/L)
Superior Products International II (341-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Corrocoat Ltd.
PolySpec L.P. / THIOKOL (101-250 g/L)

■ Wax

The Tapecoat Co.

■ Other

Advanced Chemical Technologies (341-450 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Cantex Coatings Ltd. (<100 g/L)
Corolon Coatings & Corrosion Control (<100 g/L)
ENECON Corporation (<100 g/L)
Flexcrete Technologies Ltd. (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
GSE Lining Technology, Inc.
Industrial Nanotech Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
Nox-Crete Products Group (101-250 g/L)
PPC Coatings
Roadware Incorporated
Rust-Oleum Corporation (<100 g/L)
Safe Encasement Systems (<100 g/L)
Termarust Technologies (<100 g/L)
United Gilsonite Laboratories (101-250 g/L)
W. R. MEADOWS, INC. (<100->450 g/L)
Wasser Corporation (101-250 g/L)

Exterior Weathering - Severe Steel

■ Alkyd/Acrylic/Acrylic

Diamond Vogel Paint Company (341-450 g/L)

■ Calcium Sulphonate

Daubert Chemical, Co. (251-340 g/L)
Termarust Technologies (101-250 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Flexcrete Technologies Ltd. (<100 g/L)
Industrial Nanotech Inc. (<100 g/L)

■ Epoxy (1-2 coats)/Fluoropolymer

Sherwin-Williams (101-250 g/L)

■ Epoxy (1-2 coats)/Fluorourethane

Dampney Co., Inc.

■ Epoxy (1-2 coats)/Urethane

Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Ins-X (101-250 g/L)
Corchem Corporation (101-250 g/L)
Coronado Paint (251-340 g/L)
Cortec Corporation
Dampney Co., Inc.

AHERN PAINTING CONTRACTORS INC.

Diamond Vogel Paint Company (341-450 g/L)
Euronavy
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Highland International, Inc.
Rodda Paint Corporation (341-450 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sherwin-Williams (101-250 g/L)
Top Secret Coatings
Watson Coatings, Inc.

■ Epoxy 100% Solids (1-2 coats)

Duomar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Gemite Products Inc. (<100 g/L)
Rhino Linings Corporation

■ Epoxy Novolac (1-2 coats)

Rhino Linings Corporation

■ Epoxy/Epoxy 100% Solids

A&E Systems LLC (<100 g/L)
Denso North America
Euronavy
Jotun Paints Inc. (251-340 g/L)
Navcor (<100 g/L)

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

A&E Systems LLC

■ Epoxy/Epoxy Novolac/Epoxy Novolac

PolySpec L.P. / THIOKOL (<100 g/L)
Rhino Linings Corporation

■ Epoxy/Epoxy/Epoxy

A&E Systems LLC
Complementary Coatings/DBA Insl-X (101-250 g/L)
Corrosion Control Products Co.
Epmar Corporation
PolySpec L.P. / THIOKOL (<100 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sauereisen, Inc. (<100 g/L)
Top Secret Coatings

■ Epoxy/Epoxy/Siloxane

Avilion Inc.

■ Epoxy/Polyester/Polyester

Transpo Industries Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy/Epoxy

Epmar Corporation
Jotun Paints Inc. (251-340 g/L)

■ Inorganic Zinc/Epoxy/Siloxane

International Paint LLC (251-340 g/L)



800-589-1267 FAX: 713-684-1514
www.international-pc.com

■ Inorganic Zinc/Epoxy/Urethane

Avilion Inc.
Carboline Company (251-340 g/L)
Corchem Corporation (101-250 g/L)
Devoe Coatings (AkzoNobel) (341-450 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Epmar Corporation
Gulf Coast Paint Mfg., Inc.
Highland International, Inc.
PPG Protective & Marine Coatings (251-340 g/L)
Tnemec Company, Inc.

■ MCU Zinc Rich/Epoxy/Urethane

Endura Manufacturing Co. Ltd. (101-250 g/L)
PPG Protective & Marine Coatings (251-340 g/L)

■ MCU Zinc Rich/MCU/MCU

Polycoat Products (101-250 g/L)
Wasser Corporation (101-250 g/L)

■ MCU Zinc Rich/Urethane/Urethane

Coatings For Industry, Inc. (251-340 g/L)
Polycoat Products (<100 g/L)

■ MCU/MCU/MCU

Coronado Paint (251-340 g/L)
Cortec Corporation
Polycoat Products (101-250 g/L)
Wasser Corporation (101-250 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Epoxy Novolac/Epoxy Novolac

Sauereisen, Inc.

■ Organic Zinc/Epoxy/Epoxy

Complementary Coatings/DBA Insl-X (101-250 g/L)
Euronavy

■ Organic Zinc/Epoxy/Fluoropolymer

Tnemec Company, Inc.

■ Organic Zinc/Epoxy/Fluorourethane

Dampney Co., Inc.

■ Organic Zinc/Epoxy/Siloxane

International Paint LLC (251-340 g/L)

■ Organic Zinc/Epoxy/Urethane

Avilion Inc.
Carboline Company (251-340 g/L)
Corchem Corporation (101-250 g/L)
Devoe Coatings (AkzoNobel) (341-450 g/L)



888-DEVOE-HPC (888-338-6347)
www.devoecoatings.com

THE POWER TO PROTECT™

Endura Manufacturing Co. Ltd. (101-250 g/L)
Fox Industries Inc. (101-250 g/L)
Highland International, Inc.
International Paint LLC (251-340 g/L)
Jotun Paints Inc. (251-340 g/L)
KCC Corrosion Control Co., Ltd.
Rodda Paint Corporation (341-450 g/L)
Sherwin-Williams (251-340 g/L)
Teknos OY
Tnemec Company, Inc.

■ Organic Zinc/Polyurea (Pure)

Quantum Group (<100 g/L)

■ Organic Zinc/Polyurea Hybrid

Wasser Corporation (101-250 g/L)

■ Organic Zinc/Siloxane

Carboline Company (251-340 g/L)
CMS-Corrosion Management Solutions (101-250)
PPG Protective & Marine Coatings (251-340 g/L)

■ Organic Zinc/Urethane/Urethane

KCC Corrosion Control Co., Ltd.

■ Polyester/Polyester/Polyester

Corrocoat Ltd.
PolySpec L.P. / THIOKOL (101-250 g/L)

Searching for Corrosion Under Insulation (CUI) Solutions?

Thermal Spray Aluminum (TSA) is the answer!

We can support you
with our wide
selection of
Arc Spray
and
Flame Spray
equipment and
thermal spray wires.



**TMS METALIZING
SYSTEMS, LTD.**

Est. 1988

www.tmsmetalizing.com
(360) 692-6656
Silverdale, WA

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
Chemline
Corolon Coatings & Corrosion Control (<100 g/L)
DEMILEC (USA) LLC

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
Chemline
DEMILEC (USA) LLC
Fox Industries Inc. (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Total Containment Solutions dba FSI (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Siloxane/Siloxane

Evonik Degussa Corporation (<100-450 g/L)
Navcor (101-250 g/L)

■ Tape Wraps

Corrosion Control Products Co.
Denso North America
The Tapecoat Co.

■ Thermal Spray

Nation Coating Systems, Inc.
Thermion Inc. (<100 g/L)
TMS Metalizing Systems, Ltd.
Unified Technologies
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Chemline
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)

■ Urethane/Urethane

Cortec Corporation
LINE-X Protective Coatings (<100 g/L)
Superior Products International II (341-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Corolon Coatings & Corrosion Control (<100 g/L)
Dudick, Inc.
Sauereisen, Inc.
Subsea Industries NV

■ Wax

The Tapecoat Co.
Watson Coatings, Inc.

■ Zinc-Rich, Inorganic

ZRC Worldwide (<100 g/L)

■ Zinc-Rich, Organic

ZRC Worldwide (101-450 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
BioCoatings (<100 g/L)
Cantex Coatings Ltd. (<100 g/L)
Corolon Coatings & Corrosion Control (<100 g/L)
ENECON Corporation (<100 g/L)
Flexcrete Technologies Ltd. (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (251-340 g/L)

KCC Corrosion Control Co., Ltd.
KION Specialty Polymers - Clariant (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
Rust-Oleum Corporation (<100 g/L)
Safe Encasement Systems (<100 g/L)
Top Secret Coatings

Exterior Weathering - Severe Concrete

■ Alkyd/Acrylic/Acrylic

Carboline Company (251-340 g/L)
Convenience Products (<100 g/L)
Diamond Vogel Paint Company (341-450 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Chemline
Euronavy
Flexcrete Technologies Ltd. (<100 g/L)
Tnemec Company, Inc.

■ Epoxy (1-2 coats)/Urethane

Avilion Inc.
Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Ins-X (101-250 g/L)
Corchem Corporation (101-250 g/L)
Coronado Paint (251-340 g/L)
Crown Polymers, LLC (<100 g/L)
Devoo Coatings (AkzoNobel) (251-340 g/L)

IS IT SAFE to blast with COAL SLAG abrasives

The **Federal Government** *doesn't seem so sure...*

The OSHA Guidance Document reported that when blasting with coal slag, "airborne levels of other air contaminants (arsenic, beryllium, cadmium, chromium, lead, manganese, nickel, titanium and vanadium) were two to four times higher than for silica sand."

New York State DOT Safety Bulletin Index states that: "The composition of abrasive blast material can contribute to the hazards of the blaster, or other employees that are exposed to: *Black Beauty - carbonized slag. Trace amounts of heavy metals are found in this product, and respiratory protection shall be worn."

After TVA Coal Waste Spill, The US Senate and House have bills on the floor that would **REQUIRE** the EPA to Label all Coal Waste including Coal Slag as **HAZARDOUS**.

2006 2007 2008 2009
WHY TAKE THE CHANCE....WHEN YOU CAN BE AHEAD OF THE



New Age Blast Media® is made from 100% recycled crushed glass!
► No Free Silica
► No Toxic Metals
► Non Toxic & Inert!
► Approved by NAVSEA for QPL

EPA's Grit Blasting Guidelines states that OSHA guidelines for respiratory protection be followed: "particularly when using blasting grit containing slag materials."

October 4th, on 60 Minutes, the Head of the EPA stated that the EPA would decide by December 2009 whether the federal government would regulate coal waste and their products.

Try Some
TODAY!

(866) 775-6226
www.NEWAGEBLASTMEDIA.com

*Black Beauty® is a registered trademark of reed minerals.

The data contained in this ad is for informational purposes only and is not represented to be error free. Full documentation can be found on our website at www.newageblastmedia.com

Diamond Vogel Paint Company (341-450 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Epmar Corporation
Euronavy
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
Kemper System Inc. (<100 g/L)
Micor Company, Inc. (341-450 g/L)
PPG Protective & Marine Coatings (251-340 g/L)
Rodda Paint Corporation (341-450 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sherwin-Williams (101-340 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

Carboline Company (<100 g/L)
Crown Polymers, LLC
Duomar, Inc. (<100 g/L)
International Coatings Inc. (<100 g/L)
Jotun Paints Inc. (101-250 g/L)
Kaufman Products, Inc. (<100 g/L)
Rhino Linings Corporation

■ Epoxy Novolac (1-2 coats)

Crown Polymers, LLC (<100 g/L)
Fox Industries Inc. (<100 g/L)
Rhino Linings Corporation

■ Epoxy/Epoxy 100% Solids

A&E Systems LLC (<100 g/L)
Chemline
Corchem Corporation (<100 g/L)
Corro-Shield International, Inc.
Denso North America
ENECON Corporation (<100 g/L)

Jotun Paints Inc. (251-340 g/L)
Kaufman Products, Inc. (<100 g/L)
Sauereisen, Inc. (<100 g/L)

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

A&E Systems LLC

■ Epoxy/Epoxy Novolac/Epoxy Novolac

PolySpec L.P. / THIOKOL (<100 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Jotun Paints Inc. (251-340 g/L)

■ Epoxy/Epoxy/Epoxy

A&E Systems LLC
Carboline Company (101-250 g/L)
Complementary Coatings/DBA Insl-X (101-250 g/L)
Corrosion Control Products Co.
Epmar Corporation
Fox Industries Inc. (101-250 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
Rodda Paint Corporation (341-450 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sika Corporation (101-250 g/L)
Top Secret Coatings
Transpo Industries Inc.

■ Epoxy/Epoxy/Siloxane

Advanced Chemical Technologies (251-340 g/L)
Avilion Inc.
PPG Protective & Marine Coatings (251-340 g/L)

■ Epoxy/MCU/MCU

Sherwin-Williams (101-250 g/L)

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy Flake Filled/Epoxy Flake Filled

Enviro Epoxy Products (<100 g/L)

■ MCU Zinc Rich/MCU/MCU

Polycoat Products (101-250 g/L)

■ MCU/MCU/MCU

Coronado Paint (251-340 g/L)
Polycoat Products (101-250 g/L)
Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

BioCoatings (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)
Transpo Industries Inc.

■ Organic Zinc/Epoxy 100% Solids

Sauereisen, Inc. (<100 g/L)

■ Organic Zinc/Epoxy Novolac/Epoxy Novolac

Rhino Linings Corporation

■ Polyester/Polyester/Polyester

PolySpec L.P. / THIOKOL (101-250 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
Corolon Coatings & Corrosion Control (<100 g/L)
DEMILEC (USA) LLC
Navcor (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
Chemline

Innovation. The right machine for YOUR job.



170HP • 2350 CFM • 27" Mercury



150 HP • 2350 CFM • 27" Mercury



325 HP • 5660 CFM • 27" Mercury

HURRICANE

High Powered Vacuum Loaders
& Dust Collectors.

INDUSTRIAL
VACUUM

Setting The Quality Standard
industrialvacuum.com • 1-800-331-4832

NEW • USED
RENTALS • PARTS

Corolon Coatings & Corrosion Control (<100 g/L)
Dampney Co., Inc.
DEMILEC (USA) LLC
Fox Industries Inc. (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Total Containment Solutions dba FSI (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Siloxane/Siloxane

Advanced Chemical Technologies (341-450 g/L)
BioCoatings (<100 g/L)
CMS-Corrosion Management Solutions (<100 g/L)
Dayton Superior
Evonik Degussa Corporation (<100-340 g/L)
Gemite Products Inc. (<100 g/L)
Rainguard International (<100 g/L)
SaverSystems/Defy (101-250 g/L)
Tnemec Company, Inc.

■ Tape Wraps

Corrosion Control Products Co.
Denso North America

■ Thermal Spray

Thermion Inc. (<100 g/L)
TMS Metalizing Systems, Ltd.
Unified Technologies
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)

■ Urethane/Urethane

Coatings For Industry, Inc. (251-340 g/L)
Convenience Products (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Navcor (<100 g/L)
Quantum Group (<100 g/L)
Roadware Incorporated
Specialty Products, Inc. (SPI) (<100 g/L)
Superior Products International II (341-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Corrocoat Ltd.
Dudick, Inc.
Sauereisen, Inc.

■ Other

Advanced Chemical Technologies (341-450 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Cantex Coatings Ltd. (<100 g/L)
Corolon Coatings & Corrosion Control (<100 g/L)
ENECON Corporation (<100 g/L)
Flexcrete Technologies Ltd. (<100 g/L)
Gemite Products Inc. (<100 g/L)
GSE Lining Technology, Inc.
Industrial Nanotech Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
Navcor (101-250 g/L)
Nox-Crete Products Group
PPC Coatings
Roadware Incorporated
Rust-Oleum Corporation (<100 g/L)
Safe Encasement Systems (<100 g/L)
Termarust Technologies (<100 g/L)
Tnemec Company, Inc.
Top Secret Coatings
United Gilsonite Laboratories (101-250 g/L)
Wasser Corporation (101-250 g/L)

extreme PERFORMANCE IN extreme ENVIRONMENTS

- Highly chemical resistant
 H_2SO_4 , HNO_3 , HCl
- Withstands temperatures
from -40°F to +400°F
- Adheres to a wide range
of materials
- Excellent flexibility
- Easy to handle & apply
- Impervious to ozone,
sunlight, UV radiation
- Resists salt spray
& fungal growth
- Customized formulations
available

Liquid Fluoroelastomer Sealants, Caulks, Adhesives & Coatings



Pelseal
Technologies, LLC

401 Lafayette St. • Newtown, PA 18940
Phone: 215/497-1088 • Fax: 215/245-7606
E-Mail: sales@pelseal.com • Web: www.pelseal.com

Click our Reader e-Card at paintsquare.com/r/c

Your first step to a smooth finish:

Now you can repair cracks and spalls to a smooth finish in a fraction of the time it takes with ordinary products.

Roadware 10 Minute Concrete Mender™ is a revolutionary new two-part hybrid urethane for repairing concrete. It's nearly water thin for deep penetration and it won't pop out like epoxy because it never gets brittle. Combined with sand to make a trowelable mortar that is grindable, polishable, and coatable in 10 minutes.



Roadware 10 Minute Concrete Mender™ may be diamond polished in just 10 minutes after application without melting or gumming up expensive diamond pads. With one third the surface tension of water, Concrete Mender™ penetrates deep into concrete. The concrete core sample below shows the penetration depth when photographed under UV light. It's like repairing concrete from the inside out. No bond lines to fail. Complete load transfer in just 10 minutes.



NEW for decorative concrete:
MatchCrete™ Clear
Stays clear and looks great.
Cures in minutes.
UV Color stable.



Roadware Incorporated
381 Bridgepoint Way
South Saint Paul, MN 55075
800-522-7623
www.concretemender.com

Click our Reader e-Card at paintsquare.com/r/c



Coating System Guide for Chemical & Petrochemical Plants

Systems are alphabetized by first coat.

Exterior Plant Exposure Moderate to Severe Chemical, Weathering, & UV Steel

■ Alkyd/Acrylic/Acrylic

Devoe Coatings (AkzoNobel) (341-450 g/L)
Diamond Vogel Paint Company (251-340 g/L)
Mascoat Products (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
QUESTMARK FLOORING
Superior Epoxies & Coatings (<100 g/L)
Watson Coatings, Inc.

■ Alkyd/Alkyd/Alkyd

Tnemec Company, Inc.
Watson Coatings, Inc.

■ Calcium Sulphonate

Termarust Technologies (101-250 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

A.W. Chesterton/ARC Composites (251-340 g/L)
Chemline
Cortec Corporation

651-429-1100 • 800-4-CORTEC



CORTEC
CORPORATION
Environmentally Safe VpCI®/MCI® Technologies

info@cortecvci.com • http://www.cortecvci.com

Highland International, Inc.
Industrial Nanotech Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Epoxy (1-2 coats)/Fluoropolymer

VersaFlex Incorporated (>450 g/L)

■ Epoxy (1-2 coats)/Urethane

Andek Corporation (101-250 g/L)
Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Insl-X (251-340 g/L)
Corchem Corporation (101-250 g/L)
Coronado Paint (251-340 g/L)
Dampney Co., Inc.
Endura Manufacturing Co. Ltd. (101-250 g/L)
Euronavy
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
Highland International, Inc.
ITW Futura Coatings (101-250 g/L)
KCC Corrosion Control Co., Ltd.
Micor Company, Inc. (341-450 g/L)
PPG Protective & Marine Coatings (<100 g/L)
Richard's Paint Mfg. Co., Inc. (341-450 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sherwin-Williams (101-250 g/L)
Specialty Polymer Coatings, Inc.
Tnemec Company, Inc.
Top Secret Coatings
Watson Coatings, Inc.

■ Epoxy 100% Solids (1-2 coats)

Duromar, Inc. (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Induron Coatings, Inc. (101-250 g/L)
JAXXON National Maintenance Products
Sauereisen, Inc.

■ Epoxy Coal Tar High Build (1-2 coats)

Rust-Oleum Corporation

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd..

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Blome International (<100 g/L)
Chemline
Duromar, Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Jotun Paints Inc.
Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

Jotun Paints Inc.

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Blome International (<100 g/L)
Corro-Shield International, Inc.
Denso North America
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Gemite Products Inc. (<100 g/L)
Sauereisen, Inc.



Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Dudick, Inc.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

A.W. Chesterton/ARC Composites (<100 g/L)
Celcote Products/International Paint (<100 g/L)
ENECON Corporation (<100 g/L)
PolySpec L.P. / THIOKOL (251-340 g/L)



www.polyspec.com • 281-397-0033

Rodda Paint Corporation (101-250 g/L)
Superior Epoxies & Coatings (<100 g/L)
Total Containment Solutions dba FSI (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Corrosion Control Products Co.
PolySpec L.P. / THIOKOL (<100 g/L)
Sauereisen, Inc.
Top Secret Coatings

■ Epoxy/Epoxy/Siloxane

Avilion Inc.

■ **Epoxy/Vinyl Ester/Vinyl Ester**
Corolon Coatings & Corrosion Control

■ **Heat-Shrinkable Sleeves**
Corrosion Control Products Co.

■ **Inorganic Zinc/Acrylic/Acrylic**
Epmar Corporation

■ **Inorganic Zinc/Epoxy/Fluoropolymer**
Tnemec Company, Inc.

■ **Inorganic Zinc/Epoxy/Fluorourethane**
Carboline Company (251-340 g/L)

■ **Inorganic Zinc/Epoxy/Siloxane**
International Paint LLC (251-340 g/L)

■ **Inorganic Zinc/Epoxy/Urethane**
Avilion Inc.
Carboline Company (251-340 g/L)



1-888-CARBOLINE

Corchem Corporation (101-250 g/L)
Dampney Co., Inc.
Devoe Coatings (AkzoNobel) (251-340 g/L)
International Paint LLC (251-340 g/L)
Rodda Paint Corporation (341-450 g/L)

■ **MCU Zinc Rich/Epoxy/Urethane**
Gulf Coast Paint Mfg., Inc. (341-450 g/L)

■ **MCU Zinc Rich/MCU/MCU**
Avilion Inc.
Coronado Paint (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ **MCU Zinc Rich/Urethane/Urethane**
Coatings For Industry, Inc. (251-340 g/L)
Coronado Paint (251-340 g/L)
Sherwin-Williams (251-340 g/L)

■ **MCU/MCU/MCU**
Cortec Corporation
Polycoat Products (101-250 g/L)
Wasser Corporation (251-340 g/L)

■ **Methyl Methacrylate/Methyl Methacrylate**
Stirling Lloyd Group Plc. (<100 g/L)

■ **Organic Zinc/Epoxy Flake Filled/Epoxy Flake Filled**
Corrocoat Ltd..

■ **Organic Zinc/Epoxy Novolac/Epoxy Novolac**
Fox Industries Inc. (101-250 g/L)

■ **Organic Zinc/Epoxy/Acrylic**
Diamond Vogel Paint Company (341-450 g/L)

■ **Organic Zinc/Epoxy/Epoxy**
A&E Systems LLC (<100 g/L)
Complementary Coatings/DBA Insl-X (251-340 g/L)

■ **Organic Zinc/Epoxy/Fluorourethane**
Carboline Company (251-340 g/L)

■ **Organic Zinc/Epoxy/Urethane**
Complementary Coatings/DBA Insl-X (251-340 g/L)
Corchem Corporation (101-250 g/L)
Dampney Co., Inc.
Devoe Coatings (AkzoNobel) (251-340 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Euronavy
Highland International, Inc.
International Paint LLC (251-340 g/L)
KEMA Coatings LTD.
PPG Protective & Marine Coatings (251-340 g/L)
Rodda Paint Corporation (341-450 g/L)
Sherwin-Williams (101-250 g/L)

■ **Organic Zinc/Siloxane**
PPG Protective & Marine Coatings (251-340 g/L)



■ **Organic Zinc/Urethane/Urethane**
Madison Chemical Industries (251-340 g/L)

■ **Polyester/Polyester/Polyester**
Superior Products International II (251-340 g/L)

■ **Polyurea Hybrid (1, 2, or 3 coats)**
Arnc Performance Polymers
Corolon Coatings & Corrosion Control
DEMILEC (USA) LLC
ITW Futura Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Rhino Linings Corporation
Volatile Free, Inc. (<100 g/L)

■ **Polyurea Pure (1, 2, or 3 coats)**
Arnc Performance Polymers
DEMILEC (USA) LLC
Fox Industries Inc. (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)



Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Total Containment Solutions dba FSI (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ **Tape Wraps**
Corrosion Control Products Co.
Denso North America

■ **Thermal Spray**
Nation Coating Systems, Inc.
Thermion Inc. (<100 g/L)
TMS Metalizing Systems, Ltd.
Unified Technologies
Xiom Corp. (<100 g/L)

■ **Urethane Elastomeric (1 coat)**
Chemline
Global EcoTechnologies (<100 g/L)
KCC Corrosion Control Co., Ltd.
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)

■ **Urethane/Urethane**
Andek Corporation (101-250 g/L)
Coatings For Industry, Inc. (251-340 g/L)
Cortec Corporation
Endura Manufacturing Co. Ltd. (101-250 g/L)
ITW Futura Coatings (101-250 g/L)
KCC Corrosion Control Co., Ltd.
LINE-X Protective Coatings (<100 g/L)
Madison Chemical Industries (251-340 g/L)
Quantum Group (<100 g/L)
QUESTMARK FLOORING
Rhino Linings Corporation (<100 g/L)
Superior Products International II (251-450 g/L)

■ **Vinyl Ester/Vinyl Ester/Vinyl Ester**
Blome International (<100 g/L)
Ceilcote Products/International Paint (251-340 g/L)
Corolon Coatings & Corrosion Control
Corrocoat Ltd.
Dudick, Inc.
Subsea Industries NV

■ **Wax**
The Tapecoat Co.

■ **Zinc-Rich, Inorganic**
ZRC Worldwide (<100 g/L)

■ **Zinc-Rich, Organic**
ZRC Worldwide (101-450 g/L)

■ **Other**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Albi Mfg. A Division of StanChem Inc. (101-250 g/L)
ENECON Corporation (<100 g/L)
Hi-Temp Coatings Technology (101-250 g/L)
Insulating Coatings Corporation
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings
Stirling Lloyd Group Plc. (<100 g/L)
Top Secret Coatings

Exterior Plant Exposure
Moderate to Severe Chemical,
Weathering, & UV
Concrete

■ **Alkyd/Acrylic/Acrylic**
Carboline Company (251-340 g/L)
Devoe Coatings (AkzoNobel) (341-450 g/L)
Diamond Vogel Paint Company (251-340 g/L)
Mascoat Products (<100 g/L)
Top Secret Coatings

■ **Brick and Tile, Acid-Resistant**
Blome International (<100 g/L)
Henkel Technologies—Corrosion Engineering

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Flexcrete Technologies Ltd. (<100 g/L)
Industrial Nanotech Inc. (<100 g/L)
Sika Corporation (101-250 g/L)
Specialty Polymer Coatings, Inc.
Tnemec Company, Inc.

■ Epoxy (1-2 coats)/Fluoropolymer

VersaFlex Incorporated (>450 g/L)

■ Epoxy (1-2 coats)/Urethane

Andek Corporation (101-250 g/L)
Carboline Company (251-340 g/L)



1-888-CARBOLINE

Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Ins-X (251-340 g/L)
Corchem Corporation (101-250 g/L)
Coronado Paint (251-340 g/L)
Dampney Co., Inc.
Diamond Vogel Paint Company (341-450 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Euronavy
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
International Coatings Inc. (<100 g/L)
ITW Futura Coatings (101-250 g/L)
Kemper System Inc. (<100 g/L)
Madison Chemical Industries (251-340 g/L)
Micor Company, Inc. (341-450 g/L)
National Polymers Inc. (<100-340 g/L)
Polycoat Products (<100 g/L)
PPG Protective & Marine Coatings (251-340 g/L)
Richard's Paint Mfg. Co., Inc. (341-450 g/L)
Rodda Paint Corporation (341-450 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sherwin-Williams (101-450 g/L)
Specialty Polymer Coatings, Inc.
Superior Epoxies & Coatings (<100 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

Chemline
Corchem Corporation (<100 g/L)

Crown Polymers, LLC



Dependable Floor Products Inc. (<100 g/L)
Duomar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Gemite Products Inc. (<100 g/L)
Induron Coatings, Inc. (101-250 g/L)
International Coatings Inc. (<100 g/L)
JAXXON National Maintenance Products
Kaufman Products, Inc. (<100 g/L)
Micor Company, Inc.
QUESTMARK FLOORING (<100 g/L)
Sauereisen, Inc.

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.
KCC Corrosion Control Co., Ltd.

■ Epoxy Novolac (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Crown Polymers, LLC (<100 g/L)
Duomar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
International Coatings Inc. (<100 g/L)
Micor Company, Inc.
National Polymers Inc. (101-250 g/L)
Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

Jotun Paints Inc.

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Copolymer Protection Systems (<100 g/L)
Denso North America
Duomar, Inc. (<100 g/L)
Kaufman Products, Inc. (<100 g/L)
Key Resin Company (<100 g/L)
Sauereisen, Inc.
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.
Dudick, Inc.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

BASF Construction Chemicals - Building Systems
Blome International (<100 g/L)
Ceilcote Products/International Paint (<100 g/L)
Corro-Shield International, Inc.
Dudick, Inc.
KCC Corrosion Control Co., Ltd.
Key Resin Company (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)



Protective Floorings and Linings (<100 g/L)
QUESTMARK FLOORING (<100 g/L)
Rodda Paint Corporation (341-450 g/L)

Superior Epoxies & Coatings (<100 g/L)
Total Containment Solutions dba FSI (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Corrosion Control Products Co.
Devoe Coatings (AkzoNobel) (101-250 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Jotun Paints Inc.



PolySpec L.P. / THIOKOL (<100 g/L)
Rodda Paint Corporation (341-450 g/L)
Sauereisen, Inc.
Sika Corporation (101-250 g/L)

■ Epoxy/Epoxy/Siloxane

Carboline Company (251-340 g/L)
PPG Protective & Marine Coatings (101-250 g/L)

■ Epoxy/Vinyl Ester/Vinyl Ester

Jotun Paints Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy/Siloxane

Avilion Inc.

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Coronado Paint (251-340 g/L)

■ MCU/MCU/MCU

Coronado Paint (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Key Resin Company (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Epoxy 100% Solids

Chemline

■ Organic Zinc/Epoxy/Epoxy

A&E Systems LLC (<100 g/L)

■ Organic Zinc/Epoxy/Siloxane

Avilion Inc.

■ Organic Zinc/Epoxy/Urethane

Chemline

■ Polyester/Polyester/Polyester

Cealcoat Products/International Paint (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
Corolon Coatings & Corrosion Control
DEMILEC (USA) LLC
ITW Futura Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arco Performance Polymers
Crown Polymers, LLC
DEMILEC (USA) LLC
Fox Industries Inc. (<100 g/L)
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Total Containment Solutions dba FSI (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Sheet Lining, Thermoplastic

Henkel Technologies—Corrosion Engineering

■ Siloxane/Siloxane

Dayton Superior
Ranguard International (<100 g/L)
Tnemec Company, Inc.

■ Tape Wraps

Corrosion Control Products Co.
Denso North America

■ Thermal Spray

Thermion Inc. (<100 g/L)
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

BASF Construction Chemicals - Building Systems
Global EcoTechnologies (<100 g/L)
KCC Corrosion Control Co., Ltd.
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)

■ Urethane/Urethane

Andek Corporation (101-250 g/L)
BASF Construction Chemicals - Building Systems
Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Insl-X (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Pacific Polymers International, Inc. (<100 g/L)
Polycoat Products (101-250 g/L)
Quantum Group (<100 g/L)
QUESTMARK FLOORING (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Roadware Incorporated
Specialty Products, Inc. (SPI) (<100 g/L)
Superior Products International II (251-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Blome International (<100 g/L)
Ceilcote Products/International Paint (251-340 g/L)
Corolon Coatings & Corrosion Control
Corrocoat Ltd.
Dudick, Inc.
Henkel Technologies—Corrosion Engineering
PolySpec L.P. / THIOKOL (101-250 g/L)
Protective Floorings and Linings (<100 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Corolon Coatings & Corrosion Control
ENECON Corporation (<100 g/L)
Flexcrete Technologies Ltd. (<100 g/L)
Hi-Temp Coatings Technology (101-250 g/L)
Insulating Coatings Corporation
Liquid Rubber Industries Inc. (<100 g/L)
Nox-Crete Products Group (101-250 g/L)
PPC Coatings

Roadware Incorporated
Rust-Oleum Corporation (101-250 g/L)
Stirling Lloyd Group Plc. (<100 g/L)
Termarust Technologies (<100 g/L)
Tnemec Company, Inc.
Top Secret Coatings

Linings for Steel Storage Tanks & Vessels - Solvents, Jet Fuel, Diesel, Gasoline, Crude Oil Steel

■ Brick and Tile, Acid-Resistant

Atlas Minerals & Chemicals, Inc.

■ Epoxy (1-2 coats)/Fluoropolymer

VersaFlex Incorporated (>450 g/L)

■ Epoxy (1-2 coats)/Urethane

Endura Manufacturing Co. Ltd. (101-250 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

Arcor Epoxy Inc. (<100 g/L)
Avilion Inc.
Carboline Company (<100 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Corchem Corporation (<100 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Enviroline/International Paint Prot Ctg (<100 g/L)

 **International**


HIGH PERFORMANCE COATINGS AND LININGS

800-449-6525 FAX: 713-684-1514
www.enviroline.com

 **International**


HIGH PERFORMANCE COATINGS AND LININGS

800-449-6525 FAX: 713-684-1514
www.enviroline.com

Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Induron Coatings, Inc. (101-250 g/L)
International Paint LLC (<100 g/L)

 **International**
Protective Coatings

800-589-1267 FAX: 713-684-1514
www.international-pc.com

NSP Specialty Products (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Specialty Polymer Coatings, Inc.
TIB Chemicals AG (formerly Goldschmidt TIB GmbH)
Volatile Free, Inc. (<100 g/L)

■ Epoxy Coal Tar High Build (1-2 coats)

CCI Con-Tech of California, Inc. (<100 g/L)

■ Epoxy Coal Tar/Epoxy Coal Tar

Complementary Coatings/DBA Insl-X (101-250 g/L)
Epmar Corporation
TIB Chemicals AG (formerly Goldschmidt TIB GmbH)

■ Epoxy Flake Filled/Epoxy Flake Filled

Avilion Inc.
Enviroline/International Paint Prot Ctg (<100 g/L)
ITW Futura Coatings (<100 g/L)



www.futura.coatings

877-347-5730 • www.futuracoatings.com

KCC Corrosion Control Co., Ltd.

■ Epoxy Novolac (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Avilion Inc.
Carboline Company (<100 g/L)
Chemline
Devoe Coatings (AkzoNobel) (101-250 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Enviroline/International Paint Prot Ctg (101-250 g/L)
Gemite Products Inc. (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rodda Paint Corporation (101-250 g/L)
Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

Carboline Company (101-250 g/L)
Corchem Corporation (101-250 g/L)
Heresite Protective Coatings, Inc. (251-340 g/L)
PPG Protective & Marine Coatings (101-250 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Denso North America
Duromar, Inc. (<100 g/L)
Euronavy
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Specialty Polymer Coatings, Inc.
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Ceilcote Products/International Paint (<100 g/L)
Henkel Technologies—Corrosion Engineering

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Blome International (<100 g/L)
Devoe Coatings (AkzoNobel) (101-250 g/L)
Henkel Technologies—Corrosion Engineering
International Paint LLC (251-340 g/L)
Jotun Paints Inc.
PolySpec L.P. / THIOKOL (<100 g/L)
Total Containment Solutions dba FSI (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic Advanced Polymer Coatings, Ltd. (101-250 g/L)



Heresite Protective Coatings, Inc. (251-340 g/L)
Jotun Paints Inc.
Sherwin-Williams (101-250 g/L)

■ Epoxy/Epoxy/Epoxy Complementary Coatings/DBA Insl-X (101-250 g/L) Corrosion Control Products Co. Cortec Corporation Devoe Coatings (AkzoNobel) (101-250 g/L)



Euronavy
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Henkel Technologies—Corrosion Engineering
International Paint LLC (101-250 g/L)



Jotun Paints Inc.
PolySpec L.P. / THIOKOL (<100 g/L)
Sauereisen, Inc.
Superior Products International II (341-450 g/L)
Tnemec Company, Inc.
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester Micor Company, Inc.

■ Furan Atlas Minerals & Chemicals, Inc.

■ Heat-Shrinkable Sleeves Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy Phenolic/Epoxy Phenolic Heresite Protective Coatings, Inc. (251-340 g/L)

■ Inorganic Zinc/Epoxy/Siloxane Dampney Co., Inc.

■ MCU Zinc Rich/MCU/MCU Wasser Corporation (251-340 g/L)

■ MCU/MCU/MCU Wasser Corporation (251-340 g/L)

■ Organic Zinc/Epoxy/Epoxy Arcor Epoxy Inc. (<100 g/L) KEMA Coatings LTD.

■ Polyester/Polyester/Polyester Atlas Minerals & Chemicals, Inc. Ceilcote Products/International Paint (251-340 g/L) Corrocoat Ltd. KCC Corrosion Control Co., Ltd.

■ Polyurea Hybrid (1, 2, or 3 coats) Arcco Performance Polymers Corolon Coatings & Corrosion Control DEMILEC (USA) LLC ITW Futura Coatings (<100 g/L) Madison Chemical Industries (<100 g/L) Polycoat Products (<100 g/L) Rhino Linings Corporation (<100 g/L) Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats) Arcco Performance Polymers DEMILEC (USA) LLC LINE-X Protective Coatings (<100 g/L) Polycoat Products (<100 g/L) Reactamine Technology, LLC (<100 g/L) Rhino Linings Corporation (<100 g/L) Specialty Products, Inc. (SPI) (<100 g/L) Total Containment Solutions dba FSI (<100 g/L) VersaFlex Incorporated (<100 g/L) Volatile Free, Inc. (<100 g/L)

■ Siloxane/Siloxane Advanced Chemical Technologies (341-450 g/L) Dampney Co., Inc.

■ Tape Wraps Corrosion Control Products Co.

■ Thermal Spray Nation Coating Systems, Inc. Thermion Inc. (<100 g/L) TMS Metalizing Systems, Ltd. Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat) Chemline Corolon Coatings & Corrosion Control ITW Futura Coatings (<100 g/L) LINE-X Protective Coatings (<100 g/L) Polibrid Coatings, Inc. (<100 g/L) Specialty Polymer Coatings, Inc.

■ Urethane/Urethane LINE-X Protective Coatings (<100 g/L) Rhino Linings Corporation (<100 g/L) Superior Products International II (341-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester Blome International (<100 g/L) Ceilcote Products/International Paint (251-340 g/L) Corchem Corporation (101-250 g/L) Corrocoat Ltd.

■ Other Dudick, Inc. KCC Corrosion Control Co., Ltd. Micor Company, Inc. Subsea Industries NV Tnemec Company, Inc.

■ Other Advanced Chemical Technologies (341-450 g/L) Advanced Polymer Coatings, Ltd. (101-250 g/L) Corolon Coatings & Corrosion Control Liquid Rubber Industries Inc. (<100 g/L) PPC Coatings Termarust Technologies Top Secret Coatings

Linings for Steel Storage Tanks & Vessels - Acid, Oxidizer, Alkali Steel

■ Brick and Tile, Acid-Resistant Atlas Minerals & Chemicals, Inc. Henkel Technologies—Corrosion Engineering

■ Epoxy (1-2 coats)/Fluoropolymer VersaFlex Incorporated (>450 g/L)

■ Epoxy (1-2 coats)/Urethane Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats) Avilion Inc. CCI Con-Tech of California, Inc. (<100 g/L) Duromar, Inc. (<100 g/L) ENECON Corporation (<100 g/L) Enviroline/International Paint Prot Ctg (<100 g/L) Fox Industries Inc. (<100 g/L) Gemite Products Inc. (<100 g/L) NSP Specialty Products (<100 g/L) PPG Protective & Marine Coatings (<100 g/L) RLS Solutions/Raven Engineered Systems (<100 g/L) Sauereisen, Inc. Specialty Polymer Coatings, Inc.

■ Epoxy Coal Tar/Epoxy Coal Tar Epmar Corporation Tnemec Company, Inc.

■ Epoxy Flake Filled/Epoxy Flake Filled Blome International (<100 g/L) Enviroline/International Paint Prot Ctg (<100 g/L) ITW Futura Coatings (<100 g/L)

■ Epoxy Novolac (1-2 coats) A.W. Chesterton/ARC Composites (<100 g/L) Advanced Polymer Coatings, Ltd. (101-250 g/L) Arcor Epoxy Inc. (<100 g/L) Avilion Inc. Carboline Company (<100 g/L) Chemline Corchem Corporation (101-250 g/L) Devoe Coatings (AkzoNobel) (101-250 g/L) Duromar, Inc. (<100 g/L) Endura Manufacturing Co. Ltd. (251-340 g/L) ENECON Corporation (<100 g/L) Enviroline/International Paint Prot Ctg (101-250 g/L) Fox Industries Inc. (<100 g/L) Gemite Products Inc. (<100 g/L) International Paint LLC (<100 g/L) PPG Protective & Marine Coatings (101-250 g/L) Rodda Paint Corporation (101-250 g/L) Volatile Free, Inc. (<100 g/L) Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats) Corchem Corporation (101-250 g/L) Heresite Protective Coatings, Inc. (251-340 g/L) International Paint LLC (<100 g/L) Jotun Paints Inc. PPG Protective & Marine Coatings (101-250 g/L) Sherwin-Williams (<100 g/L)

■ Epoxy/Epoxy 100% Solids Arcor Epoxy Inc. (<100 g/L) Avilion Inc. Denso North America Duromar, Inc. (<100 g/L) Epmar Corporation RLS Solutions/Raven Engineered Systems (<100 g/L) Sauereisen, Inc. Specialty Polymer Coatings, Inc.



Salts such as chlorides, nitrates & sulfates can cause **premature coating failures** when left on surfaces.

Clean surfaces are

ESSENTIAL

for a successful, long-lasting coating.

TEST For SALTS

Use

CHLOR*TEST^(TM)

Salt Test Kits

PREVENT FLASH RUST

Use

HOLD*BLAST^(TM)

Surface Passivator

REMOVE SALTS

Use

CHLOR*RID[®]

Soluble Salt Remover

Learn about testing and removing corrosive salts,

visit:

www.chlor-rid.com



CHLOR*RID International Inc.

800-422-3217 | info@chlor-rid.com

■ **Epoxy/Epoxy Flake Filled/Epoxy Flake Filled**
Gulf Coast Paint Mfg., Inc.

■ **Epoxy/Epoxy Novolac/Epoxy Novolac**

Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Corro-Shield International, Inc.
Devoe Coatings (AkzoNobel)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Henkel Technologies—Corrosion Engineering
KCC Corrosion Control Co., Ltd.
PolySpec L.P. / THIOKOL (<100 g/L)
Sherwin-Williams (<100 g/L)
Total Containment Solutions dba FSI (<100 g/L)
Wolverine Coatings Corporation

■ **Epoxy/Epoxy Phenolic/Epoxy Phenolic**

Advanced Polymer Coatings, Ltd. (101-250 g/L)



Heresite Protective Coatings, Inc. (251-340 g/L)

■ **Epoxy/Epoxy/Epoxy**

Celcote Products/International Paint (101-250 g/L)
Chemline
Corrosion Control Products Co.
Henkel Technologies—Corrosion Engineering
Jotun Paints Inc.
Sauereisen, Inc.
Superior Products International II (341-450 g/L)
Tnemec Company, Inc.
Top Secret Coatings

■ **Furan**

Atlas Minerals & Chemicals, Inc.

■ **Heat-Shrinkable Sleeves**

Corrosion Control Products Co.

■ **MCU Zinc Rich/MCU/MCU**

Wasser Corporation (251-340 g/L)

■ **MCU/MCU/MCU**

Wasser Corporation (251-340 g/L)

■ **Organic Zinc/Epoxy 100% Solids**

Induron Coatings, Inc. (101-250 g/L)

■ **Organic Zinc/Epoxy Novolac/Epoxy Novolac**

Gulf Coast Paint Mfg., Inc.
KEMA Coatings LTD.

■ **Polyester/Polyester/Polyester**

Atlas Minerals & Chemicals, Inc.
Celcote Products/International Paint (251-340 g/L)
KCC Corrosion Control Co., Ltd.
PolySpec L.P. / THIOKOL (101-250 g/L)

■ **Polyurea Hybrid (1, 2, or 3 coats)**

Arnco Performance Polymers
Corolon Coatings & Corrosion Control
DEMILEC (USA) LLC
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
DEMILEC (USA) LLC
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Total Containment Solutions dba FSI (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Sheet Lining, Rubber

Blair Rubber Company
Polycorp Ltd.

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Nation Coating Systems, Inc.
Thermion Inc. (<100 g/L)
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

Corolon Coatings & Corrosion Control
LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Superior Products International II (341-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

A.W. Chesterton/ARC Composites (101-250 g/L)
Blome International (<100 g/L)
Ceilcote Products/International Paint (251-340 g/L)



800-589-1267 FAX: 713-684-1514
www.ceilcotecc.com



800-589-1267 FAX: 713-684-1514
www.ceilcotecc.com

Corchem Corporation (101-250 g/L)
Corrocoat Ltd.
Devoe Coatings (AkzoNobel) (<100 g/L)
Dudick, Inc.
International Paint LLC (<100 g/L)
ITW Futura Coatings (<100 g/L)
Jotun Paints Inc.
KCC Corrosion Control Co., Ltd.
Micor Company, Inc.
PolySpec L.P. / THIOKOL (101-250 g/L)
Sherwin-Williams (101-250 g/L)
Subsea Industries NV
Tnemec Company, Inc.

■ Zinc-Rich, Inorganic

Euronavy

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Corolon Coatings & Corrosion Control

Euronavy

ITW Futura Coatings (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings
Stirling Lloyd Group Plc. (<100 g/L)
Sub-One Technology
Top Secret Coatings

Linings for Steel Storage Tanks & Vessels - Process Water, Brine, Waste Water Steel

■ Coal Tar/Asphalt

Lone Star Specialties, LLC

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Flexcrete Technologies Ltd. (<100 g/L)

■ Epoxy (1-2 coats)/Urethane

Endura Manufacturing Co. Ltd. (101-250 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Avilion Inc.
CCI Con-Tech of California, Inc. (<100 g/L)
Corchem Corporation (<100 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Enviroline/International Paint Prot Ctgs (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
International Paint LLC (<100 g/L)
KCC Corrosion Control Co., Ltd.
Madison Chemical Industries (<100 g/L)
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Specialty Polymer Coatings, Inc.
TIB Chemicals AG (formerly Goldschmidt TIB GmbH)
Volatile Free, Inc. (<100 g/L)

■ Epoxy Coal Tar High Build (1-2 coats)

Tnemec Company, Inc.

■ Epoxy Coal Tar/Epoxy Coal Tar

Complementary Coatings/DBA Ins-X (101-250 g/L)
Corchem Corporation (101-250 g/L)
Epmar Corporation
Fox Industries Inc. (<100-250 g/L)
Induron Coatings, Inc. (251-340 g/L)
Rodda Paint Corporation (101-250 g/L)
Tnemec Company, Inc.

■ Epoxy Flake Filled/Epoxy Flake Filled

Avilion Inc.
Carboline Company (101-250 g/L)
Corrocoat Ltd.
Enviroline/International Paint Prot Ctgs (<100 g/L)
KCC Corrosion Control Co., Ltd.

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Carboline Company (<100 g/L)
Chemline
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Enviroline/International Paint Prot Ctgs (101-250 g/L)
Gemite Products Inc. (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

Carboline Company (251-340 g/L)

■ Epoxy/Epoxy 100% Solids

Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Avilion Inc.
Blome International (<100 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Corro-Shield International, Inc.
Denso North America
Duromar, Inc. (<100 g/L)
Epmar Corporation
Euronavy
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Specialty Polymer Coatings, Inc.
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Ceilcote Products/International Paint (<100 g/L)
Gulf Coast Paint Mfg., Inc.
Henkel Technologies—Corrosion Engineering
ITW Futura Coatings (<100 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Devoe Coatings (AkzoNobel) (101-250 g/L)
Henkel Technologies—Corrosion Engineering
PolySpec L.P. / THIOKOL (<100 g/L)
Total Containment Solutions dba FSI (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Heresite Protective Coatings, Inc. (251-340 g/L)
Sherwin-Williams (<100 g/L)

■ Epoxy/Epoxy/Epoxy

Atlas Minerals & Chemicals, Inc.
Ceilcote Products/International Paint (101-250 g/L)
Chemline
Complementary Coatings/DBA Ins-X (101-250 g/L)
Corchem Corporation (101-250 g/L)
Corrosion Control Products Co.
Cortec Corporation
Devoe Coatings (AkzoNobel) (101-250 g/L)
Dudick, Inc.
Euronavy
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Henkel Technologies—Corrosion Engineering
Heresite Protective Coatings, Inc. (251-450 g/L)
International Paint LLC (251-340 g/L)
Jotun Paints Inc.
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rodda Paint Corporation (101-250 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sauereisen, Inc.
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

Micor Company, Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Wasser Corporation (251-340 g/L)

■ MCU Zinc Rich/MCU/MCU

Wasser Corporation (251-340 g/L)

■ MCU/MCU/MCU

Cortec Corporation
Wasser Corporation (251-340 g/L)

■ Organic Zinc/Epoxy Flake Filled/Epoxy Flake Filled

Gulf Coast Paint Mfg., Inc.

■ Organic Zinc/Epoxy/Epoxy

Complementary Coatings/DBA Insl-X
KEMA Coatings LTD.

■ Polyester/Polyester/Polyester

Corrocoat Ltd.

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
DEMILEC (USA) LLC
Madison Chemical Industries (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
DEMILEC (USA) LLC
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Total Containment Solutions dba FSI (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Sheet Lining, Rubber

Blair Rubber Company
Polycorp Ltd.

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Nation Coating Systems, Inc.
Thermion Inc. (<100 g/L)
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Chemline
Global EcoTechnologies (<100 g/L)
ITW Futura Coatings (<100 g/L)
KCC Corrosion Control Co., Ltd.
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Polycoat Products (<100 g/L)
Specialty Polymer Coatings, Inc.
TIB Chemicals AG (formerly Goldschmidt TIB GmbH)

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Blome International (<100 g/L)
Ceilcote Products/International Paint (251-340 g/L)
Corrocoat Ltd.
Dudick, Inc.
Micor Company, Inc.
PolySpec L.P. / THIOKOL (101-250 g/L)
Subsea Industries NV
Tnemec Company, Inc.

■ Zinc-Rich, Inorganic

ZRC Worldwide (<100 g/L)

■ Zinc-Rich, Organic

ZRC Worldwide (251-450 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Cantex Coatings Ltd. (<100 g/L)
Flexcrete Technologies Ltd. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings
Stirling Lloyd Group Plc. (<100 g/L)
Sub-One Technology
Top Secret Coatings

Secondary Containment Concrete

■ Alkyd/Acrylic/Acrylic

LINE-X Protective Coatings (<100 g/L)

■ Brick and Tile, Acid-Resistant

Henkel Technologies—Corrosion Engineering

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Flexcrete Technologies Ltd. (<100 g/L)

■ Epoxy (1-2 coats)/Fluoropolymer

PolySpec L.P. / THIOKOL (101-250 g/L)

■ Epoxy (1-2 coats)/Urethane

Andek Corporation (101-250 g/L)
Chemline
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Kemper System Inc. (<100 g/L)
National Polymers Inc. (251-340 g/L)
Sika Corporation (<100 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Avilion Inc.
Carboline Company (<100 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Crown Polymers, LLC
Dependable Floor Products Inc. (<100 g/L)
Duromar, Inc. (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
JAXXON National Maintenance Products
Micor Company, Inc.
National Polymers Inc. (<100 g/L)
NSP Specialty Products (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Rust-Oleum Corporation (<100 g/L)

■ Epoxy Coal Tar High Build (1-2 coats)

Coronado Paint (341-450 g/L)

■ Epoxy Coal Tar/Epoxy Coal Tar

Complementary Coatings/DBA Insl-X (101-250 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Avilion Inc.
QUESTMARK FLOORING (<100 g/L)

■ Epoxy Novolac (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Avilion Inc.
Carboline Company (<100 g/L)
Corchem Corporation (<100 g/L)
Crown Polymers, LLC (<100 g/L)
Duromar, Inc. (<100 g/L)

Enviroline/International Paint Prot Ctgs (101-250 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
International Coatings Inc. (<100 g/L)
International Paint LLC (<100 g/L)
Micor Company, Inc.
Pacific Polymers International, Inc. (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
Rust-Oleum Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Epoxy Phenolic (3 coats)

PPG Protective & Marine Coatings (251-340 g/L)
Sherwin-Williams (<100 g/L)

■ Epoxy/Epoxy 100% Solids

Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Copolymer Protection Systems (<100 g/L)
Denso North America
ENECON Corporation (<100 g/L)
JAXXON National Maintenance Products
Jotun Paints Inc.
RLS Solutions/Raven Engineered Systems (<100 g/L)
Tnemec Company, Inc.
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Atlas Minerals & Chemicals, Inc.
Ceilcote Products/International Paint (<100 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
ENECON Corporation (<100 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Henkel Technologies—Corrosion Engineering
International Coatings Inc. (<100 g/L)
Key Resin Company (<100 g/L)
National Polymers Inc. (101-250 g/L)
Protective Floorings and Linings (<100 g/L)
QUESTMARK FLOORING (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sherwin-Williams (<100 g/L)
Sika Corporation (<100 g/L)
Tnemec Company, Inc.
Total Containment Solutions dba FSI (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Copolymer Protection Systems (<100 g/L)

■ Epoxy/Epoxy/Epoxy

Complementary Coatings/DBA Insl-X (101-250 g/L)
Coronado Paint (251-340 g/L)
Corrosion Control Products Co.
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
International Paint LLC (<100 g/L)
Jotun Paints Inc.
PPG Protective & Marine Coatings (251-340 g/L)
Rodda Paint Corporation (101-250 g/L)
Sika Corporation (<100 g/L)
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ Epoxy/Epoxy/Siloxane

PPG Protective & Marine Coatings (101-250 g/L)

■ Epoxy/Vinyl Ester/Vinyl Ester

Dudick, Inc.
Micor Company, Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Wasser Corporation (251-340 g/L)

■ MCU/MCU/MCU

Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Key Resin Company (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Epoxy Novolac/Epoxy Novolac

Copolymer Protection Systems (<100 g/L)

■ Polyester/Polyester/Polyester

Celcote Products/International Paint (251-340 g/L)
Heresite Protective Coatings, Inc. (<100 g/L)
Protective Floorings and Linings (<100 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Andek Corporation (<100 g/L)
Arnco Performance Polymers
Corchem Corporation (<100 g/L)
Corolon Coatings & Corrosion Control
DEMILEC (USA) LLC
ITW Futura Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
DEMILEC (USA) LLC
ITW Futura Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Total Containment Solutions dba FSI (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Siloxane/Siloxane

BioCoatings (<100 g/L)
Rainguard International (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc. (<100 g/L)
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Chemline
Corolon Coatings & Corrosion Control
Crossfield Products Corp.
Global EcoTechnologies (<100 g/L)
Huntsman Polyurethanes (<100 g/L)
ITW Futura Coatings (<100 g/L)
KCC Corrosion Control Co., Ltd.
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Polycoat Products (<100 g/L)

■ Urethane/Urethane

Huntsman Polyurethanes (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Roadware Incorporated

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Andek Corporation (251-340 g/L)
Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Carboline Company (<100 g/L)
Celcote Products/International Paint (251-340 g/L)
Corchem Corporation (101-250 g/L)
Dudick, Inc.
Fox Industries Inc. (101-250 g/L)
Henkel Technologies—Corrosion Engineering
International Paint LLC (101-250 g/L)

Jotun Paints Inc.

KCC Corrosion Control Co., Ltd.

Key Resin Company (<100 g/L)

PolySpec L.P. / THIOKOL (101-250 g/L)

Protective Floorings and Linings (<100 g/L)

Tnemec Company, Inc.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)

Cantex Coatings Ltd. (<100 g/L)

Corolon Coatings & Corrosion Control

Euronavy

Flexcrete Technologies Ltd. (<100 g/L)

Gemite Products Inc. (<100 g/L)

KCC Corrosion Control Co., Ltd.

Liquid Rubber Industries Inc. (<100 g/L)

PPC Coatings

Rainguard International

Roadware Incorporated


SpeedCove Precast Cove Base Systems

Stirling Lloyd Group Plc. (<100 g/L)

Termaust Technologies (<100 g/L)

Top Secret Coatings

A range of
Airless Spray Painting Equipment
for hot / cold, single / two
component application
for tough solvent based
and solvent less
coatings.



VR COATINGS PVT. LTD.

J -138, MIDC Bhosari, Pune - 411 026. INDIA.

Tel.: +91 (020) 30781022 / 27122331 Fax : +91 (020) 30781051

E-mail: vrcoatings@eth.net • Web : www.vrcoatings.com





Sponsored by



Coating System Guide for Food and Pharmaceutical Plants

Systems are alphabetized by first coat.

Interior Process Areas Concrete Walls, Ceilings

■ Alkyd/Acrylic/Acrylic

Avilion Inc.
Diamond Vogel Paint Company (101-250 g/L)
ITW Futura Coatings (<100 g/L)
Mascoat Products (<100 g/L)

■ Brick and Tile, Acid-Resistant

Blome International (<100 g/L)
Henkel Technologies—Corrosion Engineering

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Insl-X (251-340 g/L)
Concrete Solutions (<100 g/L)
Diamond Vogel Paint Company (101-250 g/L)
Highland International, Inc.
PPG Protective & Marine Coatings (101-250 g/L)
Rust-Oleum Corporation (101-250 g/L)

■ Epoxy (1-2 coats)/Fluoropolymer

VersaFlex Incorporated (>450 g/L)

■ Epoxy (1-2 coats)/Urethane

BASF Construction Chemicals - Building Systems
Chemline
Complementary Coatings/DBA Insl-X (101-250 g/L)
Coronado Paint (101-250 g/L)
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Devoe Coatings (AkzoNobel) (101-250 g/L)
Euronavy
Highland International, Inc.
International Coatings Inc. (<100 g/L)
ITW Futura Coatings (251-340 g/L)
Key Resin Company (<100 g/L)
National Polymers Inc. (251-340 g/L)
Polymax/Milamar Coatings L.L.C. (<100-250 g/L)
Protective Floorings and Linings (<100 g/L)
Specialty Polymer Coatings, Inc.
Superior Epoxies & Coatings (<100 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A&E Systems LLC (<100 g/L)
A.W. Chesterton/ARC Composites (<100 g/L)
Andek Corporation (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Copolymer Protection Systems (<100 g/L)
Corchem Corporation (<100 g/L)
Crown Polymers, LLC



Dependable Floor Products Inc. (<100 g/L)
Duromar, Inc. (<100 g/L)
Enviroline/International Paint Prot Ctgs (<100 g/L)
Fox Industries Inc. (<100 g/L)



International Coatings Inc. (<100 g/L)
JAXXON National Maintenance Products
Kaufman Products, Inc. (<100 g/L)
Micor Company, Inc. (341-450 g/L)
Protective Floorings and Linings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Specialty Polymer Coatings, Inc.
Superior Epoxies & Coatings (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.
Enviroline/International Paint Prot Ctgs (<100 g/L)
Gulf Coast Paint Mfg., Inc.

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Corchem Corporation (<100 g/L)
Dampney Co., Inc.
Duromar, Inc. (<100 g/L)
Enviroline/International Paint Prot Ctgs (101-250 g/L)
Micor Company, Inc.
National Polymers Inc. (101-250 g/L)
Protective Floorings and Linings (<100 g/L)

■ Epoxy/Epoxy 100% Solids

Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Copolymer Protection Systems (<100 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Euronavy
International Coatings Inc. (<100 g/L)
Kaufman Products, Inc. (<100 g/L)
Key Resin Company (<100 g/L)
NSP Specialty Products (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Sika Corporation (<100 g/L)
Tnemec Company, Inc.
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.
Dudick, Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Carboline Company (<100 g/L)
Crown Polymers, LLC (<100 g/L)
Dampney Co., Inc.
ENECON Corporation (<100 g/L)
KCC Corrosion Control Co., Ltd.
PolySpec L.P. / THIOKOL (<100 g/L)



www.polyspec.com • 281-397-0033

Tnemec Company, Inc.

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

BASF Construction Chemicals - Building Systems
Ceilcote Products/International Paint (<100 g/L)
Complementary Coatings/DBA Ins-X (101-250 g/L)
Corro-Shield International, Inc.
Corrosion Control Products Co.
Devoe Coatings (AkzoNobel) (101-250 g/L)
Diamond Vogel Paint Company (<100 g/L)
Dudick, Inc. (<100 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
International Paint LLC (101-250 g/L)
National Polymers Inc. (<100 g/L)
Polymax/Milamar Coatings L.L.C. (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rust-Oleum Corporation (<100 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Superior Products International II (251-450 g/L)
Top Secret Coatings

■ Epoxy/Epoxy/Siloxane

Advanced Chemical Technologies (251-340 g/L)

■ Epoxy/Vinyl Ester/Vinyl Ester

A.W. Chesterton/ARC Composites (101-250 g/L)

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU/MCU/MCU

Coronado Paint (251-340 g/L)
Wasser Corporation (<100 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Dayton Superior

■ Polyester/Polyester/Polyester

Ceilcote Products/International Paint (251-340 g/L)
Corrocoat Ltd.
Heresite Protective Coatings, Inc. (<100 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arcco Performance Polymers
Chemline
Corolon Coatings & Corrosion Control
DEMILEC (USA) LLC
Quantum Group (<100 g/L)
Rhino Linings Corporation (101-250 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arcco Performance Polymers
DEMILEC (USA) LLC
Fox Industries Inc. (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Primeaux Associates LLC (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)
Wasser Corporation (<100 g/L)

■ Sheet Lining, Thermoplastic

Henkel Technologies—Corrosion Engineering

■ Siloxane/Siloxane

Advanced Chemical Technologies (341-450 g/L)
PROSOCO, Inc.
Rainguard International (<100 g/L)
SaverSystems/Defy (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Can-Cell Industries Inc (<100 g/L)
Thermion Inc.

■ Urethane Elastomeric (1 coat)

Chemline
Global EcoTechnologies (<100 g/L)
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.
Volatile Free, Inc. (<100 g/L)

■ Urethane/Urethane

Andek Corporation (101-250 g/L)
Coatings For Industry, Inc. (251-340 g/L)
Concrete Solutions (101-250 g/L)
Convenience Products (<100 g/L)
Crossfield Products Corp.
Devoe Coatings (AkzoNobel)
LINE-X Protective Coatings (<100 g/L)
Primeaux Associates LLC (101-250 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Roadware Incorporated
Sika Corporation (101-250 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Andek Corporation (251-340 g/L)
Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Ceilcote Products/International Paint (101-250 g/L)
Micor Company, Inc.
PolySpec L.P. / THIOKOL (101-250 g/L)

■ Other

Advanced Chemical Technologies (341-450 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Alistagen (<100 g/L)
Carboline Company (<100 g/L)
Corolon Coatings & Corrosion Control
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Green Earth Nano Science Inc. (<100 g/L)
Gulf Coast Paint Mfg., Inc.
Heresite Protective Coatings, Inc. (251-340 g/L)
Industrial Nanotech Inc. (<100 g/L)
Insulating Coatings Corporation
Liquid Rubber Industries Inc. (<100 g/L)

PPC Coatings
PROSOCO, Inc.
SpeedCove Precast Cove Base Systems



Termarust Technologies (<100 g/L)
Tnemec Company, Inc.
Top Secret Coatings

Interior Process Areas Concrete Floors

■ Alkyd/Acrylic/Acrylic

Dampney Co., Inc.

■ Brick and Tile, Acid-Resistant

Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Henkel Technologies—Corrosion Engineering

■ Epoxy (1-2 coats)/Fluoropolymer

Enviroline/International Paint Prot Ctgs (<100 g/L)


■ Epoxy (1-2 coats)/Urethane

BASF Construction Chemicals - Building Systems
Chemline
Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Ins-X (<100 g/L)
Coronado Paint (251-340 g/L)
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Devoe Coatings (AkzoNobel) (101-250 g/L)
Endura Manufacturing Co. Ltd.
Euronavy
ITW Futura Coatings (251-340 g/L)
Kemper System Inc. (<100 g/L)
National Polymers Inc. (<100 g/L)
Polycoat Products (<100 g/L)
Polymax/Milamar Coatings L.L.C. (101-250 g/L)
Protective Floorings and Linings (<100 g/L)
Specialty Polymer Coatings, Inc.
Superior Epoxies & Coatings (<100 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A&E Systems LLC (<100 g/L)
A.W. Chesterton/ARC Composites (<100 g/L)
Andek Corporation (<100 g/L)
Carboline Company (<100 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Coatings For Industry, Inc. (<100 g/L)
Complementary Coatings/DBA Ins-X (<100 g/L)
Dependable Floor Products Inc. (<100 g/L)
Duromar, Inc. (<100 g/L)
Enviroline/International Paint Prot Ctgs (<100 g/L)
Fox Industries Inc. (<100 g/L)
JAXXON National Maintenance Products
Kaufman Products, Inc. (<100 g/L)

Protective Coatings Solutions.



Reactamine Technology provides coatings solutions for both interior and exterior surfaces in industrial and commercial applications. Reactamine's patented chemistry has proven to be effective in very aggressive chemical environments where ultimate protection is required. With primary technologies based on **100% Polyurea**, the majority of our products are 100% solids with no VOCs. Let us help you find the correct solution for your coating needs.

Applications

Bridge Repair	Highway Joint Repair
Blast Protection & Mitigation	Marine Pilings
Commercial & Industrial Floors	Manhole Restoration
Commercial Transportation	Parking Decks
Gas/Oil Pipeline	Primary & Secondary Containment
Hardcoat Covering for Styrofoam	Railcar Coatings

Call or email for a free consultation:
(770) 483-0480
inquiries@reactamine.com



Food and Pharmaceutical Plants

Micor Company, Inc.



**Over 40 Years of
Commitment
to Our
Customers**

Micor Company, Inc. is a leader in manufacturing the highest quality performance coatings and epoxy grouts, and offers an extensive line of quality-tested polymer formulations for correctional and institutional facilities, food processing, chemical, pulp and paper, and decorative flooring applications.

See Micor's full line of
**Industrial and Decorative Coatings
and Precision Non-Shrink Grouts**

at www.micorco.com; contact Patrick Cox via email at micorox@sbcglobal.net or call 1-800-284-4308

National Polymers Inc. (101-250 g/L)
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
QUESTMARK FLOORING (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Rust-Oleum Corporation (<100 g/L)
Sauereisen, Inc.
Specialty Polymer Coatings, Inc.
Superior Epoxies & Coatings
VersaFlex Incorporated (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.
Pacific Polymers International, Inc. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Corchem Corporation (<100 g/L)
Crown Polymers, LLC (<100 g/L)
Dampney Co., Inc.
Duromar, Inc. (<100 g/L)
Envirolite/International Paint Prot Ctg's (101-250 g/L)
Fox Industries Inc. (<100 g/L)
Micor Company, Inc.
National Polymers Inc. (251-340 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Avilion Inc.
Carboline Company (<100 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Concrete Solutions (<100 g/L)
Convenience Products (101-250 g/L)
Copolymer Protection Systems (<100 g/L)
Corchem Corporation (<100 g/L)
Dayton Superior
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Euronavy
Gulf Coast Paint Mfg., Inc. (<100 g/L)
International Coatings Inc. (<100 g/L)
JAXXON National Maintenance Products
Kaufman Products, Inc. (<100 g/L)

Moisture Issues?

Keep the moisture monsters away with

One Day Floors
because it withstands

98% RH



Specify the One Day Floor system with confidence for any project requiring superior abrasion resistance, antimicrobial, chemical and UV resistance. The One Day Floors coating will perform blush free and not delaminate in high moisture environments. Fight the moisture monsters with One Day Floors.

www.onedayfloors.com • 866-906-2006



Key Resin Company (<100 g/L)
 Nox-Crete Products Group
 Pacific Polymers International, Inc. (<100 g/L)
 Polymax/Milamar Coatings L.L.C. (<100 g/L)
 PolySpec L.P. / THIOKOL (<100 g/L)
 PPG Protective & Marine Coatings (<100 g/L)
 Protective Floorings and Linings (<100 g/L)
 Reactamine Technology, LLC
 RLS Solutions/Raven Engineered Systems (<100 g/L)
 Sauereisen, Inc.
 Sherwin-Williams (<100 g/L)
 Tnemec Company, Inc.
 Volatile Free, Inc. (<100 g/L)
 Wolverine Coatings Corporation

■ **Epoxy/Epoxy Flake Filled/Epoxy Flake Filled**
 Corrocoat Ltd.
 KCC Corrosion Control Co., Ltd.

■ **Epoxy/Epoxy Novolac/Epoxy Novolac**
 A.W. Chesterton/ARC Composites (<100 g/L)
 Blome International (<100 g/L)
 Carboline Company (<100 g/L)
 Dampney Co., Inc.
 ENECON Corporation (<100 g/L)
 Gulf Coast Paint Mfg., Inc. (<100 g/L)
 Henkel Technologies—Corrosion Engineering
 KCC Corrosion Control Co., Ltd.
 Key Resin Company (<100 g/L)
 PolySpec L.P. / THIOKOL (<100 g/L)
 QUESTMARK FLOORING (<100 g/L)
 Sherwin-Williams (<100 g/L)
 Sika Corporation (<100 g/L)
 Tnemec Company, Inc.
 Volatile Free, Inc. (<100 g/L)
 Wolverine Coatings Corporation

■ **Epoxy/Epoxy Phenolic/Epoxy Phenolic**
 Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ **Epoxy/Epoxy/Epoxy**
 Arcor Epoxy Inc. (<100 g/L)
 BASF Construction Chemicals - Building Systems
 Ceilcote Products/International Paint (<100 g/L)
 Complementary Coatings/DBA Insl-X (101-250 g/L)
 Coronado Paint (251-340 g/L)
 Corro-Shield International, Inc.
 Corrosion Control Products Co.
 Cortec Corporation
 Crown Polymers, LLC (<100 g/L)



Dayton Superior
 Devoe Coatings (AkzoNobel) (101-250 g/L)
 Dudick, Inc. (<100 g/L)
 Gulf Coast Paint Mfg., Inc. (101-250 g/L)
 Henkel Technologies—Corrosion Engineering
 Heresite Protective Coatings, Inc. (341-450 g/L)
 International Paint LLC (101-250 g/L)
 Nox-Crete Products Group
 PolySpec L.P. / THIOKOL (<100 g/L)
 PPG Protective & Marine Coatings (101-250 g/L)
 Sauereisen, Inc.

TEMPORARY HUMIDITY CONTROL

The Cure for Your Coatings

ARID-Dry™ Advanced Reactive Drying

Temporary Dehumidification can eliminate surface condensation and corrosion to allow contractors to work in the most extreme conditions. Humidity control can also provide conditions for proper bonding and curing. The "Arid-Dry" advanced reactive drying system combines the power of desiccant dehumidifier with optional heating or cooling to maintain optimum conditions. Units are offered in trailer or skid mounted configurations.

For equipment sales and financing call 248.344.7236.

29235 Lorie Lane, Wixom, MI 48393

Fax: 248.344.9401 • sales@cdims.com • cdims.com



Click our Reader e-Card at paintsquare.com/r/c

Natrium Soda Blast

More Productive! Less Dust!

Contact us today to learn
 more about the benefits of
 Natrium's faster cutting
 sodium bicarbonate.

Natrium Products, Inc.

58 Pendleton Street • Cortland, NY 13045
 800-962-4203 Fax: 607-753-0552
www.natriumsodablast.com

Supplying superior product and service since 1989.

Click our Reader e-Card at paintsquare.com/r/c

CLEMCO[®]
INDUSTRIES CORP.

Serving the
surface prep,
industrial cleaning
and finishing
markets for
over 50 years



Blast Machines
& Operator Safety
Equipment

Preassembled
Blast Room

Local Service &
Technical Support
ISO 9001-2000 Quality

www.clemcoindustries.com
© Clemco Industries Corp.
Washington, MO

Food and Pharmaceutical Plants

Sponsored by



Sherwin-Williams (<100 g/L)



A global coatings
company that speaks
just one language – **YOURS.**

800-524-5979 sherwin-williams.com/protective

Superior Products International II (251-450 g/L)
Top Secret Coatings

■ **Epoxy/Vinyl Ester/Vinyl Ester**
Micor Company, Inc.

■ **Furan**
Atlas Minerals & Chemicals, Inc.

■ **Heat-Shrinkable Sleeves**
Corrosion Control Products Co.

■ **MCU/MCU/MCU**
Coronado Paint (251-340 g/L)
Wasser Corporation (<100 g/L)

■ **Methyl Methacrylate/Methyl Methacrylate**
BASF Construction Chemicals - Building Systems
Dayton Superior
Key Resin Company (<100 g/L)

■ **Methyl Methacrylate (2 coats)/Urethane**
BioCoatings (<100 g/L)
Sika Corporation (251-340 g/L)

■ **Polyester/Polyester/Polyester**
Ceilcote Products/International Paint (251-340 g/L)
Corrocoat Ltd.
Heresite Protective Coatings, Inc. (<100 g/L)

■ **Polyurea Hybrid (1, 2, or 3 coats)**
Arnco Performance Polymers
DEMILEC (USA) LLC
Dudick, Inc. (<100 g/L)
ITW Futura Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Polymax/Milamar Coatings L.L.C. (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ **Polyurea Pure (1, 2, or 3 coats)**
Arnco Performance Polymers
DEMILEC (USA) LLC
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Primeaux Associates LLC (<100-250 g/L)
Reactamine Technology, LLC
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Wasser Corporation (<100 g/L)

■ **Siloxane/Siloxane**
PROSOCO, Inc.
Ranguard International (<100 g/L)
SaverSystems/Defy (<100 g/L)

■ **Tape Wraps**
Corrosion Control Products Co.

■ **Thermal Spray**
Thermion Inc.

■ **Urethane Elastomeric (1 coat)**
Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ **Urethane/Urethane**
Andek Corporation (101-250 g/L)
Avilion Inc.
Chemline
Concrete Solutions (101-250 g/L)
Crossfield Products Corp.
International Coatings Inc. (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Primeaux Associates LLC (101-250 g/L)
Quantum Group (<100 g/L)
QUESTMARK FLOORING (<100 g/L)
Ranguard International (101-250 g/L)
Rhino Linings Corporation (<100 g/L)
Roadware Incorporated
Rudd Company, Inc.
Superior Products International II (251-340 g/L)

■ **Vinyl Ester/Vinyl Ester/Vinyl Ester**
Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Ceilcote Products/International Paint (101-250 g/L)

■ **Other**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Alistagen (<100 g/L)
Corolon Coatings & Corrosion Control
Gemite Products Inc. (<100 g/L)
Huntsman Polyurethanes
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings
PROSOCO, Inc.
Roadware Incorporated
SpeedCove Precast Cove Base Systems



SpeedCove[™]
Precast Cove Base Systems

Get uniform, consistent, & durable cove
bases quickly & easily with all finishes.

www.speedcove.com • 530.344.9000

Stirling Lloyd Group Plc. (<100 g/L)
Termarust Technologies (<100 g/L)
Tnemec Company, Inc.
Top Secret Coatings
W. R. MEADOWS, INC. (<100-250 g/L)



Coating System Guide for the Marine Industry

Systems are alphabetized by first coat.

Exterior Superstructures Marine, Weathering, & UV Steel

■ Alkyd/Acrylic/Acrylic

Corrocoat Ltd..
Cortec Corporation
PolySpec L.P. / THIOKOL (<100 g/L)

■ Alkyd/Alkyd/Alkyd

Complementary Coatings/DBA Insl-X (251-340 g/L)
Jotun Paints Inc. (341-450 g/L)



■ Calcium Sulphonate

Termarust Technologies (101-250 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Chemline
Complementary Coatings/DBA Insl-X (101-250 g/L)
Cortec Corporation



Epmar Corporation

■ Epoxy (1-2 coats)/Urethane

Complementary Coatings/DBA Insl-X (101-250 g/L)
Coronado Paint (251-340 g/L)
Crossfield Products Corp.
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
Highland International, Inc.
ITW Futura Coatings (101-250 g/L)
KCC Corrosion Control Co., Ltd.
PPG Protective & Marine Coatings (251-340 g/L)

Rodda Paint Corporation (341-450 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sherwin-Williams (251-340 g/L)
Specialty Polymer Coatings, Inc.
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

CCI Con-Tech of California, Inc.
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)

■ Epoxy Coal Tar/Epoxy Coal Tar

Fox Industries Inc. (101-250 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd..

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy 100% Solids

Atlas Minerals & Chemicals, Inc.
CCI Con-Tech of California, Inc.
Duromar, Inc. (<100 g/L)
Euronavy
JAXXON National Maintenance Products

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Atlas Minerals & Chemicals, Inc.

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Atlas Minerals & Chemicals, Inc.
Corrosion Control Products Co.
Cortec Corporation
Denso North America
Seacoat Technology (101-250 g/L)
Top Secret Coatings

■ Epoxy/Epoxy/Siloxane

PPG Protective & Marine Coatings (101-250 g/L)



■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Acrylic/Acrylic

Epmar Corporation

■ Inorganic Zinc/Epoxy/Urethane

Carboline Company (251-340 g/L)



Dampney Co., Inc.
Gulf Coast Paint Mfg., Inc.
Highland International, Inc.

■ Inorganic Zinc/Polyurea (Pure)

Polycoat Products (101-250 g/L)

■ MCU Zinc Rich/Epoxy/Urethane

Endura Manufacturing Co. Ltd. (101-250 g/L)

■ MCU Zinc Rich/MCU/MCU

Coronado Paint (251-340 g/L)
Polycoat Products (101-250 g/L)
Wasser Corporation (<100 g/L)

■ MCU Zinc Rich/Urethane/Urethane

Endura Manufacturing Co. Ltd. (101-250 g/L)

■ MCU/MCU/MCU

Polycoat Products (101-250 g/L)
Wasser Corporation (<100 g/L)

■ Organic Zinc/Epoxy/Acrylic

Chemline

■ Organic Zinc/Epoxy/Urethane

Carboline Company (251-340 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Highland International, Inc.
Sherwin-Williams (251-340 g/L)

■ Organic Zinc/Siloxane

PPG Protective & Marine Coatings (251-340 g/L)

■ Polyester/Polyester/Polyester

Corrocoat Ltd.
Denso North America
Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Siloxane/Siloxane

Seacoat Technology (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.
Denso North America

■ Thermal Spray

KCC Corrosion Control Co., Ltd.
Nation Coating Systems, Inc.
Thermion Inc..
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Chemline
Crossfield Products Corp.
KCC Corrosion Control Co., Ltd.
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

Concrete Solutions (101-250 g/L)
ITW Futura Coatings (101-250 g/L)
LINE-X Protective Coatings (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Polymer Coatings, Inc.
Superior Products International II (251-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Dudick, Inc.
Subsea Industries NV

■ Wax

The Tapecoat Co.

■ Zinc-Rich, Inorganic

ZRC Worldwide (<100 g/L)

■ Zinc-Rich, Organic

Royal USA Corp
ZRC Worldwide (341-450 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
BioCoatings (<100 g/L)
Corroseal (<100 g/L)
ENECON Corporation (<100 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (251-340 g/L)
Hi-Temp Coatings Technology (101-450 g/L)
Industrial Nanotech Inc. (<100 g/L)
ITW Futura Coatings (101-250 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
Top Secret Coatings

Exterior Deck Plate Abrasion, Marine, Weathering, & UV Steel

■ Alkyd/Acrylic/Acrylic

Corrocoat Ltd.
Cortec Corporation
KCC Corrosion Control Co., Ltd.
Mascoat Products (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)

■ Alkyd/Alkyd/Alkyd

Complementary Coatings/DBA Ins-X (251-340 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Chemline

■ Epoxy (1-2 coats)/Urethane

Complementary Coatings/DBA Ins-X (101-250 g/L)
Crossfield Products Corp.
Epmar Corporation
Heresite Protective Coatings, Inc. (341-450 g/L)
Highland International, Inc.
Polycoat Products (<100 g/L)
PolySpec L.P. / THIOKOL (101-250 g/L)



PPG Protective & Marine Coatings (251-340 g/L)
Sherwin-Williams (251-340 g/L)
Specialty Polymer Coatings, Inc.
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

CCI Con-Tech of California, Inc.
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.
Jotun Paints Inc. (101-250 g/L)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Crossfield Products Corp.

■ Epoxy Phenolic (3 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy 100% Solids

CCI Con-Tech of California, Inc.
Duromar, Inc. (<100 g/L)
Epmar Corporation
Euronavy
JAXXON National Maintenance Products
Rust-Oleum Corporation (<100 g/L)

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

PPG Protective & Marine Coatings (251-340 g/L)

■ Epoxy/Epoxy/Epoxy

Complementary Coatings/DBA Ins-X (101-250 g/L)
Corro-Shield International, Inc.
Corrosion Control Products Co.
Cortec Corporation
Dudick, Inc.
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Rodda Paint Corporation (101-250 g/L)
Top Secret Coatings

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy/Epoxy

Epmar Corporation

■ Inorganic Zinc/Epoxy/Urethane

Endura Manufacturing Co. Ltd. (101-250 g/L)
Highland International, Inc.

■ MCU Zinc Rich/Epoxy/Urethane

Endura Manufacturing Co. Ltd. (101-250 g/L)

■ MCU Zinc Rich/MCU/MCU

Coronado Paint (251-340 g/L)
Wasser Corporation (<100 g/L)

■ MCU/MCU/MCU

Wasser Corporation (<100 g/L)

■ Organic Zinc/Epoxy Flake Filled/Epoxy Flake Filled

PPG Protective & Marine Coatings (251-340 g/L)

■ Organic Zinc/Epoxy/Acrylic

Chemline

■ Organic Zinc/Epoxy/Epoxy

Jotun Paints Inc. (251-340 g/L)

■ Organic Zinc/Epoxy/Urethane

Carboline Company (251-340 g/L)
Highland International, Inc.
Jotun Paints Inc. (251-340 g/L)
Sherwin-Williams (251-340 g/L)

■ Organic Zinc/Urethane/Urethane

Endura Manufacturing Co. Ltd. (101-250 g/L)

■ Polyester/Polyester/Polyester

Corrocoat Ltd.
Denso North America
Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arcco Performance Polymers
ITW Futura Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arcco Performance Polymers
Fox Industries Inc. (<100 g/L)
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)



Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Siloxane/Siloxane

Gemite Products Inc. (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.
Denso North America

■ Thermal Spray

KCC Corrosion Control Co., Ltd.
Nation Coating Systems, Inc.
Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Chemline
Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

KCC Corrosion Control Co., Ltd.
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (101-250 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Polymer Coatings, Inc.
Superior Products International II (251-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Dudick, Inc.
Subsea Industries NV

■ Zinc-Rich, Organic

Royal USA Corp
Termarust Technologies (251-340 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
BioCoatings (<100 g/L)
Corroseal (<100 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
Industrial Nanotech Inc. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
Top Secret Coatings

Interior Mild Steel

■ Alkyd/Acrylic/Acrylic

Coronado Paint (251-340 g/L)
Corrocoat Ltd.
Cortec Corporation
Fox Industries Inc. (<100 g/L)
Key Resin Company (<100 g/L)
Mascoat Products (<100 g/L)
PPG Protective & Marine Coatings (251-340 g/L)
Sherwin-Williams (251-340 g/L)
Watson Coatings, Inc.

■ Alkyd/Alkyd/Alkyd

Complementary Coatings/DBA Insl-X (101-250 g/L)
Dampney Co., Inc.
Gulf Coast Paint Mfg., Inc. (341-450 g/L)
Highland International, Inc.
Jotun Paints Inc. (341-450 g/L)
PPG Protective & Marine Coatings (341-450 g/L)
Rodda Paint Corporation (341-450 g/L)
Watson Coatings, Inc.

■ Alkyd/Alkyd/Silicone Alkyd

Dampney Co., Inc.
Gulf Coast Paint Mfg., Inc.
Highland International, Inc.

■ Calcium Sulphonate

Termarust Technologies (101-250 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Chemline
Complementary Coatings/DBA Insl-X (101-250 g/L)
Coronado Paint (251-340 g/L)
Corrocoat Ltd.
Epmar Corporation
Highland International, Inc.
Jotun Paints Inc. (251-340 g/L)
Rust-Oleum Corporation (<100-250 g/L)

■ Epoxy (1-2 coats)/Urethane

Carboline Company (251-340 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Epmar Corporation
Euronavy
ITW Futura Coatings (101-250 g/L)
Polycoat Products (<100 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
JAXXON National Maintenance Products
NSP Specialty Products (<100 g/L)
Specialty Polymer Coatings, Inc.
Volatile Free, Inc. (<100 g/L)

GARDCO
PAUL N.
GARDNER
COMPANY, INCORPORATED
Test Instruments
for Lab & Field

1-800-762-2478
www.gardco.com

Call for Current Pricing

Announcing
the
NEW
Paul N. Gardner Company
74th Anniversary
Catalog
of Corrosion Control,
Plastics, Paint, Ink &
Coatings Test
Instruments
(Due out early 2010)

**Reserve your
copy today !**

Our FREE catalog will be
shipped by
REQUEST ONLY.
(No P.O. Boxes Please)

E-mail
mailroom@gardco.com
or call
1-866-375-9883
and ask for the
catalog request
department.

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.
Crossfield Products Corp.
KCC Corrosion Control Co., Ltd.

■ Epoxy Novolac (1-2 coats)

Gemite Products Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.
Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

Heresite Protective Coatings, Inc. (341-450 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Duromar, Inc. (<100 g/L)
Euronavy
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Dudick, Inc.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Atlas Minerals & Chemicals, Inc.

■ Epoxy/Epoxy/Epoxy

Atlas Minerals & Chemicals, Inc.
Complementary Coatings/DBA Instl-X (101-250 g/L)
Coronado Paint (251-340 g/L)
Corrosion Control Products Co.
Crossfield Products Corp.
Dampney Co., Inc.
Gulf Coast Paint Mfg., Inc. (251-340 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
Sherwin-Williams (251-340 g/L)
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy/Urethane

Carboline Company (251-340 g/L)

■ MCU Zinc Rich/MCU/MCU

Wasser Corporation (<100 g/L)

■ MCU/MCU/MCU

Wasser Corporation (<100 g/L)

■ Organic Zinc/Epoxy/Acrylic

Chemline

■ Organic Zinc/Polyurea (Pure)

Polycoat Products (<100 g/L)

■ Polyester/Polyester/Polyester

Superior Products International II (341-450 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arco Performance Polymers
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Nation Coating Systems, Inc.
Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Chemline
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)

■ Urethane/Urethane

Concrete Solutions (101-250 g/L)
ITW Futura Coatings (101-250 g/L)
LINE-X Protective Coatings (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Polymer Coatings, Inc.
Superior Products International II (251-340 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Dudick, Inc.

■ Zinc-Rich, Inorganic

ZRC Worldwide (<100 g/L)

■ Zinc-Rich, Organic

Royal USA Corp
ZRC Worldwide (341-450 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Cantex Coatings Ltd. (<100 g/L)
Corroseal (<100 g/L)
ENECON Corporation (<100 g/L)
Heresite Protective Coatings, Inc. (251-340 g/L)
Hi-Temp Coatings Technology (101-450 g/L)
Industrial Nanotech Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
SpeedCove Precast Cove Base Systems



Sub-One Technology
Ternarust Technologies (<100 g/L)
Top Secret Coatings

Below Water Line Steel

■ Alkyd/Acrylic/Acrylic

Corrocoat Ltd.
Mascoat Products (<100 g/L)
Subsea Industries NV

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Chemline

■ Epoxy (1-2 coats)/Urethane

Endura Manufacturing Co. Ltd. (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
CCI Con-Tech of California, Inc.
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
JAXXON National Maintenance Products

NSP Specialty Products (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Epoxy Coal Tar High Build (1-2 coats)

Fox Industries Inc. (<100 g/L)

■ Epoxy Coal Tar/Epoxy Coal Tar

Carboline Company (101-250 g/L)
Complementary Coatings/DBA Instl-X (101-250 g/L)
Jotun Paints Inc. (251-340 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.
Jotun Paints Inc. (101-250 g/L)
Sherwin-Williams (101-250 g/L)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
CCI Con-Tech of California, Inc.
Duromar, Inc. (<100 g/L)
Euronavy
Sherwin-Williams (<100 g/L)

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Atlas Minerals & Chemicals, Inc.

■ Epoxy/Epoxy/Epoxy

Atlas Minerals & Chemicals, Inc.
Carboline Company (251-340 g/L)
Complementary Coatings/DBA Instl-X (101-250 g/L)
Corrosion Control Products Co.
Cortec Corporation
Dampney Co., Inc.
Denso North America
Euronavy
Highland International, Inc.
Jotun Paints Inc. (251-340 g/L)



PPG Protective & Marine Coatings (101-250 g/L)
Seacoat Technology (101-250 g/L)
Sherwin-Williams (251-340 g/L)
Superior Products International II (251-450 g/L)
Top Secret Coatings

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Wasser Corporation (<100 g/L)

■ MCU Zinc Rich/MCU/MCU

Wasser Corporation (<100 g/L)

■ MCU/MCU/MCU

Cortec Corporation
Wasser Corporation (<100 g/L)

■ Organic Zinc/Epoxy Novolac/Epoxy Novolac

Arcor Epoxy Inc. (<100 g/L)

■ Organic Zinc/Epoxy/Acrylic

Chemline

■ **Polyester/Polyester/Polyester**
Corrocoat Ltd.
KCC Corrosion Control Co., Ltd.

■ **Polyurea Hybrid (1, 2, or 3 coats)**
Arnco Performance Polymers
Polycoat Products (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ **Polyurea Pure (1, 2, or 3 coats)**
Arnco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ **Siloxane/Siloxane**
Seacoat Technology (<100 g/L)

■ **Tape Wraps**
Corrosion Control Products Co.
Denso North America

■ **Thermal Spray**
Nation Coating Systems, Inc.
Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ **Urethane Elastomeric (1 coat)**
Global EcoTechnologies (<100 g/L)

LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ **Urethane/Urethane**
LINE-X Protective Coatings (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Polymer Coatings, Inc.

■ **Vinyl Ester/Vinyl Ester/Vinyl Ester**
KCC Corrosion Control Co., Ltd.
Subsea Industries NV

■ **Wax**
The Tapecoat Co.

■ **Zinc-Rich, Organic**
Termarust Technologies (101-250 g/L)

■ **Other**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
BioCoatings (<100 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (251-450 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
Polycoat Products (<100 g/L)
PPC Coatings
Sub-One Technology
The Tapecoat Co.
Top Secret Coatings

Ballast Tank Linings Steel

■ **Calcium Sulphonate**
Termarust Technologies (101-250 g/L)

■ **Coal Tar/Asphalt**
Lone Star Specialties, LLC

■ **Epoxy (1-2 coats)/Urethane**
Endura Manufacturing Co. Ltd. (101-250 g/L)
Top Secret Coatings

■ **Epoxy 100% Solids (1-2 coats)**
A.W. Chesterton/ARC Composites (<100 g/L)
Carboline Company (<100 g/L)
CCI Con-Tech of California, Inc.
Duromar, Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Specialty Polymer Coatings, Inc.

■ **Epoxy Coal Tar High Build (1-2 coats)**
Cortec Corporation
Epmar Corporation

■ **Epoxy Coal Tar/Epoxy Coal Tar**
Complementary Coatings/DBA Ins-X (101-250 g/L)
Epmar Corporation

■ **Epoxy Flake Filled/Epoxy Flake Filled**
Corrocoat Ltd.
KCC Corrosion Control Co., Ltd.

■ **Epoxy Novolac (1-2 coats)**
A.W. Chesterton/ARC Composites (<100 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Sherwin-Williams (<100 g/L)
Wolverine Coatings Corporation

■ **Epoxy Phenolic (3 coats)**
Carboline Company (251-340 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)

■ **Epoxy/Epoxy 100% Solids**
A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
CCI Con-Tech of California, Inc.
Duromar, Inc. (<100 g/L)
Euronavy
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sherwin-Williams (<100 g/L)



A global coatings
company that speaks
just one language – **YOURS.**

800-524-5979 sherwin-williams.com/protective

Volatile Free, Inc. (<100 g/L)
Wolverine Coatings Corporation


■ **Epoxy/Epoxy Flake Filled/Epoxy Flake Filled**
Sherwin-Williams (251-340 g/L)

■ **Epoxy/Epoxy Phenolic/Epoxy Phenolic**
Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ **Epoxy/Epoxy/Epoxy**
Carboline Company (251-340 g/L)
Complementary Coatings/DBA Ins-X (101-250 g/L)
Corrosion Control Products Co.
Epmar Corporation
Euronavy
Gulf Coast Paint Mfg., Inc. (101-250 g/L)





Certified Inspectors and Coating Specialists Receive 10% Discount On Inspection Equipment




In recognition of your hard work and dedication in becoming certified*, KTA is offering you a 10% discount on any instruments you purchase now through June 30, 2010. Register at www.kta.com/services/instruments.html before December 31, 2009 to take advantage of this special offer.

* NACE – CIP Level 1, 2 and 3, PCS
SSPC – PCS, BCI, PCI, NBPI
ACQPA/FROSIO














KTA-Tator, Inc. • 115 Technology Drive • Pittsburgh, PA 15275
PH-412.788.1300 • FX-412.788.1306
www.kta.com

Heresite Protective Coatings, Inc. (341-450 g/L)
Jotun Paints Inc. (251-340 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rust-Oleum Corporation (101-250 g/L)
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ **Fusion-Bonded Epoxy (1-2 coats)/Urethane**
Rhino Linings Corporation (<100 g/L)

■ **Heat-Shrinkable Sleeves**
Corrosion Control Products Co.

■ **MCU Zinc Rich/MCU/MCU**
Coronado Paint (251-340 g/L)
Wasser Corporation (<100 g/L)

■ **MCU/MCU/MCU**
Wasser Corporation (<100 g/L)

■ **Organic Zinc/Epoxy Novolac/Epoxy Novolac**
Arcor Epoxy Inc. (<100 g/L)

■ **Organic Zinc/Epoxy/Epoxy**
Arcor Epoxy Inc. (<100 g/L)
Complementary Coatings/DBA Insl-X (341-450 g/L)

■ **Organic Zinc/Polyurea (Pure)**
Wasser Corporation (<100 g/L)

■ **Polyester/Polyester/Polyester**
Corrocoat Ltd.

■ **Polyurea Hybrid (1, 2, or 3 coats)**
Arco Performance Polymers
Polycoat Products (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ **Polyurea Pure (1, 2, or 3 coats)**
Arco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ **Tape Wraps**
Corrosion Control Products Co.

■ **Thermal Spray**
KCC Corrosion Control Co., Ltd.
Nation Coating Systems, Inc.
Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ **Urethane Elastomeric (1 coat)**
Chemline
Global EcoTechnologies (<100 g/L)
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ **Urethane/Urethane**
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Specialty Polymer Coatings, Inc.

■ **Vinyl Ester/Vinyl Ester/Vinyl Ester**
Corrocoat Ltd.
Dudick, Inc.
Subsea Industries NV

■ **Other**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
BioCoatings (<100 g/L)
Cantex Coatings Ltd. (<100 g/L)
Corroseal (<100 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
Madison Chemical Industries
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
Stirling Lloyd Group Plc. (<100 g/L)
Sub-One Technology
Top Secret Coatings

Cargo Tank Linings Steel

■ **Alkyd/Acrylic/Acrylic**
Mascoat Products (<100 g/L)

■ **Epoxy (1-2 coats)/Acrylic (1-2 coats)**
Highland International, Inc.

■ **Epoxy (1-2 coats)/Urethane**
Endura Manufacturing Co. Ltd. (101-250 g/L)
Highland International, Inc.
Top Secret Coatings

■ **Epoxy 100% Solids (1-2 coats)**
Carboline Company (<100 g/L)
CCI Con-Tech of California, Inc.
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Gemite Products Inc. (<100 g/L)
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
Specialty Polymer Coatings, Inc.

■ **Epoxy Coal Tar High Build (1-2 coats)**
Epmar Corporation

■ **Epoxy Coal Tar/Epoxy Coal Tar**
Epmar Corporation

■ **Epoxy Flake Filled/Epoxy Flake Filled**
Corrocoat Ltd.
KCC Corrosion Control Co., Ltd.

■ **Epoxy Novolac (1-2 coats)**
A.W. Chesterton/ARC Composites (<100 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
Wolverine Coatings Corporation

■ **Epoxy Phenolic (3 coats)**
Heresite Protective Coatings, Inc. (341-450 g/L)

■ **Epoxy/Epoxy 100% Solids**
A.W. Chesterton/ARC Composites (251-340 g/L)
Arcor Epoxy Inc. (<100 g/L)
CCI Con-Tech of California, Inc.
Duromar, Inc. (<100 g/L)
Euronavy
Gemite Products Inc. (<100 g/L)
Sherwin-Williams (<100 g/L)
Volatile Free, Inc. (<100 g/L)
Wolverine Coatings Corporation

Overspray Problems? We Have the Solution!



DAMAGE CONTROL: Control overspray costs through our fast, professional overspray removal service, guaranteed to minimize claims.

COMPETITIVE PRICING: Realistic pricing without additional charges for travel or accommodations.

EXPERIENCE: Forty-two years of experience removing paint, epoxies, urethanes, asphalt, tar, concrete, and other contaminants from all types of vehicles.

STATE-OF-THE ART TECHNOLOGY: Overspray is removed with a gentle, advanced cleaning system which limits the use of razor blades, buffers, sandpaper, rubbing compounds, or clay products.

IMMEDIATE ACTION: Trained and uniformed technicians are mobilized quickly to handle your problems.

COMPLETE CLAIMS MANAGEMENT: Signed preinspection forms and release statements from satisfied claimants help to limit the liability of contractors and insurance companies.

Overspray Removal Specialists, Inc.

1-800-835-5858

www.sprayclaims.com

■ **Epoxy/Epoxy Flake Filled/Epoxy Flake Filled**
Sherwin-Williams (101-250 g/L)

■ **Epoxy/Epoxy Novolac/Epoxy Novolac**
Dampney Co., Inc.

■ **Epoxy/Epoxy Phenolic/Epoxy Phenolic**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Jotun Paints Inc. (251-340 g/L)
Sherwin-Williams (251-340 g/L)

■ **Epoxy/Epoxy/Epoxy**
Complementary Coatings/DBA Ins-X (101-250 g/L)
Corrosion Control Products Co.
Cortec Corporation
Epmar Corporation
Euronavy
Highland International, Inc.
Jotun Paints Inc. (251-340 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ **Heat-Shrinkable Sleeves**
Corrosion Control Products Co.

■ **Inorganic Zinc/Epoxy Novolac/Epoxy Novolac**
Dampney Co., Inc.

■ **MCU Zinc Rich/MCU/MCU**
Coronado Paint (251-340 g/L)
Wasser Corporation (<100 g/L)

■ **MCU/MCU/MCU**
Cortec Corporation
Wasser Corporation (<100 g/L)

■ **Organic Zinc/Epoxy 100% Solids**
Arcor Epoxy Inc. (<100 g/L)

■ **Organic Zinc/Epoxy Novolac/Epoxy Novolac**
Dampney Co., Inc.

■ **Organic Zinc/Epoxy/Epoxy**
Complementary Coatings/DBA Ins-X (341-450 g/L)

■ **Organic Zinc/Polyurea (Pure)**
Wasser Corporation (<100 g/L)

■ **Polyester/Polyester/Polyester**
Corrocoat Ltd.
Superior Products International II (251-340 g/L)

■ **Polyurea Hybrid (1, 2, or 3 coats)**
Arco Performance Polymers
Chemline
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ **Polyurea Pure (1, 2, or 3 coats)**
Arco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ **Tape Wraps**
Corrosion Control Products Co.

■ **Thermal Spray**
Nation Coating Systems, Inc.
Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ **Urethane Elastomeric (1 coat)**
Chemline
Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ **Urethane/Urethane**
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Polymer Coatings, Inc.

■ **Vinyl Ester/Vinyl Ester/Vinyl Ester**
Carboline Company (101-250 g/L)
Corrocoat Ltd.
Dudick, Inc.
Subsea Industries NV

■ **Zinc-Rich, Inorganic**
Jotun Paints Inc. (251-340 g/L)

■ **Zinc-Rich, Organic**
Roval USA Corp

■ **Other**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Corrocoat (<100 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
Sub-One Technology
Termarust Technologies
Top Secret Coatings

BLACK it's the new GREEN

A fast cutting, low dusting, hard-core abrasive blaster. Tough enough to get the job done... while gentle on the environment and your health.



Reed Minerals is one of America's original green companies, recycling coal combustion by-products as a service to utility plants since the 1930's.

With our beneficial re-use of coal combustion by-products, we provide a value added service and a solution to the issue of site waste removal for all major utility plants in the United States. Instead of throwing the coal by-product away, burying it or dumping it in a landfill, Reed Minerals recycles it to produce the original **BLACK BEAUTY**® abrasives, a "green" product for the marketplace.



THE ORIGINAL
BLACK BEAUTY®
Tough love for your surfaces.

1-888-REEDMIN

www.blackbeautyabrasive.com

Cargo Hold Linings Steel

■ **Alkyd/Acrylic/Acrylic**
Cortec Corporation
Mascoat Products (<100 g/L)

■ **Epoxy (1-2 coats)/Acrylic (1-2 coats)**
Highland International, Inc.
Rust-Oleum Corporation (101-250 g/L)

■ **Epoxy (1-2 coats)/Urethane**
Endura Manufacturing Co. Ltd. (101-250 g/L)
Rust-Oleum Corporation (101-250 g/L)
Top Secret Coatings

■ **Epoxy 100% Solids (1-2 coats)**
A.W. Chesterton/ARC Composites (<100 g/L)
CCI Con-Tech of California, Inc.
Duomar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Gemite Products Inc. (<100 g/L)
NSP Specialty Products (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
Specialty Polymer Coatings, Inc.

■ **Epoxy Coal Tar High Build (1-2 coats)**
Epmar Corporation

■ **Epoxy Coal Tar/Epoxy Coal Tar**
Epmar Corporation

■ **Epoxy Flake Filled/Epoxy Flake Filled**
Carboline Company (101-250 g/L)
Corrocoat Ltd.
Jotun Paints Inc. (251-340 g/L)

■ **Epoxy Novolac (1-2 coats)**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
ENECON Corporation (<100 g/L)
Gemite Products Inc. (<100 g/L)
Wolverine Coatings Corporation

■ **Epoxy Phenolic (3 coats)**
Heresite Protective Coatings, Inc. (341-450 g/L)

■ **Epoxy/Epoxy 100% Solids**
A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Duomar, Inc. (<100 g/L)
Euronavy
PolySpec L.P. / THIOKOL (<100 g/L)
Sherwin-Williams (251-340 g/L)
Volatile Free, Inc. (<100 g/L)
Wolverine Coatings Corporation

■ **Epoxy/Epoxy Flake Filled/Epoxy Flake Filled**
KCC Corrosion Control Co., Ltd.
PPG Protective & Marine Coatings (101-250 g/L)
Sherwin-Williams (101-250 g/L)

■ **Epoxy/Epoxy Novolac/Epoxy Novolac**
Arcor Epoxy Inc. (<100 g/L)

■ **Epoxy/Epoxy Phenolic/Epoxy Phenolic**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Sherwin-Williams (251-340 g/L)

■ **Epoxy/Epoxy/Epoxy**
Carboline Company (251-340 g/L)
Complementary Coatings/DBA Insl-X (101-250 g/L)
Corrosion Control Products Co.
Epmar Corporation
Euronavy
Highland International, Inc.
Jotun Paints Inc. (251-340 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Top Secret Coatings

■ **Heat-Shrinkable Sleeves**
Corrosion Control Products Co.

■ **MCU Zinc Rich/MCU/MCU**
Coronado Paint (251-340 g/L)
Wasser Corporation (<100 g/L)

■ **MCU/MCU/MCU**
Coronado Paint (251-340 g/L)
Wasser Corporation (<100 g/L)

■ **Organic Zinc/Epoxy 100% Solids**
Arcor Epoxy Inc. (<100 g/L)

■ **Organic Zinc/Epoxy/Acrylic**
Highland International, Inc.

■ **Organic Zinc/Epoxy/Epoxy**
Carboline Company (251-340 g/L)
Complementary Coatings/DBA Insl-X (341-450 g/L)
Jotun Paints Inc. (251-340 g/L)

■ **Organic Zinc/Polyurea (Pure)**
Wasser Corporation (<100 g/L)

■ **Polyester/Polyester/Polyester**
Corrocoat Ltd.
Superior Products International II (251-340 g/L)

■ **Polyurea Hybrid (1, 2, or 3 coats)**
Arnco Performance Polymers
Chemline
Dampney Co., Inc.
ITW Futura Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ **Polyurea Pure (1, 2, or 3 coats)**
Arnco Performance Polymers
Dampney Co., Inc.
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ **Tape Wraps**
Corrosion Control Products Co.

■ **Thermal Spray**
Nation Coating Systems, Inc.
Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ **Urethane Elastomeric (1 coat)**
Chemline
Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ **Urethane/Urethane**
ITW Futura Coatings (101-250 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Polymer Coatings, Inc.
Superior Products International II (251-450 g/L)

■ **Vinyl Ester/Vinyl Ester/Vinyl Ester**
Corrocoat Ltd.
Dudick, Inc.
Subsea Industries NV

■ **Wax**
Cortec Corporation

■ **Zinc-Rich, Organic**
Termarust Technologies (101-250 g/L)

■ **Other**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Cantex Coatings Ltd. (<100 g/L)
Corroseal (<100 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
Industrial Nanotech Inc. (101-250 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
Sub-One Technology
Top Secret Coatings

The Finest Name In Safe Overspray Removal

In Business Since 1982

Visa And MasterCard
Accepted

Large Claim Capability

Fully Insured

Innovative Techniques

On-Site Service

Cost Savings

Guaranteed Results

ISO 9001:2008 Certified

1.800.345.1269

NATIONWIDE
OVERSPRAY

NationwideOverspray.com



Click our Reader e-Card at paintsquare.com/r/c



Coating System Guide for Offshore Platforms

Systems are alphabetized by first coat.

Jacket Immersed Area Steel

■ **Epoxy (1-2 coats)/Acrylic (1-2 coats)**
Chemline

■ **Epoxy (1-2 coats)/Urethane**
Heresite Protective Coatings, Inc. (341-450 g/L)
Top Secret Coatings

■ **Epoxy 100% Solids (1-2 coats)**
A.W. Chesterton/ARC Composites (<100 g/L)
Berry Plastics Corrosion Protection Group
Carboline Company (<100 g/L)
Duomar, Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
JAXXON National Maintenance Products
RLS Solutions/Raven Engineered Systems (<100 g/L)
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)

■ **Epoxy Coal Tar High Build (1-2 coats)**
Sherwin-Williams (251-340 g/L)

■ **Epoxy Coal Tar/Epoxy Coal Tar**
Sherwin-Williams (251-340 g/L)

■ **Epoxy Flake Filled/Epoxy Flake Filled**
PPG Protective & Marine Coatings (101-250 g/L)

■ **Epoxy Novolac (1-2 coats)**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Specialty Polymer Coatings, Inc.

■ **Epoxy/Epoxy 100% Solids**
A.W. Chesterton/ARC Composites (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Duomar, Inc. (<100 g/L)
Euronavy
Jotun Paints Inc. (251-340 g/L)

PPG Protective & Marine Coatings (101-250 g/L)



RLS Solutions/Raven Engineered Systems (<100 g/L)
Thin Film Technology, Inc. (<100 g/L)

■ **Epoxy/Epoxy Flake Filled/Epoxy Flake Filled**
Atlas Minerals & Chemicals, Inc.

■ **Epoxy/Epoxy Novolac/Epoxy Novolac**
Arcor Epoxy Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd.

■ **Epoxy/Epoxy Phenolic/Epoxy Phenolic**
Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ **Epoxy/Epoxy/Epoxy**
Atlas Minerals & Chemicals, Inc.
Carboline Company (251-340 g/L)
Corrosion Control Products Co.
Euronavy
Gulf Coast Paint Mfg., Inc.
Highland International, Inc.
International Paint LLC (101-340 g/L)
Jotun Paints Inc. (251-340 g/L)
Sherwin-Williams (251-340 g/L)
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ **Heat-Shrinkable Sleeves**
Corrosion Control Products Co.

■ **Inorganic Zinc/Epoxy/Urethane**
Endura Manufacturing Co. Ltd. (101-250 g/L)

■ **MCU Coal Tar/MCU Coal Tar/MCU Coal Tar**
Wasser Corporation (<100 g/L)

■ **MCU Zinc Rich/Epoxy/Urethane**
Cortec Corporation



■ **MCU Zinc Rich/MCU/MCU**
Wasser Corporation (<100 g/L)

■ **MCU/MCU/MCU**
Wasser Corporation (<100 g/L)

■ **Organic Zinc/Epoxy Novolac/Epoxy Novolac**
Arcor Epoxy Inc. (<100 g/L)

■ **Organic Zinc/Epoxy/Acrylic**
Chemline

■ **Polyester/Polyester/Polyester**
Corrocoat Ltd.
Denso North America
Superior Products International II (251-340 g/L)

■ **Polyurea Hybrid (1, 2, or 3 coats)**
Arnco Performance Polymers
Polycoat Products (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ **Polyurea Pure (1, 2, or 3 coats)**
Arnco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ **Tape Wraps**
Corrosion Control Products Co.
Denso North America

■ **Thermal Spray**
Nation Coating Systems, Inc.
Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Chemline
Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Corrocoat Ltd.
KCC Corrosion Control Co., Ltd.
Subsea Industries NV

■ Wax

The Tapecoat Co.

■ Zinc-Rich, Organic

Industrial Nanotech Inc. (101-250 g/L)
Termarust Technologies (101-250 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
BioCoatings (<100 g/L)
Bredero Shaw
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
Sub-One Technology
The Tapecoat Co.
Top Secret Coatings

Jacket Splash Zone Steel

■ Calcium Sulphonate

Termarust Technologies (101-250 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Chemline
Flexcrete Technologies Ltd. (<100 g/L)

■ Epoxy (1-2 coats)/Urethane

Heresite Protective Coatings, Inc. (341-450 g/L)
Highland International, Inc.
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Berry Plastics Corrosion Protection Group
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Gemite Products Inc. (<100 g/L)
JAXXON National Maintenance Products
Jotun Paints Inc. (101-250 g/L)
KCC Corrosion Control Co., Ltd.
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Carboline Company (101-250 g/L)
PPG Protective & Marine Coatings (101-250 g/L)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Specialty Polymer Coatings, Inc.

■ Epoxy Phenolic (3 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Duromar, Inc. (<100 g/L)
Euronavy
RLS Solutions/Raven Engineered Systems (<100 g/L)

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Atlas Minerals & Chemicals, Inc.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Dampney Co., Inc.

■ Epoxy/Epoxy/Epoxy

Atlas Minerals & Chemicals, Inc.
Corrosion Control Products Co.
Denso North America
Euronavy
Gulf Coast Paint Mfg., Inc.
International Paint LLC (101-340 g/L)
Jotun Paints Inc. (251-340 g/L)
Sherwin-Williams (251-340 g/L)
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

The Tapecoat Co.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy Novolac/Epoxy Novolac

Dampney Co., Inc.

■ Inorganic Zinc/Epoxy/Urethane

Endura Manufacturing Co. Ltd. (101-250 g/L)
Highland International, Inc.

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Sherwin-Williams (251-340 g/L)
Wasser Corporation (<100 g/L)

■ MCU Zinc Rich/Epoxy/Urethane

Cortec Corporation

■ MCU Zinc Rich/MCU/MCU

Coronado Paint (251-340 g/L)
Wasser Corporation (<100 g/L)

■ MCU/MCU/MCU

Wasser Corporation (<100 g/L)

■ Organic Zinc/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)

■ Organic Zinc/Epoxy Novolac/Epoxy Novolac

Dampney Co., Inc.

■ Organic Zinc/Epoxy/Acrylic

Chemline

■ Organic Zinc/Epoxy/Urethane

Carboline Company (251-340 g/L)
Highland International, Inc.

■ Polyester/Polyester/Polyester

Corrocoat Ltd.
Jotun Paints Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd.
Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
Polycoat Products (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.
Denso North America

■ Thermal Spray

KCC Corrosion Control Co., Ltd.
Nation Coating Systems, Inc.
Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Chemline
Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Superior Products International II (251-340 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Corrocoat Ltd.
Subsea Industries NV

■ Wax

The Tapecoat Co.

■ Zinc-Rich, Organic

Termarust Technologies (101-250 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
BioCoatings (<100 g/L)
Bredero Shaw
Cantex Coatings Ltd. (<100 g/L)
Flexcrete Technologies Ltd. (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (251-340 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
Sub-One Technology
The Tapecoat Co.
Top Secret Coatings

Jacket Atmospheric Zone Steel

■ Alkyd/Acrylic/Acrylic

Cortec Corporation

■ Calcium Sulphonate

Termarust Technologies (101-250 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Chemline
Flexcrete Technologies Ltd. (<100 g/L)

■ Epoxy (1-2 coats)/Urethane

Heresite Protective Coatings, Inc. (341-450 g/L)
Highland International, Inc.
PPG Protective & Marine Coatings (251-340 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A&E Systems LLC (<100 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Gemite Products Inc. (<100 g/L)
JAXXON National Maintenance Products
RLS Solutions/Raven Engineered Systems (<100 g/L)
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Specialty Polymer Coatings, Inc.

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Duromar, Inc. (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Atlas Minerals & Chemicals, Inc.

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Atlas Minerals & Chemicals, Inc.
Corrosion Control Products Co.
Denso North America
Gulf Coast Paint Mfg., Inc.
International Paint LLC (101-340 g/L)
Sherwin-Williams (251-340 g/L)
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

The Tapecoat Co.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy/Urethane

Carboline Company (251-340 g/L)
Dampney Co., Inc.
Endura Manufacturing Co. Ltd. (101-250 g/L)
Highland International, Inc.
PPG Protective & Marine Coatings (251-340 g/L)

■ MCU Zinc Rich/Epoxy/Urethane

Cortec Corporation

■ MCU Zinc Rich/MCU/MCU

Coronado Paint (251-340 g/L)
Wasser Corporation (<100 g/L)

■ MCU Zinc Rich/Urethane/Urethane

Sherwin-Williams (251-340 g/L)

■ MCU/MCU/MCU

Wasser Corporation (<100 g/L)

■ Organic Zinc/Epoxy/Acrylic

Chemline

■ Organic Zinc/Epoxy/Urethane

Carboline Company (251-340 g/L)
Highland International, Inc.
Jotun Paints Inc. (251-340 g/L)
Sherwin-Williams (251-340 g/L)

■ Organic Zinc/Siloxane

PPG Protective & Marine Coatings (251-340 g/L)

■ Polyester/Polyester/Polyester

Corrocoat Ltd.
Jotun Paints Inc. (<100 g/L)
Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
Polycoat Products (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.
Denso North America

■ Thermal Spray

KCC Corrosion Control Co., Ltd.
Nation Coating Systems, Inc.
Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Chemline
Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Superior Products International II (251-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Corrocoat Ltd.
Subsea Industries NV

■ Wax

The Tapecoat Co.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
BioCoatings (<100 g/L)
Corrocoat (<100 g/L)
Flexcrete Technologies Ltd. (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
Hi-Temp Coatings Technology (101-450 g/L)
Industrial Nanotech Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
Sub-One Technology
Top Secret Coatings

DEX-O-TEX®

Performance Proven Products



Decor-Flor®
Decorative Epoxy Flooring

www.dexotex.com
800-823-0225

Manufacturing Specialty Materials For 71 Years!

Click our Reader e-Card at paintsquare.com/r/c

Topsides Severe Marine Exposure Steel

■ Alkyd/Acrylic/Acrylic

Crossfield Products Corp.
KCC Corrosion Control Co., Ltd.
Mascoat Products (<100 g/L)

■ Calcium Sulphonate

Termarust Technologies (101-250 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Chemline
Cortec Corporation
Flexcrete Technologies Ltd.

■ Epoxy (1-2 coats)/Urethane

Coatings For Industry, Inc. (251-340 g/L)
Gulf Coast Paint Mfg., Inc.
Heresite Protective Coatings, Inc. (341-450 g/L)
Highland International, Inc.
PPG Protective & Marine Coatings (251-340 g/L)
Rust-Oleum Corporation (251-340 g/L)
Sherwin-Williams (251-340 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

Berry Plastics Corrosion Protection Group
Duomar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
JAXXON National Maintenance Products
Jotun Paints Inc. (101-250 g/L)
NSP Specialty Products (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Coal Tar/Epoxy Coal Tar

Fox Industries Inc. (101-250 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Fox Industries Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Duomar, Inc. (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100)
Sherwin-Williams (<100 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Atlas Minerals & Chemicals, Inc.

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Atlas Minerals & Chemicals, Inc.
Complementary Coatings/DBA Insl-X
Corrosion Control Products Co.
Denso North America

PolySpec L.P. / THIOKOL (<100 g/L)



Superior Products International II (341-450 g/L)
Top Secret Coatings

■ Fusion-Bonded Epoxy (1-2 coats)/Urethane

Complementary Coatings/DBA Insl-X

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy/Epoxy

Jotun Paints Inc. (251-340 g/L)

■ Inorganic Zinc/Epoxy/Siloxane

International Paint LLC (251-340 g/L)



■ Inorganic Zinc/Epoxy/Urethane

Carboline Company (251-340 g/L)
Dampney Co., Inc.
Endura Manufacturing Co. Ltd. (101-250 g/L)
Highland International, Inc.
International Paint LLC (251-340 g/L)
PPG Protective & Marine Coatings (251-340 g/L)

■ MCU Zinc Rich/Epoxy/Urethane

Coronado Paint (251-340 g/L)
Gulf Coast Paint Mfg., Inc.

■ MCU Zinc Rich/MCU/MCU

Coronado Paint (251-340 g/L)
Wasser Corporation (<100 g/L)

■ MCU Zinc Rich/Urethane/Urethane

Coatings For Industry, Inc. (251-340 g/L)
Gulf Coast Paint Mfg., Inc.

■ MCU/MCU/MCU

Cortec Corporation
Wasser Corporation (<100 g/L)

■ Organic Zinc/Epoxy/Acrylic

Chemline

■ Organic Zinc/Epoxy/Epoxy

Jotun Paints Inc. (251-340 g/L)
Sherwin-Williams (251-340 g/L)

■ Organic Zinc/Epoxy/Fluorourethane

Dampney Co., Inc.

■ Organic Zinc/Epoxy/Urethane

Carboline Company (251-340 g/L)
Highland International, Inc.
International Paint LLC (251-340 g/L)

■ Organic Zinc/Siloxane

PPG Protective & Marine Coatings (251-340 g/L)

■ Polyester/Polyester/Polyester

Corrocoat Ltd.
Denso North America
Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
Rhino Linings Corporation (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.
Denso North America

■ Thermal Spray

A&E Systems LLC (<100 g/L)
KCC Corrosion Control Co., Ltd.
Nation Coating Systems, Inc.
Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Chemline
Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

Cortec Corporation
LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Superior Products International II (341-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Corrocoat Ltd.
Subsea Industries NV

■ Zinc-Rich, Inorganic

ZRC Worldwide (<100 g/L)

■ Zinc-Rich, Organic

Termarust Technologies (101-250 g/L)
ZRC Worldwide (341-450 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Albi Mfg. A Division of StanChem Inc. (101-250 g/L)
BioCoatings (<100 g/L)
Cantex Coatings Ltd. (<100 g/L)
ENECON Corporation (<100 g/L)
Flexcrete Technologies Ltd. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (251-340 g/L)
Hi-Temp Coatings Technology (101-450 g/L)
Industrial Nanotech Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
Top Secret Coatings

Coating System Guide for Power Plants

Sponsored by



ITW Futura Coatings

Systems are alphabetized by first coat.

Chemical/Water Exposure Caustic or Acid Steel

■ Alkyd/Acrylic/Acrylic

Cortec Corporation
Diamond Vogel Paint Company (341-450 g/L)
Mascoat Products (<100 g/L)
NSP Specialty Products

■ Brick and Tile, Acid-Resistant

Atlas Minerals & Chemicals, Inc.
Henkel Technologies—Corrosion Engineering

■ Coal Tar/Asphalt

Henkel Technologies—Corrosion Engineering

■ Epoxy (1-2 coats)/Urethane

Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Insl-X (101-250)
Crossfield Products Corp.
Diamond Vogel Paint Company (341-450 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Top Secret Coatings
Watson Coatings, Inc.

■ Epoxy 100% Solids (1-2 coats)

Carboline Company (<100 g/L)
CCI Con-Tech of California, Inc.
Crossfield Products Corp.
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)



**PPG Protective &
Marine Coatings**

800.441.9695 • www.ppgpmc.com

RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.

Specialty Polymer Coatings, Inc.

Thin Film Technology, Inc. (<100 g/L)

TIB Chemicals AG (formerly Goldschmidt TIB GmbH)

■ Epoxy Coal Tar High Build (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)

■ Epoxy Coal Tar/Epoxy Coal Tar

TIB Chemicals AG (formerly Goldschmidt TIB GmbH)

■ Epoxy Flake Filled/Epoxy Flake Filled

Carboline Company (101-250 g/L)

■ Epoxy Novolac (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Corchem Corporation (<100 g/L)
Crossfield Products Corp.
Duromar, Inc. (<100 g/L)
Endura Manufacturing Co. Ltd. (251-340 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
International Paint LLC (251-340 g/L)
Micor Company, Inc.
PPG Protective & Marine Coatings (251-340 g/L)
Protective Floorings and Linings (<100 g/L)
Specialty Polymer Coatings, Inc.
Volatile Free, Inc. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

Corchem Corporation (101-250 g/L)
International Paint LLC (<100 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Duromar, Inc. (<100 g/L)
JAXXON National Maintenance Products
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Tnemec Company, Inc.

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled
Ceilcote Products/International Paint (101-250 g/L)
Dudick, Inc.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Arcor Epoxy Inc. (<100 g/L)
Dampney Co., Inc.
Devoe Coatings (AkzoNobel)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
ITW Futura Coatings (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Dudick, Inc.
Sherwin-Williams (251-340 g/L)

■ Epoxy/Epoxy/Epoxy

Complementary Coatings/DBA Insl-X (101-250 g/L)
Coronado Paint (251-340 g/L)
Corro-Shield International, Inc.
Corrosion Control Products Co.
Devoe Coatings (AkzoNobel)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Industrial Nanotech Inc. (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sauereisen, Inc.
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ Furan

Atlas Minerals & Chemicals, Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy Novolac/Epoxy Novolac

Dampney Co., Inc.

■ MCU Zinc Rich/MCU/MCU

Wasser Corporation (<100 g/L)

■ MCU/MCU/MCU

Cortec Corporation
Wasser Corporation (<100 g/L)

■ Methyl Methacrylate (2 coats)/Urethane

Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Epoxy Novolac/Epoxy Novolac

Dampney Co., Inc.
Gulf Coast Paint Mfg., Inc.

■ Organic Zinc/Epoxy/Epoxy

Tnemec Company, Inc.



■ Organic Zinc/Polyurea (Pure)

Wasser Corporation (<100 g/L)

■ Polyester/Polyester/Polyester

Ceilcote Products/International Paint (341-450 g/L)
Corrocoat Ltd.

KCC Corrosion Control Co., Ltd. (<100 g/L)
Protective Floorings and Linings (<100 g/L)
Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Andek Corporation (<100 g/L)
Arnco Performance Polymers (<100 g/L)
Polycoat Products (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)

■ Sheet Lining, Rubber

Polycorp Ltd.

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Nation Coating Systems, Inc.
Thermion Inc.
TMS Metalizing Systems, Ltd.

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

Coatings For Industry, Inc. (251-340 g/L)
ITW Futura Coatings (101-250 g/L)
LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Blome International (<100 g/L)
Carboline Company (101-250 g/L)
Ceilcote Products/International Paint (101-250 g/L)



800-589-1267 FAX: 713-684-1514
www.ceilcotecc.com

Corchem Corporation (101-250 g/L)
Corrocoat Ltd.
Henkel Technologies—Corrosion Engineering
International Paint LLC (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Micor Company, Inc.
PolySpec L.P. / THIOKOL (101-250 g/L)
Protective Floorings and Linings (<100 g/L)
Sherwin-Williams (101-250 g/L)
Subsea Industries NV
Tnemec Company, Inc.

■ Wax

The Tapecoat Co.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
BioCoatings (<100 g/L)
Heresite Protective Coatings, Inc. (251-340 g/L)
Hi-Temp Coatings Technology (341-450 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Madison Chemical Industries
Polycoat Products (<100 g/L)
PPC Coatings
Stirling Lloyd Group Plc. (<100 g/L)
Sub-One Technology
Termarust Technologies
Top Secret Coatings

Chemical/Water Exposure Caustic or Acid Concrete

■ Alkyd/Acrylic/Acrylic

Diamond Vogel Paint Company (341-450 g/L)
Mascoat Products (<100 g/L)
NSP Specialty Products

■ Brick and Tile, Acid-Resistant

Atlas Minerals & Chemicals, Inc.
Henkel Technologies—Corrosion Engineering

■ Coal Tar/Asphalt

Henkel Technologies—Corrosion Engineering

■ Epoxy (1-2 coats)/Urethane

Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Insl-X (101-250 g/L)
Crossfield Products Corp.
Diamond Vogel Paint Company (341-450 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
ITW Futura Coatings (101-250 g/L)
Micor Company, Inc.
National Polymers Inc. (<100 g/L)
Polycoat Products (<100 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Carboline Company (<100 g/L)
CCI Con-Tech of California, Inc.
Corchem Corporation (<100 g/L)
Dependable Floor Products Inc. (<100 g/L)
Duromar, Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
International Coatings Inc. (<100 g/L)
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.



Specialty Polymer Coatings, Inc.
Superior Epoxies & Coatings (<100 g/L)
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Novolac (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)

Blome International (<100 g/L)
Corchem Corporation (<100 g/L)
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Duromar, Inc. (<100 g/L)
Endura Manufacturing Co. Ltd. (251-340 g/L)
Fox Industries Inc. (<100 g/L)



Gemite Products Inc. (<100 g/L)
International Coatings Inc. (<100 g/L)
Micor Company, Inc.
National Polymers Inc. (101-250 g/L)
Pacific Polymers International, Inc.
PPG Protective & Marine Coatings (251-340 g/L)
Protective Floorings and Linings (<100 g/L)
Specialty Polymer Coatings, Inc.
Volatile Free, Inc. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

International Paint LLC (101-250 g/L)
Sherwin-Williams (341-450 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Copolymer Protection Systems (<100 g/L)
Dayton Superior
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
JAXXON National Maintenance Products
Key Resin Company (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Tnemec Company, Inc.

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Ceilcote Products/International Paint (101-250 g/L)
Dudick, Inc.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Carboline Company (<100 g/L)
Devoc Coatings (AkzoNobel)
Dudick, Inc.
ENECON Corporation (<100 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
ITW Futura Coatings (<100 g/L)
Key Resin Company (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)



RLS Solutions/Raven Engineered Systems (<100 g/L)
Sika Corporation (<100 g/L)
Superior Epoxies & Coatings (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Dudick, Inc.

■ Epoxy/Epoxy/Epoxy

Complementary Coatings/DBA Insl-X (101-250 g/L)
Coronado Paint (251-340 g/L)
Corro-Shield International, Inc.
Corrosion Control Products Co.
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Dayton Superior
Devroe Coatings (AkzoNobel)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Industrial Nanotech Inc. (<100 g/L)
National Polymers Inc. (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sauereisen, Inc.
Sika Corporation (<100 g/L)
Superior Products International II (341-450 g/L)
Tnemec Company, Inc.
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

Sika Corporation (101-250 g/L)

■ Furan

Atlas Minerals & Chemicals, Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy Novolac/Epoxy Novolac

Arcor Epoxy Inc. (<100 g/L)

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Wasser Corporation (<100 g/L)

■ MCU/MCU/MCU

Wasser Corporation (<100 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Key Resin Company (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Epoxy Novolac/Epoxy Novolac

Gulf Coast Paint Mfg., Inc.

■ Polyester/Polyester/Polyester

Celcote Products/International Paint (341-450 g/L)
Corrocoat Ltd.
Heresite Protective Coatings, Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Protective Floorings and Linings (<100 g/L)
Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Andek Corporation (<100 g/L)
Arco Performance Polymers (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arco Performance Polymers
Crown Polymers, LLC
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Wasser Corporation (<100 g/L)

■ Sheet Lining, Rubber

Polycorp Ltd.

■ Sheet Lining, Thermoplastic

Henkel Technologies—Corrosion Engineering

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.
TMS Metalizing Systems, Ltd.

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

Coatings For Industry, Inc. (251-340 g/L)
LINE-X Protective Coatings (<100 g/L)
Pacific Polymers International, Inc.
Rhino Linings Corporation (<100 g/L)
Roadware Incorporated
Specialty Products, Inc. (SPI) (<100 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Blome International (<100 g/L)
Celcote Products/International Paint (101-250 g/L)
Corchem Corporation (101-250 g/L)
Corrocoat Ltd.
International Paint LLC (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Micor Company, Inc.
PolySpec L.P. / THIOKOL (101-250 g/L)
Protective Floorings and Linings (<100 g/L)
Sherwin-Williams (101-250 g/L)
Tnemec Company, Inc.

■ Wax

The Tapecoat Co.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Dayton Superior
GSE Lining Technology, Inc.
Liquid Rubber Industries Inc. (<100 g/L)
Madison Chemical Industries
PPC Coatings
SpeedCove Precast Cove Base Systems
Stirling Lloyd Group Plc. (<100 g/L)
Termarust Technologies
Top Secret Coatings

Chemical/Water Exposure Wet Fly Ash Steel

■ Alkyd/Acrylic/Acrylic

Mascoat Products (<100 g/L)
NSP Specialty Products

■ Brick and Tile, Acid-Resistant

Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)

■ Calcium Sulphonate

Termarust Technologies (101-250 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Flexcrete Technologies Ltd. (<100 g/L)

■ Epoxy (1-2 coats)/Urethane

Andek Corporation (101-250 g/L)
Complementary Coatings/DBA Insl-X (101-250 g/L)
Crossfield Products Corp.
Dampney Co., Inc.
Endura Manufacturing Co. Ltd. (101-250 g/L)
National Polymers Inc. (251-450 g/L)
Top Secret Coatings
Watson Coatings, Inc.

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
CCI Con-Tech of California, Inc.
Corchem Corporation (<100 g/L)
Duomar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Gemite Products Inc. (<100 g/L)
Madison Chemical Industries (<100 g/L)
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.

■ Epoxy Novolac (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Carboline Company (<100 g/L)
Crossfield Products Corp.
Duomar, Inc. (<100 g/L)
Endura Manufacturing Co. Ltd. (251-340 g/L)
Fox Industries Inc. (<100 g/L)
International Paint LLC (251-340 g/L)
National Polymers Inc. (101-250 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Specialty Polymer Coatings, Inc.
Wolverine Coatings Corporation

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Corchem Corporation (<100 g/L)
Duomar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
ITW Futura Coatings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Tnemec Company, Inc.
Volatile Free, Inc. (<100 g/L)

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Celcote Products/International Paint
Gulf Coast Paint Mfg., Inc.
Sherwin-Williams (251-340 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Devroe Coatings (AkzoNobel)
Fox Industries Inc.
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Sherwin-Williams (251-340 g/L)

■ Epoxy/Epoxy/Epoxy

Complementary Coatings/DBA Ins-X (101-250 g/L)
Corchem Corporation (101-250 g/L)
Corro-Shield International, Inc.
Corrosion Control Products Co.
Crossfield Products Corp.
Devoe Coatings (AkzoNobel)
PolySpec L.P. / THIOKOL (<100 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sauereisen, Inc.
Sherwin-Williams (251-340 g/L)
Tnemec Company, Inc.
Top Secret Coatings

■ Furan

Atlas Minerals & Chemicals, Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Wasser Corporation (<100 g/L)

■ MCU Zinc Rich/MCU/MCU

Wasser Corporation (<100 g/L)

■ Organic Zinc/Epoxy Novolac/Epoxy Novolac

Fox Industries Inc.
Gulf Coast Paint Mfg., Inc.

■ Organic Zinc/Epoxy/Epoxy

Complementary Coatings/DBA Ins-X (341-450 g/L)

■ Organic Zinc/Polyurea (Pure)

Wasser Corporation (<100 g/L)

■ Polyester/Polyester/Polyester

Ceilmate Products/International Paint (341-450 g/L)
Corrocoat Ltd.
KCC Corrosion Control Co., Ltd. (<100 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arcco Performance Polymers
Carboline Company (<100 g/L)
Madison Chemical Industries (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arcco Performance Polymers (<100 g/L)
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)

■ Siloxane/Siloxane

Dampney Co., Inc.
Hi-Temp Coatings Technology (341-450 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Nation Coating Systems, Inc.
Thermion Inc.
TMS Metalizing Systems, Ltd.

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Polycoat Products (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

ITW Futura Coatings (101-250 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Blome International (<100 g/L)
Ceilmate Products/International Paint (101-250 g/L)
Corrocoat Ltd.
Dudick, Inc.
International Paint LLC (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
PolySpec L.P. / THIOKOL (101-250 g/L)
Tnemec Company, Inc.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (251-450 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings
Sub-One Technology
Top Secret Coatings

Chemical/Water Exposure Wet Fly Ash Concrete

■ Alkyd/Acrylic/Acrylic

Mascoat Products (<100 g/L)
NSP Specialty Products

■ Brick and Tile, Acid-Resistant

Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)

■ Calcium Sulphonate

Termarust Technologies (101-250 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Flexcrete Technologies Ltd. (<100 g/L)

■ Epoxy (1-2 coats)/Urethane

Complementary Coatings/DBA Ins-X (101-250 g/L)
Crossfield Products Corp.
Endura Manufacturing Co. Ltd. (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
International Coatings Inc. (<100 g/L)
ITW Futura Coatings (101-250 g/L)
National Polymers Inc. (<100 g/L)
PPG Protective & Marine Coatings (251-340 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
CCI Con-Tech of California, Inc.
Corchem Corporation (<100 g/L)
Dependable Floor Products Inc. (<100 g/L)
Duromar, Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Rust-Oleum Corporation (<100 g/L)
Sauereisen, Inc.
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.

■ Epoxy Novolac (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Carboline Company (<100 g/L)
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Duromar, Inc. (<100 g/L)

Endura Manufacturing Co. Ltd. (251-340 g/L)
Fox Industries Inc. (<100 g/L)
International Paint LLC (251-340 g/L)
Micor Company, Inc.
Specialty Polymer Coatings, Inc.
Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

Sherwin-Williams (251-340 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Andek Corporation (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Corchem Corporation (<100 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
ITW Futura Coatings (<100 g/L)
Key Resin Company (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Tnemec Company, Inc.

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Ceilmate Products/International Paint
Gulf Coast Paint Mfg., Inc.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Arcor Epoxy Inc. (<100 g/L)
Devoe Coatings (AkzoNobel)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Key Resin Company (<100 g/L)
National Polymers Inc. (101-250 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
Sherwin-Williams (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Complementary Coatings/DBA Ins-X (101-250 g/L)
Corchem Corporation (101-250 g/L)
Corro-Shield International, Inc.
Corrosion Control Products Co.
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Devoe Coatings (AkzoNobel)
National Polymers Inc. (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
Sauereisen, Inc.
Sika Corporation (<100 g/L)
Superior Epoxies & Coatings (<100 g/L)
Tnemec Company, Inc.
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

Sika Corporation (101-250 g/L)

■ Furan

Atlas Minerals & Chemicals, Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Wasser Corporation (<100 g/L)

■ MCU/MCU/MCU

Wasser Corporation (<100 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Key Resin Company (<100 g/L)

■ Organic Zinc/Epoxy Novolac/Epoxy Novolac

Gulf Coast Paint Mfg., Inc.
Sika Corporation (<100 g/L)

■ Polyester/Polyester/Polyester

Ceilcote Products/International Paint (341-450 g/L)
Corrocoat Ltd.
KCC Corrosion Control Co., Ltd. (<100 g/L)
Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnc Performance Polymers
Carboline Company (<100 g/L)
Madison Chemical Industries (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnc Performance Polymers
Crown Polymers, LLC
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Wasser Corporation (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Nation Coating Systems, Inc.
Thermion Inc.
TMS Metalizing Systems, Ltd.

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
Polycoat Products (101-250 g/L)
Roadware Incorporated
Specialty Products, Inc. (SPI) (<100 g/L)
Superior Products International II (251-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Blome International (<100 g/L)
Ceilcote Products/International Paint (101-250 g/L)
Corrocoat Ltd.
Dudick, Inc.
KCC Corrosion Control Co., Ltd. (<100 g/L)

Micor Company, Inc.
PolySpec L.P. / THIOKOL (101-250 g/L)
Tnemec Company, Inc.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Gemite Products Inc. (<100 g/L)
GSE Lining Technology, Inc.
Heresite Protective Coatings, Inc. (251-340 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings
SpeedCove Precast Cove Base Systems
Top Secret Coatings

Circulating Water Pipe Steel

■ Alkyd/Acrylic/Acrylic

Duromar, Inc. (<100 g/L)
Mascoat Products (<100 g/L)

■ Alkyd/Alkyd/Alkyd

Complementary Coatings/DBA Insl-X (251-340 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Complementary Coatings/DBA Insl-X (101-250 g/L)
Flexcrete Technologies Ltd. (<100 g/L)

■ Epoxy (1-2 coats)/Urethane

Coronado Paint (251-340 g/L)
Devoe Coatings (AkzoNobel)
Top Secret Coatings
Watson Coatings, Inc.

■ Epoxy 100% Solids (1-2 coats)

A&E Systems LLC (<100 g/L)
A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Carboline Company (<100 g/L)
CCI Con-Tech of California, Inc.
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Madison Chemical Industries (<100 g/L)
NSP Specialty Products (<100 g/L)

PPG Protective & Marine Coatings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sherwin-Williams (<100 g/L)
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)
TIB Chemicals AG (formerly Goldschmidt TIB GmbH)
Volatile Free, Inc. (<100 g/L)

■ Epoxy Coal Tar/Epoxy Coal Tar

TIB Chemicals AG (formerly Goldschmidt TIB GmbH)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Blome International (<100 g/L)
ENECON Corporation (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

Gulf Coast Paint Mfg., Inc.

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Duromar, Inc. (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Seacoat Technology (<100 g/L)
Tnemec Company, Inc.

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Cealcoat Products/International Paint (101-250 g/L)
Dudick, Inc.
Gulf Coast Paint Mfg., Inc.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Cealcoat Products/International Paint (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Carboline Company (251-340 g/L)
Complementary Coatings/DBA Insl-X (101-250 g/L)
Corchem Corporation (101-250 g/L)
Coronado Paint (251-340 g/L)
Corrosion Control Products Co.
Devoe Coatings (AkzoNobel)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
International Paint LLC (<100-340 g/L)



Introducing Our BP 20-40 Break Down Machine



Your #1 Manufacturer of Portable Shot Blasting Equipment

The BP 20-40 shotblasting machine cleans steel and features modular construction that allows the machine to be dismantled to fit through a 24" manhole. The BP 20-40 has a 20" blast pattern, a forty horsepower electric motor, and an on-board dust collector which, results in superior cleaning performance and the highest production on the market today.

www.blastpromfg.com • (877) 495-6464
(405) 491-6464 • Fax (405) 495-1331



Ask about our new Vertical Shell Machine & Dome Roof Machine
Available within 30 days

Rust-Oleum Corporation (101-250 g/L)
 Sherwin-Williams (<100 g/L)
 Tnemec Company, Inc.
 Top Secret Coatings

■ **Epoxy/Vinyl Ester/Vinyl Ester**
 The Tapecoat Co.

■ **Heat-Shrinkable Sleeves**
 Corrosion Control Products Co.

■ **MCU Zinc Rich/MCU/MCU**
 Wasser Corporation (<100 g/L)

■ **MCU/MCU/MCU**
 Wasser Corporation (<100 g/L)

■ **Organic Zinc/Epoxy 100% Solids**
 Arcor Epoxy Inc. (<100 g/L)

■ **Organic Zinc/Epoxy/Epoxy**
 Sherwin-Williams (251-340 g/L)
 Tnemec Company, Inc.

■ **Organic Zinc/Polyurea (Pure)**
 Wasser Corporation (<100 g/L)

■ **Polyester/Polyester/Polyester**
 Corrocoat Ltd.
 Superior Products International II (251-340 g/L)

■ **Polyurea Hybrid (1, 2, or 3 coats)**
 Arnco Performance Polymers
 Madison Chemical Industries (<100 g/L)
 Polycoat Products (<100 g/L)

■ **Polyurea Pure (1, 2, or 3 coats)**
 Arnco Performance Polymers
 LINE-X Protective Coatings (<100 g/L)
 Reactamine Technology, LLC (<100 g/L)
 Specialty Products, Inc. (SPI) (<100 g/L)
 VersaFlex Incorporated (<100 g/L)

■ **Sheet Lining, Rubber**
 Polycorp Ltd.

■ **Siloxane/Siloxane**
 Seacoat Technology (<100 g/L)

■ **Tape Wraps**
 Corrosion Control Products Co.

■ **Thermal Spray**
 Thermion Inc.
 TMS Metalizing Systems, Ltd.

■ **Urethane Elastomeric (1 coat)**
 Global EcoTechnologies (<100 g/L)
 ITW Futura Coatings (<100 g/L)
 LINE-X Protective Coatings (<100 g/L)
 Polibrid Coatings, Inc. (<100 g/L)
 TIB Chemicals AG (formerly Goldschmidt TIB GmbH)

■ **Urethane/Urethane**
 ITW Futura Coatings (101-250 g/L)
 LINE-X Protective Coatings (<100 g/L)
 Polycoat Products (<100 g/L)
 Superior Products International II (251-450 g/L)

■ **Vinyl Ester/Vinyl Ester/Vinyl Ester**
 Blome International (<100 g/L)
 Ceilcote Products/International Paint (101-250 g/L)
 Corrocoat Ltd.
 KCC Corrosion Control Co., Ltd. (<100 g/L)
 Subsea Industries NV

■ **Wax**
 The Tapecoat Co.

■ **Other**
 Advanced Polymer Coatings, Ltd. (101-250 g/L)
 Gemite Products Inc. (<100 g/L)
 Heresite Protective Coatings, Inc. (341-450 g/L)
 Hi-Temp Coatings Technology (101-450 g/L)

Industrial Nanotech Inc. (<100 g/L)
 KCC Corrosion Control Co., Ltd. (<100 g/L)
 Liquid Rubber Industries Inc. (<100 g/L)
 Madison Chemical Industries (<100 g/L)
 Neutra Rust Incorporated (101-250 g/L)
 PPC Coatings
 The Tapecoat Co.
 Top Secret Coatings

Circulating Water Pipe Concrete

■ Alkyd/Acrylic/Acrylic

Duromar, Inc. (<100 g/L)
 Mascoat Products (<100 g/L)
 NSP Specialty Products

■ Epoxy (1-2 coats)/Urethane

Complementary Coatings/DBA Inst-X (101-250 g/L)
 Coronado Paint (251-340 g/L)
 Devco Coatings (AkzoNobel)
 ITW Futura Coatings (101-250 g/L)
 Kemper System Inc. (<100 g/L)
 Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A&E Systems LLC (<100 g/L)
 A.W. Chesterton/ARC Composites (<100 g/L)
 Arcor Epoxy Inc. (<100 g/L)
 Carbolite Company (<100 g/L)
 Duromar, Inc. (<100 g/L)
 Fox Industries Inc. (<100 g/L)
 Gemite Products Inc. (<100 g/L)
 Kaufman Products, Inc. (<100 g/L)
 Madison Chemical Industries (<100 g/L)
 NSP Specialty Products (<100 g/L)
 PolySpec L.P. / THIOKOL (<100 g/L)
 PPG Protective & Marine Coatings (101-250 g/L)
 RLS Solutions/Raven Engineered Systems (<100 g/L)
 Sherwin-Williams (<100 g/L)
 Specialty Polymer Coatings, Inc.
 Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
 Blome International (<100 g/L)
 Crown Polymers, LLC (<100 g/L)
 Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

Gulf Coast Paint Mfg., Inc.
 Sherwin-Williams (251-340 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
 Arcor Epoxy Inc. (<100 g/L)
 Blome International (<100 g/L)
 CCI Con-Tech of California, Inc.
 Duromar, Inc. (<100 g/L)
 ENECON Corporation (<100 g/L)
 Kaufman Products, Inc. (<100 g/L)
 RLS Solutions/Raven Engineered Systems (<100 g/L)
 Seacoat Technology (<100 g/L)
 Tnemec Company, Inc.
 Volatile Free, Inc. (<100 g/L)

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Ceilcote Products/International Paint (101-250 g/L)
 Dudick, Inc.
 Gulf Coast Paint Mfg., Inc.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Carbolite Company (<100 g/L)
 Ceilcote Products/International Paint (<100 g/L)
 Dudick, Inc.

ENECON Corporation (<100 g/L)
 KCC Corrosion Control Co., Ltd. (<100 g/L)
 PolySpec L.P. / THIOKOL (<100 g/L)
 Wolverine Coatings Corporation

■ **Epoxy/Epoxy Phenolic/Epoxy Phenolic**
 Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Arcor Epoxy Inc. (<100 g/L)
 Complementary Coatings/DBA Inst-X (101-250 g/L)
 Corchem Corporation (101-250 g/L)
 Coronado Paint (251-340 g/L)
 Corro-Shield International, Inc.
 Corrosion Control Products Co.
 Crown Polymers, LLC (<100 g/L)
 Devco Coatings (AkzoNobel)
 Gulf Coast Paint Mfg., Inc. (101-250 g/L)
 International Paint LLC (<100-340 g/L)
 Rust-Oleum Corporation (101-250 g/L)
 Sherwin-Williams (<100 g/L)
 Sika Corporation (101-250 g/L)
 Tnemec Company, Inc.
 Top Secret Coatings

■ **Heat-Shrinkable Sleeves**
 Corrosion Control Products Co.

■ **MCU Coal Tar/MCU Coal Tar/MCU Coal Tar**
 Wasser Corporation (<100 g/L)

■ **MCU/MCU/MCU**
 Wasser Corporation (<100 g/L)

■ Polyester/Polyester/Polyester

Corrocoat Ltd.
 Heresite Protective Coatings, Inc. (<100 g/L)
 KCC Corrosion Control Co., Ltd. (<100 g/L)
 Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
 ITW Futura Coatings (<100 g/L)
 Madison Chemical Industries (<100 g/L)
 Polycoat Products (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
 Crown Polymers, LLC
 Dampney Co., Inc.
 ITW Futura Coatings (<100 g/L)
 LINE-X Protective Coatings (<100 g/L)
 Reactamine Technology, LLC (<100 g/L)
 Specialty Products, Inc. (SPI) (<100 g/L)
 VersaFlex Incorporated (<100 g/L)
 Wasser Corporation (<100 g/L)

■ **Sheet Lining, Rubber**
 Polycorp Ltd.

■ **Siloxane/Siloxane**
 Seacoat Technology (<100 g/L)

■ **Tape Wraps**
 Corrosion Control Products Co.

■ **Thermal Spray**
 Thermion Inc.
 TMS Metalizing Systems, Ltd.

■ **Urethane Elastomeric (1 coat)**
 Global EcoTechnologies (<100 g/L)
 LINE-X Protective Coatings (<100 g/L)
 Madison Chemical Industries (<100 g/L)
 Polibrid Coatings, Inc. (<100 g/L)

■ **Urethane/Urethane**
 LINE-X Protective Coatings (<100 g/L)
 Polycoat Products (<100 g/L)
 Specialty Products, Inc. (SPI) (<100 g/L)
 Superior Products International II (251-450 g/L)



■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Blome International (<100 g/L)
Ceilcote Products/International Paint (101-250 g/L)
Corrocoat Ltd.
KCC Corrosion Control Co., Ltd. (<100 g/L))

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Flexcrete Technologies Ltd. (<100 g/L)
Gemite Products Inc. (<100 g/L)
GSE Lining Technology, Inc.
Industrial Nanotech Inc. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings
Termarust Technologies
Top Secret Coatings

FGD Stack Interiors Steel

■ Alkyd/Acrylic/Acrylic

Devoo Coatings (AkzoNobel)

■ Borosilicate Glass Block

Henkel Technologies—Corrosion Engineering

■ Brick and Tile, Acid-Resistant

Henkel Technologies—Corrosion Engineering

■ Epoxy (1-2 coats)/Urethane

Crossfield Products Corp.
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Duromar, Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
NSP Specialty Products (<100 g/L)
Sauereisen, Inc.

■ Epoxy Flake Filled/Epoxy Flake Filled

Blome International (<100 g/L)

■ Epoxy Novolac (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Crossfield Products Corp.
Duromar, Inc. (<100 g/L)
Fox Industries Inc. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

PPG Protective & Marine Coatings (101-250 g/L)

■ Epoxy/Epoxy 100% Solids

Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Duromar, Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Protective Floorings and Linings (<100 g/L)
Sauereisen, Inc.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Ceilcote Products/International Paint (<100 g/L)
ENECON Corporation (<100 g/L)

KCC Corrosion Control Co., Ltd. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)



PPG Protective & Marine Coatings (251-340 g/L)

■ Epoxy/Epoxy/Epoxy

Atlas Minerals & Chemicals, Inc.
Corrosion Control Products Co.
Crossfield Products Corp.
Sauereisen, Inc.
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

ITW Futura Coatings (<100 g/L)

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Polyester/Polyester/Polyester

Ceilcote Products/International Paint (341-450 g/L)
Superior Products International II (251-340 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

LINE-X Protective Coatings (<100 g/L)
Reactamine Technology, LLC (<100 g/L)

■ Sheet Lining, Rubber

Polycorp Ltd.

■ Siloxane/Siloxane

Hi-Temp Coatings Technology (341-450 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Nation Coating Systems, Inc.
Thermion Inc.

■ Urethane Elastomeric (1 coat)

LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
Superior Products International II (341-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Blome International (<100 g/L)
Carboline Company (101-250 g/L)
Ceilcote Products/International Paint (101-250 g/L)
Corchem Corporation (101-250 g/L)
Corrocoat Ltd.
Devoo Coatings (AkzoNobel)
Dudick, Inc.
Henkel Technologies—Corrosion Engineering
International Paint LLC (<100 g/L)
ITW Futura Coatings (<100 g/L)



877-347-5730 • www.futura coatings.com

GRITTAL

The Smart Alternative to Mineral Abrasives in Surface Preparation.

- Martensitic stainless steel grit abrasive - 62 HRC
- Excellent durability
 - up to 30 times greater than aluminum oxide
 - up to 50 times greater than garnet
- Virtually dust-free environment leading to higher performance and increased blasting quality due to better visibility
- Reduced wear on nozzles and other air blast system components
- Can be used in centrifugal wheel machine application
- Consistent surface roughness profile resulting in optimum coating adhesion
- Minimal waste disposal
- Reduction of overall blasting costs



Vulkan Blast Shot Technology

Call 1-800-263-7674 (Canada and U.S.)
Tel. 1-519-753-2226 • Fax. 1-519-759-8472
E-mail: vulkan@vulkanshot.com
Website: www.vulkanshot.com

DIVISION OF VULKAN HAREX STEELFIBER (NORTH AMERICA) INC.

KCC Corrosion Control Co., Ltd. (<100 g/L)
Key Resin Company (<100 g/L)
PolySpec L.P. / THIOKOL (101-250 g/L)
Sherwin-Williams (101-250 g/L)
Subsea Industries NV

■ Zinc-Rich, Organic

A.W. Chesterton/ARC Composites (251-340 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Heresite Protective Coatings, Inc. (251-340 g/L)
Hi-Temp Coatings Technology (341-450 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings
Sub-One Technology
Top Secret Coatings

FGD Interiors Steel

■ Alkyd/Acrylic/Acrylic

Devoe Coatings (AkzoNobel)

■ Borosilicate Glass Block

Henkel Technologies—Corrosion Engineering

■ Brick and Tile, Acid-Resistant

Atlas Minerals & Chemicals, Inc.
Henkel Technologies—Corrosion Engineering

■ Epoxy (1-2 coats)/Urethane

Crossfield Products Corp.
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Duomar, Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
NSP Specialty Products (<100 g/L)
Sauereisen, Inc.

■ Epoxy Flake Filled/Epoxy Flake Filled

Blome International (<100 g/L)

■ Epoxy Novolac (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Crossfield Products Corp.
Duomar, Inc. (<100 g/L)
Fox Industries Inc. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

PPG Protective & Marine Coatings (<100 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Duomar, Inc. (<100 g/L)
Protective Floorings and Linings (<100 g/L)
Sauereisen, Inc.

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Ceilmate Products/International Paint (<100 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Arcor Epoxy Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
International Paint LLC (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Corrosion Control Products Co.
Crossfield Products Corp.
Sauereisen, Inc.
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

ITW Futura Coatings (<100 g/L)

■ Furan

Atlas Minerals & Chemicals, Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Polyester/Polyester/Polyester

Ceilmate Products/International Paint (341-450 g/L)
Superior Products International II (341-450 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

LINE-X Protective Coatings (<100 g/L)
Reactamine Technology, LLC (<100 g/L)

■ Sheet Lining, Rubber

Polycorp Ltd.

■ Siloxane/Siloxane

Dampney Co., Inc.

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.

■ Urethane Elastomeric (1 coat)

LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
Superior Products International II (341-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Carboline Company (101-250 g/L)
Ceilmate Products/International Paint (101-250 g/L)
Corchem Corporation (101-250 g/L)
Corrocoat Ltd.
Devoe Coatings (AkzoNobel)
Dudick, Inc.
Henkel Technologies—Corrosion Engineering
International Paint LLC (<100 g/L)
ITW Futura Coatings (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Key Resin Company (<100 g/L)
PolySpec L.P. / THIOKOL (101-250 g/L)
Sherwin-Williams (101-250 g/L)
Subsea Industries NV

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Heresite Protective Coatings, Inc. (251-340 g/L)
Hi-Temp Coatings Technology (341-450 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings
Sub-One Technology
Top Secret Coatings

Secondary Containment Concrete

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Flexcrete Technologies Ltd. (<100 g/L)

■ Epoxy (1-2 coats)/Urethane

Andek Corporation (101-250 g/L)
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Kemper System Inc. (<100 g/L)
National Polymers Inc. (251-340 g/L)
Polycoat Products (<100 g/L)
Top Secret Coatings
Wolverine Coatings Corporation

■ Epoxy 100% Solids (1-2 coats)

A&E Systems LLC (<100 g/L)
A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Carboline Company (<100 g/L)
Crown Polymers, LLC
Dependable Floor Products Inc. (<100 g/L)
Duomar, Inc. (<100 g/L)
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Rust-Oleum Corporation (<100 g/L)
Sherwin-Williams (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Epoxy Coal Tar/Epoxy Coal Tar

Complementary Coatings/DBA Insl-X (101-250 g/L)

■ Epoxy Novolac (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Carboline Company (<100 g/L)
Crossfield Products Corp.
Duomar, Inc. (<100 g/L)
Fox Industries Inc. (<100 g/L)
International Coatings Inc. (<100 g/L)
International Paint LLC (<100 g/L)
National Polymers Inc. (<100 g/L)
Pacific Polymers International, Inc.
Rust-Oleum Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Epoxy Phenolic (3 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)

■ Epoxy/Epoxy 100% Solids

Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
CCI Con-Tech of California, Inc.
Copolymer Protection Systems (<100 g/L)
ENECON Corporation (<100 g/L)
JAXXON National Maintenance Products
PPG Protective & Marine Coatings (101-250 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sika Corporation (<100 g/L)
Tnemec Company, Inc.
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Atlas Minerals & Chemicals, Inc.



■ Epoxy/Epoxy Novolac/Epoxy Novolac

Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Ceilcote Products/International Paint (<100 g/L)
Corchem Corporation (<100 g/L)
Crown Polymers, LLC (<100 g/L)
ENECON Corporation (<100 g/L)
Gulf Coast Paint Mfg., Inc. (<100-250 g/L)
Henkel Technologies—Corrosion Engineering
International Coatings Inc. (<100 g/L)
Key Resin Company (<100 g/L)
National Polymers Inc. (101-250 g/L)
Protective Floorings and Linings (<100 g/L)
Sherwin-Williams (<100 g/L)
Sika Corporation (<100 g/L)
Superior Epoxies & Coatings (<100 g/L)
Tnemec Company, Inc.
Wolverine Coatings Corporation

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

International Paint LLC (<100 g/L)

■ Epoxy/Epoxy/Epoxy

Complementary Coatings/DBA Ins-X (101-250 g/L)
Corrosion Control Products Co.
Crossfield Products Corp.
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

Sika Corporation (101-250 g/L)

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Wasser Corporation (<100 g/L)

■ MCU/MCU/MCU

Wasser Corporation (<100 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Key Resin Company (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)

■ Polyester/Polyester/Polyester

Protective Floorings and Linings (<100 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Andek Corporation (<100 g/L)
Arnco Performance Polymers
Carboline Company (<100 g/L)
Corchem Corporation (<100 g/L)
ITW Futura Coatings (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Wasser Corporation (<100 g/L)

■ Sheet Lining, Thermoplastic

Henkel Technologies—Corrosion Engineering

■ Siloxane/Siloxane

BioCoatings (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.

■ Urethane Elastomeric (1 coat)

Andek Corporation (101-250 g/L)
Global EcoTechnologies (<100 g/L)
ITW Futura Coatings (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Roadware Incorporated
Specialty Products, Inc. (SPI) (<100 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Ceilcote Products/International Paint (101-250 g/L)
Corchem Corporation (101-250 g/L)
Henkel Technologies—Corrosion Engineering
International Paint LLC (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Key Resin Company (<100 g/L)
Micor Company, Inc.
Protective Floorings and Linings (<100 g/L)
Sherwin-Williams (101-250 g/L)
Tnemec Company, Inc.)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Gemite Products Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings
SpeedCove Precast Cove Base Systems
Stirling Lloyd Group Plc. (<100 g/L)
Termarust Technologies (<100 g/L)
Top Secret Coatings

Primary Containment (Nuclear Only)

■ Epoxy (1-2 coats)/Urethane

Crown Polymers, LLC (<100 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

Arcor Epoxy Inc. (<100 g/L)
Crown Polymers, LLC
ENECON Corporation (<100 g/L)
NSP Specialty Products (<100 g/L)
Sherwin-Williams (<100 g/L)
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Novolac (1-2 coats)

Avilion Inc.
Crown Polymers, LLC (<100 g/L)
Micor Company, Inc.

■ Epoxy/Epoxy 100% Solids

Arcor Epoxy Inc. (<100 g/L)

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

KCC Corrosion Control Co., Ltd.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Arcor Epoxy Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Sherwin-Williams (<100 g/L)

■ Epoxy/Epoxy/Epoxy

Carboline Company (251-340 g/L)
Corrosion Control Products Co.
PPG Protective & Marine Coatings (101-250 g/L)
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

Micor Company, Inc.
The Tapecoat Co.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy/Epoxy

Carboline Company (251-340 g/L)
PPG Protective & Marine Coatings (251-340 g/L)

■ Methyl Methacrylate (2 coats)/Urethane

Stirling Lloyd Group Plc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

LINE-X Protective Coatings (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.
Denso North America

■ Thermal Spray

Nation Coating Systems, Inc.
Thermion Inc.

■ Urethane Elastomeric (1 coat)

LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Andek Corporation (341-450 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Micor Company, Inc.
Sherwin-Williams (341-450 g/L)

■ Wax

The Tapecoat Co.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings
Stirling Lloyd Group Plc. (<100 g/L)
Sub-One Technology
The Tapecoat Co.
Top Secret Coatings

Coating System Guide for Pulp and Paper Mills



Systems are alphabetized by first coat.

Interior Normal Wet Exposure Steel

■ Alkyd/Acrylic/Acrylic

Convenience Products (101-250 g/L)
Cortec Corporation
Diamond Vogel Paint Company (341-450 g/L)
Mascoat Products (<100 g/L)

■ Brick and Tile, Acid-Resistant

Atlas Minerals & Chemicals, Inc.

■ Calcium Sulphonate

Termarust Technologies (101-250 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Cortec Corporation
Flexcrete Technologies Ltd. (<100 g/L)

■ Epoxy (1-2 coats)/Urethane

Complementary Coatings/DBA Insl-X (101-250 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
National Polymers Inc. (341-450 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A&E Systems LLC (<100 g/L)
A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Induron Coatings, Inc. (101-250 g/L)
JAXXON National Maintenance Products
Madison Chemical Industries (<100 g/L)
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
Protective Floorings and Linings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Ceilcote Products/International Paint (101-250 g/L)

■ Epoxy Novolac (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Corchem Corporation (<100 g/L)
ENECON Corporation (<100 g/L)
Micor Company, Inc.
National Polymers Inc. (101-250 g/L)
Specialty Polymer Coatings, Inc.
Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

Heresite Protective Coatings, Inc. (341-450 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Ceilcote Products/International Paint (<100 g/L)
Duromar, Inc. (<100 g/L)
Fox Industries Inc.
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Volatile Free, Inc. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Ceilcote Products/International Paint (101-250 g/L)
Dudick, Inc.
Sherwin-Williams (251-340 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Dampney Co., Inc.
Henkel Technologies—Corrosion Engineering
KCC Corrosion Control Co., Ltd.

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Carboline Company
Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Insl-X (101-250 g/L)
Coronado Paint (251-340 g/L)
Corrosion Control Products Co.
Devoe Coatings (AkzoNobel)
Diamond Vogel Paint Company (251-340 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Henkel Technologies—Corrosion Engineering
International Paint LLC (251-340 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rodda Paint Corporation (341-450 g/L)
Rust-Oleum Corporation (101-250 g/L)

Sauereisen, Inc.



Sherwin-Williams (<100 g/L)
Superior Products International II (341-450 g/L)
Tnemec Company, Inc.
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

Micor Company, Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy Novolac/Epoxy Novolac

Dampney Co., Inc.

■ Inorganic Zinc/Epoxy/Epoxy

Carboline Company
Tnemec Company, Inc.

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Wasser Corporation (251-340 g/L)

■ MCU Zinc Rich/MCU/MCU

Coronado Paint (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ MCU/MCU/MCU

Coronado Paint (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Epoxy Novolac/Epoxy Novolac

Dampney Co., Inc.

■ Organic Zinc/Epoxy/Epoxy

Carboline Company
Diamond Vogel Paint Company (341-450 g/L)
Fox Industries Inc.
Tnemec Company, Inc.

■ Organic Zinc/Epoxy/Urethane

Devoe Coatings (AkzoNobel)

■ Organic Zinc/Urethane/Urethane

Madison Chemical Industries (251-340 g/L)

■ **Polyester/Polyester/Polyester**

Atlas Minerals & Chemicals, Inc.
Corrocoat Ltd.
Heresite Protective Coatings, Inc. (<100 g/L)
Superior Products International II (341-450 g/L)

■ **Polyurea Hybrid (1, 2, or 3 coats)**

Arnco Performance Polymers
Madison Chemical Industries (<100 g/L)
Polycoat Products (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ **Polyurea Pure (1, 2, or 3 coats)**

Arnco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)

■ **Siloxane/Siloxane**

Henkel Technologies—Corrosion Engineering

■ **Tape Wraps**

Corrosion Control Products Co.
Denso North America

■ **Thermal Spray**

Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ **Urethane Elastomeric (1 coat)**

Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ **Urethane/Urethane**

LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ **Vinyl Ester/Vinyl Ester/Vinyl Ester**

Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Corrocoat Ltd.

■ **Wax**

The Tapecoat Co.

■ **Zinc-Rich, Inorganic**

ZRC Worldwide (<100 g/L)

■ **Zinc-Rich, Organic**

ZRC Worldwide (341-450 g/L)

■ **Other**

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Albi Mfg. A Division of StanChem Inc. (101-250 g/L)
Gemite Products Inc. (<100 g/L)
Hi-Temp Coatings Technology (101-450 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)
Top Secret Coatings

**Interior Normal Wet Exposure
Concrete**

■ **Alkyd/Acrylic/Acrylic**

Convenience Products (251-340 g/L)
Diamond Vogel Paint Company (341-450 g/L)
Fox Industries Inc.
Mascoat Products (<100 g/L)
NSP Specialty Products

■ **Brick and Tile, Acid-Resistant**

Atlas Minerals & Chemicals, Inc.
Henkel Technologies—Corrosion Engineering

■ **Epoxy (1-2 coats)/Urethane**

Complementary Coatings/DBA Insl-X (101-250 g/L)
Crossfield Products Corp.
Devco Coatings (AkzoNobel)
Diamond Vogel Paint Company (341-450 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Gulf Coast Paint Mfg., Inc.
Kemper System Inc. (<100 g/L)
National Polymers Inc. (<100-340 g/L)
Polymax/Milamar Coatings L.L.C. (101-250 g/L)
Sika Corporation (101-250 g/L)
Top Secret Coatings

Repair, Protect, and Restore Deteriorated Concrete Before You Coat



Now available through Sherwin-Williams
Protective Coatings/Marine division! Contact Fox or
your Sherwin-Williams PM representative
for more information.

For over 40 years, Fox Industries has manufactured dependable, economical, and innovative products to repair deteriorated concrete. Our vast line includes rapid-setting, high strength cementitious, polymer and epoxy grouts and mortars, joint sealants, polyurethane grouts, MMA injection resins, bonding agents, chemical-resistant coatings, polyureas and more.

*See Fox's full line of
innovative products
and case histories at
www.foxind.com*



Since 1969

3100 Falls Cliff Road
Baltimore, MD 21211
Toll-Free 888-760-0369
410-243-8856 • Fax: 410-243-2701
www.foxind.com

■ Epoxy 100% Solids (1-2 coats)

Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Coatings For Industry, Inc. (<100 g/L)
Dayton Superior
Dependable Floor Products Inc. (<100 g/L)
Duromar, Inc. (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Induron Coatings, Inc. (101-250 g/L)
International Coatings Inc. (<100 g/L)
JAXXON National Maintenance Products
Kaufman Products, Inc. (<100 g/L)
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
Pacific Polymers International, Inc.
PolySpec L.P. / THIOKOL (<100 g/L)
Protective Floorings and Linings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Specialty Polymer Coatings, Inc.
Superior Epoxies & Coatings (<100 g/L)
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Coal Tar High Build (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Celcote Products/International Paint (101-250 g/L)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)

Corchem Corporation (<100 g/L)
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Dampney Co., Inc.
International Paint LLC (<100 g/L)
Micor Company, Inc.
National Polymers Inc. (101-250 g/L)
Specialty Polymer Coatings, Inc.

■ Epoxy Phenolic (3 coats)

Heresite Protective Coatings, Inc. (341-450 g/L)
International Paint LLC (<100 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Carboline Company (<100 g/L)
Celcote Products/International Paint (<100 g/L)
Concrete Solutions (<100 g/L)
Copolymer Protection Systems (<100 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gulf Coast Paint Mfg., Inc. (<100 g/L)
International Coatings Inc. (<100 g/L)
Kaufman Products, Inc. (<100 g/L)
Key Resin Company (<100 g/L)
Polymax/Milamar Coatings L.L.C. (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
Protective Floorings and Linings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Celcote Products/International Paint (101-250 g/L)
Dudick, Inc.
Sherwin-Williams (251-340 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

BASF Construction Chemicals - Building Systems
Dudick, Inc.
ENECON Corporation (<100 g/L)
Henkel Technologies—Corrosion Engineering
Key Resin Company (<100 g/L)
Sika Corporation (<100 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

BASF Construction Chemicals - Building Systems
Carboline Company
Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Insl-X (101-250 g/L)
Coronado Paint (251-340 g/L)
Corro-Shield International, Inc.
Corrosion Control Products Co.
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)



Dayton Superior
Devroe Coatings (AkzoNobel)
Diamond Vogel Paint Company (251-340 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Polymax/Milamar Coatings L.L.C. (101-250 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
QUESTMARK FLOORING (<100 g/L)
Rodda Paint Corporation (341-450 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Sika Corporation (<100 g/L)
Superior Products International II (341-450 g/L)
Tnemec Company, Inc.
Top Secret Coatings

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy 100% Solids

A&E Systems LLC (<100 g/L)

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Wasser Corporation (251-340 g/L)

■ MCU/MCU/MCU

Coronado Paint (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Key Resin Company (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Epoxy/Epoxy

Crown Polymers, LLC (<100 g/L)

■ Organic Zinc/Urethane/Urethane


Polibrid Coatings, Inc. (<100 g/L)

PROTECTION against permeability is your top concern.

Fortunately, it's ours, too.

Learn more about preventive maintenance and restoration at Sauereisen.com

Permeability Survey by Water Online
Which of these important factors is most critical for chemical resistant linings?



SAUERISEN

p: 412.963.0303 • email: wastewater@sauereisen.com
Pittsburgh, PA 15238 U.S.A • www.sauereisen.com

■ Polyester/Polyester/Polyester

Atlas Minerals & Chemicals, Inc.
Corrocoat Ltd.
Heresite Protective Coatings, Inc. (<100 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arco Performance Polymers
Dudick, Inc.
Polycoat Products (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)

■ Sheet Lining, Thermoplastic

Henkel Technologies—Corrosion Engineering

■ Siloxane/Siloxane

Advanced Chemical Technologies (341-450 g/L)
PROSOCO, Inc.
Rainguard International (<100 g/L)
SaverSystems/Defy (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.
Denso North America

■ Thermal Spray

Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

BASF Construction Chemicals - Building Systems
Concrete Solutions (101-250 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
QUESTMARK FLOORING (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Corrocoat Ltd.
Micor Company, Inc.

■ Wax

The Tapecoat Co.

■ Other

Advanced Chemical Technologies (341-450 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Dayton Superior
Flexcrete Technologies Ltd. (<100 g/L)
Gemite Products Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings (<100 g/L)
PROSOCO, Inc.

SpeedCove Precast Cove Base Systems



Get beautiful, consistent & durable
cove base quick & easy every time

www.speedcove.com • 530.344.9000

Stirling Lloyd Group Plc. (<100 g/L)

Termarust Technologies (<100 g/L)

Top Secret Coatings

Interior Severe Wet End Exposure Paper Machines Steel

■ Alkyd/Acrylic/Acrylic

Mascoat Products (<100 g/L)

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Brick and Tile, Acid-Resistant

Atlas Minerals & Chemicals, Inc.

■ Calcium Sulphonate

Termarust Technologies (101-250 g/L)

■ Epoxy (1-2 coats)/Urethane

Complementary Coatings/DBA Inst-X (101-250 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Duromar, Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Induron Coatings, Inc. (101-250 g/L)
NSP Specialty Products (<100 g/L)
Protective Floorings and Linings (<100 g/L)
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Celcote Products/International Paint (<100 g/L)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Micor Company, Inc.
Specialty Polymer Coatings, Inc.

■ Epoxy Phenolic (3 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Duromar, Inc. (<100 g/L)
JAXXON National Maintenance Products
Tnemec Company, Inc.

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Celcote Products/International Paint (<100 g/L)
Gulf Coast Paint Mfg., Inc.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Henkel Technologies—Corrosion Engineering
KCC Corrosion Control Co., Ltd.

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Gulf Coast Paint Mfg., Inc. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Carboline Company
Complementary Coatings/DBA Inst-X (101-250 g/L)
Corrosion Control Products Co.
Devoe Coatings (AkzoNobel)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Henkel Technologies—Corrosion Engineering
International Paint LLC (251-340 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rodda Paint Corporation (341-450 g/L)
Rust-Oleum Corporation (101-250 g/L)
Superior Products International II (341-450 g/L)
Tnemec Company, Inc.
Top Secret Coatings

■ Epoxy/MCU/MCU

Sherwin-Williams (251-340 g/L)

■ Epoxy/Vinyl Ester/Vinyl Ester

Micor Company, Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy/Epoxy

Carboline Company

■ MCU Zinc Rich/MCU/MCU

Coronado Paint (251-340 g/L)
Sherwin-Williams (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ MCU/MCU/MCU

Sherwin-Williams (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Epoxy/Epoxy

Carboline Company
Tnemec Company, Inc.

■ Polyester/Polyester/Polyester

Atlas Minerals & Chemicals, Inc.
PPC Coatings (<100 g/L)
Superior Products International II (341-450 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arco Performance Polymers
Rhino Linings Corporation (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)

■ Siloxane/Siloxane

Henkel Technologies—Corrosion Engineering

■ Tape Wraps

Corrosion Control Products Co.
Denso North America

■ Thermal Spray

Thermion Inc.
TMS Metalizing Systems, Ltd.

■ Urethane Elastomeric (1 coat)

LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Ceilcote Products/International Paint (101-250)
Corchem Corporation (101-250 g/L)
Corrocoat Ltd.
Dudick, Inc.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (251-340 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings
Stirling Lloyd Group Plc. (<100 g/L)
Sub-One Technology

Interior Severe Wet End Exposure Paper Machines Concrete Floors

■ Alkyd/Acrylic/Acrylic

A.W. Chesterton/ARC Composites (<100 g/L)

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Brick and Tile, Acid-Resistant

Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Henkel Technologies—Corrosion Engineering

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Flexcrete Technologies Ltd. (<100 g/L)

■ Epoxy (1-2 coats)/Urethane

Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Kemper System Inc. (<100 g/L)
National Polymers Inc. (<100 g/L)
Polymax/Milamar Coatings L.L.C. (101-250 g/L)
Tnemec Company, Inc.
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

Arcor Epoxy Inc. (<100 g/L)
Complementary Coatings/DBA Ins-X (<100 g/L)
Dayton Superior
Dependable Floor Products Inc. (<100 g/L)
Duromar, Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
International Coatings Inc. (<100 g/L)
JAXXON National Maintenance Products
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
Protective Floorings and Linings (<100 g/L)
Rust-Oleum Corporation (<100 g/L)
Sauereisen, Inc.
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Ceilcote Products/International Paint (<100 g/L)

■ Epoxy Novolac (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Dampney Co., Inc.
Fox Industries Inc. (<100 g/L)
Micor Company, Inc.
National Polymers Inc. (101-250 g/L)
Specialty Polymer Coatings, Inc.
Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

PPG Protective & Marine Coatings (101-250 g/L)

■ Epoxy/Epoxy 100% Solids

Carboline Company
Complementary Coatings/DBA Ins-X (101-250 g/L)
Concrete Solutions (<100 g/L)
Copolymer Protection Systems (<100 g/L)
Dayton Superior
Duromar, Inc. (<100 g/L)
International Coatings Inc. (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Protective Floorings and Linings (<100 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Superior Epoxies & Coatings (<100 g/L)
Tnemec Company, Inc.
Volatile Free, Inc. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Ceilcote Products/International Paint (<100 g/L)
Gulf Coast Paint Mfg., Inc.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Blome International (<100 g/L)
Carboline Company
ENECON Corporation (<100 g/L)
Gulf Coast Paint Mfg., Inc. (<100 g/L)
Henkel Technologies—Corrosion Engineering
International Coatings Inc. (<100 g/L)
Key Resin Company (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
Sherwin-Williams (<100 g/L)
Sika Corporation (<100 g/L)
Tnemec Company, Inc.

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

A.W. Chesterton/ARC Composites (<100 g/L)
Carboline Company
Complementary Coatings/DBA Ins-X (101-250 g/L)
Coronado Paint (251-340 g/L)
Corro-Shield International, Inc.
Corrosion Control Products Co.
Crossfield Products Corp.
Dayton Superior
Devco Coatings (AkzoNobel)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
National Polymers Inc. (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
QUESTMARK FLOORING (<100 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Sika Corporation (<100 g/L)
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

Sika Corporation (101-250 g/L)

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Wasser Corporation (251-340 g/L)

■ MCU/MCU/MCU

Coronado Paint (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Key Resin Company (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Epoxy Novolac/Epoxy Novolac

QUESTMARK FLOORING (<100 g/L)

■ Polyester/Polyester/Polyester

Atlas Minerals & Chemicals, Inc.
Heresite Protective Coatings, Inc. (<100 g/L)
PPC Coatings (<100 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
Dudick, Inc.
Polymax/Milamar Coatings L.L.C. (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
Crown Polymers, LLC
LINE-X Protective Coatings (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)

■ Sheet Lining, Thermoplastic

Henkel Technologies—Corrosion Engineering

■ Siloxane/Siloxane

Rainguard International (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
QUESTMARK FLOORING (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Roadware Incorporated
Specialty Products, Inc. (SPI) (<100 g/L)
Superior Products International II (341-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Ceilcote Products/International Paint (101-250 g/L)
Corchem Corporation (101-250 g/L)
Corrocoat Ltd.
Key Resin Company (<100 g/L)
Micor Company, Inc.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (251-340 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings
SpeedCove Precast Cove Base Systems
Stirling Lloyd Group Plc. (<100 g/L)
Termarust Technologies

Interior Dry Exposure Steel

■ Alkyd/Acrylic/Acrylic

Cortec Corporation
Diamond Vogel Paint Company (101-340 g/L)
Mascoat Products (<100 g/L)

■ Alkyd/Alkyd/Alkyd

Complementary Coatings/DBA Insl-X (251-340)
PPG Protective & Marine Coatings (251-340 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sherwin-Williams (251-340 g/L)

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Alkyd/Alkyd/Uralkyd

Sherwin-Williams (251-340 g/L)

■ Calcium Sulphonate

Termarust Technologies (101-250 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Complementary Coatings/DBA Insl-X (101-250)
Convenience Products (101-250 g/L)
Cortec Corporation
Diamond Vogel Paint Company (251-340 g/L)
Tnemec Company, Inc.

■ Epoxy (1-2 coats)/Urethane

Coatings For Industry, Inc. (251-340 g/L)
Crown Polymers, LLC (<100 g/L)
Dampney Co., Inc.
Devoe Coatings (AkzoNobel)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
KCC Corrosion Control Co., Ltd.
National Polymers Inc. (251-340 g/L)
PolySpec L.P. / THIOKOL (101-250 g/L)
Rodda Paint Corporation (341-450 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Corchem Corporation (<100 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
Protective Floorings and Linings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100)
Sauereisen, Inc.
Specialty Polymer Coatings, Inc.
Volatile Free, Inc. (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Celcote Products/International Paint (101-250)
KCC Corrosion Control Co., Ltd.

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Micor Company, Inc.
National Polymers Inc. (101-250 g/L)
Specialty Polymer Coatings, Inc.
Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

Heresite Protective Coatings, Inc.

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Celcote Products/International Paint (<100 g/L)
Denso North America
Duromar, Inc. (<100 g/L)
JAXXON National Maintenance Products
KCC Corrosion Control Co., Ltd.
RLS Solutions/Raven Engineered Systems (<100)
Sauereisen, Inc.
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Celcote Products/International Paint (<100 g/L)
Dudick, Inc.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Atlas Minerals & Chemicals, Inc.
PolySpec L.P. / THIOKOL (<100 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Atlas Minerals & Chemicals, Inc.
Carboline Company
Complementary Coatings/DBA Insl-X (101-250)
Coronado Paint (251-340 g/L)
Corrosion Control Products Co.
Dampney Co., Inc.
Devoe Coatings (AkzoNobel)
Dudick, Inc.
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Henkel Technologies—Corrosion Engineering
Induron Coatings, Inc. (101-250 g/L)
International Paint LLC (251-340 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (<100-250 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Tnemec Company, Inc.
Top Secret Coatings

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy/Epoxy

Carboline Company

■ MCU Zinc Rich/MCU/MCU

Wasser Corporation (251-340 g/L)

■ MCU/MCU/MCU

Coronado Paint (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Epoxy/Epoxy

Carboline Company

■ Polyester/Polyester/Polyester

Corrocoat Ltd.

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
Dampney Co., Inc.
Rhino Linings Corporation (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)

Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.
Denso North America

■ Thermal Spray

Can-Cell Industries Inc (<100 g/L)
Thermion Inc.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Polycoat Products (101-250 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

Coatings For Industry, Inc. (251-340 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Superior Products International II (251-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Blome International (<100 g/L)
Corrocoat Ltd.
Micor Company, Inc.

■ Zinc-Rich, Inorganic

ZRC Worldwide (<100 g/L)

■ Zinc-Rich, Organic

ZRC Worldwide (341-450 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Albi Mfg. A Division of StanChem Inc. (<100 g/L)
Corrocoat (<100 g/L)
ENECON Corporation (<100 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc.
Hi-Temp Coatings Technology (101-450 g/L)
Industrial Nanotech Inc. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)
Sub-One Technology

Interior Dry Exposure Concrete Walls, Ceilings

■ Alkyd/Acrylic/Acrylic

Diamond Vogel Paint Company (101-250 g/L)
Mascoat Products (<100 g/L)
NSP Specialty Products

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Carboline Company
Complementary Coatings/DBA Insl-X (101-250)
Convenience Products (101-250 g/L)
Diamond Vogel Paint Company (101-250 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Tnemec Company, Inc.

■ Epoxy (1-2 coats)/Urethane

BASF Construction Chemicals - Building Systems Coatings For Industry, Inc. (251-340 g/L)
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Devco Coatings (AkzoNobel)
Diamond Vogel Paint Company (341-450 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
National Polymers Inc. (251-340 g/L)
Polymax/Milamar Coatings L.L.C. (<100-250 g/L)
PolySpec L.P. / THIOKOL (101-250 g/L)
Protective Floorings and Linings (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Sika Corporation (101-250 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Copolymer Protection Systems (<100 g/L)
Corchem Corporation (<100 g/L)
Crown Polymers, LLC
Dayton Superior
Dependable Floor Products Inc. (<100 g/L)
Duromar, Inc. (<100 g/L)
Fox Industries Inc. (<100 g/L)
Kaufman Products, Inc. (<100 g/L)
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)

Sauereisen, Inc.

Specialty Polymer Coatings, Inc.
Superior Epoxies & Coatings (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Celcote Products/International Paint (101-250 g/L)
KCC Corrosion Control Co., Ltd.

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Micor Company, Inc.
Specialty Polymer Coatings, Inc.
Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

Heresite Protective Coatings, Inc. (341-450 g/L)

■ Epoxy/Epoxy 100% Solids

Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Celcote Products/International Paint (<100 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
JAXXON National Maintenance Products
Kaufman Products, Inc. (<100 g/L)
Key Resin Company (<100 g/L)
National Polymers Inc. (101-250 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Celcote Products/International Paint (<100 g/L)
Dudick, Inc.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Atlas Minerals & Chemicals, Inc.
ENECON Corporation (<100 g/L)
Henkel Technologies—Corrosion Engineering
National Polymers Inc. (101-250 g/L)
Sherwin-Williams (<100 g/L)
Sika Corporation (<100 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Atlas Minerals & Chemicals, Inc.
BASF Construction Chemicals - Building Systems
Complementary Coatings/DBA Insul-X (101-250 g/L)
Coronado Paint (251-340 g/L)
Corro-Shield International, Inc.
Corrosion Control Products Co.
Crossfield Products Corp.
Dayton Superior
Devco Coatings (AkzoNobel)
Dudick, Inc.
Fox Industries Inc. (101-250 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Henkel Technologies—Corrosion Engineering
Induron Coatings, Inc. (101-250 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Sika Corporation (<100 g/L)
Superior Products International II (341-450 g/L)
Tnemec Company, Inc.
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

Micor Company, Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU/MCU/MCU

Coronado Paint (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Dayton Superior

■ Polyester/Polyester/Polyester

Corrocoat Ltd.
Heresite Protective Coatings, Inc. (<100 g/L)
Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Siloxane/Siloxane

Advanced Chemical Technologies (341-450 g/L)
PROSOCO, Inc.
Rainguard International (<100 g/L)



Key Resin MMA Seamless Resin Floors



- Fast Application and 1-2 Hour Cure
- Job Completed in 1 Day or Less
- Cold Temperature Cure Down to -20F
- Green/LEED Attributes: VOC Compliant, Solvent Free
- UV Light Resistant: Numerous Indoor/Outdoor Uses

KEY RESIN COMPANY
World of Concrete 2010
Booth S13555

888.943.4532
sales@keyresin.com
www.keyresin.com

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Can-Cell Industries Inc (<100 g/L)

Thermion Inc.

Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)

LINE-X Protective Coatings (<100 g/L)

Polibrid Coatings, Inc. (<100 g/L)

Polycoat Products (101-250 g/L)

Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

Coatings For Industry, Inc. (251-340 g/L)

LINE-X Protective Coatings (<100 g/L)

Polycoat Products (<100 g/L)

Quantum Group (<100 g/L)

Superior Products International II (341-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Blome International (<100 g/L)

Corrocoat Ltd.

Henkel Technologies—Corrosion Engineering

■ Other

Advanced Chemical Technologies (341-450 g/L)

Advanced Polymer Coatings, Ltd. (101-250 g/L)

ENECON Corporation (<100 g/L)

Gemite Products Inc. (<100 g/L)

Heresite Protective Coatings, Inc. (251-340 g/L)

Industrial Nanotech Inc. (<100 g/L)

KCC Corrosion Control Co., Ltd.

Liquid Rubber Industries Inc. (<100 g/L)

PPC Coatings (<100 g/L)

SpeedCove Precast Cove Base Systems

Termarust Technologies (<100 g/L)

W. R. MEADOWS, INC. (<100->450 g/L)

Interior Dry Exposure Concrete Floors

■ Alkyd/Acrylic/Acrylic

Dependable Floor Products Inc. (<100 g/L)

Diamond Vogel Paint Company (341-450 g/L)

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Brick and Tile, Acid-Resistant

Atlas Minerals & Chemicals, Inc.

Blome International (<100 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Convenience Products (101-250 g/L)

Flexcrete Technologies Ltd. (<100 g/L)

■ Epoxy (1-2 coats)/Urethane

BASF Construction Chemicals - Building Systems

Coatings For Industry, Inc. (251-340 g/L)

Crossfield Products Corp.

Crown Polymers, LLC (<100 g/L)

Dampney Co., Inc.

Dayton Superior

Devroe Coatings (AkzoNobel)

Diamond Vogel Paint Company (341-450 g/L)

Endura Manufacturing Co. Ltd. (101-250 g/L)

Gulf Coast Paint Mfg., Inc. (101-250 g/L)

National Polymers Inc. (<100 g/L)

Polycoat Products (<100 g/L)

Polymax/Milamar Coatings L.L.C. (101-250 g/L)

Sherwin-Williams (<100 g/L)

Sika Corporation (101-250 g/L)

Tnemec Company, Inc.

Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)

Arcor Epoxy Inc. (<100 g/L)

Coatings For Industry, Inc. (<100 g/L)

Complementary Coatings/DBA Insl-X (<100 g/L)

Copolymer Protection Systems (<100 g/L)

Corchem Corporation (<100 g/L)

Dayton Superior

Dependable Floor Products Inc. (<100 g/L)

Duromar, Inc. (<100 g/L)

Fox Industries Inc. (<100 g/L)

Gemite Products Inc. (<100 g/L)

International Coatings Inc. (<100 g/L)

Kaufman Products, Inc. (<100 g/L)

Micor Company, Inc.

NSP Specialty Products (<100 g/L)

Protective Floorings and Linings (<100 g/L)

Rust-Oleum Corporation (<100 g/L)

Sauereisen, Inc.

Specialty Polymer Coatings, Inc.

Superior Epoxies & Coatings (<100 g/L)

Volatile Free, Inc. (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Celcote Products/International Paint (101-250 g/L)

International Coatings Inc. (<100 g/L)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)

Arcor Epoxy Inc. (<100 g/L)

Crossfield Products Corp.

Fox Industries Inc. (<100 g/L)

International Paint LLC (<100 g/L)

Micor Company, Inc.

Pacific Polymers International, Inc. (<100 g/L)

Specialty Polymer Coatings, Inc.

Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)

Heresite Protective Coatings, Inc. (341-450 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)

Carboline Company

Celcote Products/International Paint (<100 g/L)

Coatings For Industry, Inc. (101-250 g/L)

Complementary Coatings/DBA Insl-X (<100 g/L)

Concrete Solutions (<100 g/L)

Dampney Co., Inc.

Duromar, Inc. (<100 g/L)

ENECON Corporation (<100 g/L)

Fox Industries Inc. (<100 g/L)

International Coatings Inc. (<100 g/L)

JAXXON National Maintenance Products

Kaufman Products, Inc. (<100 g/L)

Key Resin Company (<100 g/L)

National Polymers Inc. (<100 g/L)

Polymax/Milamar Coatings L.L.C. (<100 g/L)

PPG Protective & Marine Coatings (101-250 g/L)

Protective Floorings and Linings (<100 g/L)

Reactamine Technology, LLC (<100 g/L)

Rodda Paint Corporation (<100 g/L)

Sauereisen, Inc.

Termarust Technologies (<100 g/L)

Tnemec Company, Inc.

Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Celcote Products/International Paint

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Atlas Minerals & Chemicals, Inc.

Blome International (<100 g/L)

Carboline Company

Devroe Coatings (AkzoNobel)

ENECON Corporation (<100 g/L)

Key Resin Company (<100 g/L)

National Polymers Inc. (101-250 g/L)

PolySpec L.P. / THIOKOL (<100 g/L)

Sika Corporation (<100 g/L)

Tnemec Company, Inc.

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

International Paint LLC (<100 g/L)

■ Epoxy/Epoxy/Epoxy

BASF Construction Chemicals - Building Systems

Carboline Company

Complementary Coatings/DBA Insl-X (101-250 g/L)

Coronado Paint (251-340 g/L)

Corrosion Control Products Co.

Crossfield Products Corp.

Crown Polymers, LLC (<100 g/L)

Dayton Superior

Devroe Coatings (AkzoNobel)

Dudick, Inc.

Gulf Coast Paint Mfg., Inc. (101-250 g/L)

Henkel Technologies—Corrosion Engineering

Induron Coatings, Inc. (101-250 g/L)

Pacific Polymers International, Inc. (<100 g/L)

Polymax/Milamar Coatings L.L.C. (<100 g/L)

PolySpec L.P. / THIOKOL (<100 g/L)

PPG Protective & Marine Coatings (101-250 g/L)

QUESTMARK FLOORING (<100 g/L)

Rust-Oleum Corporation (101-250 g/L)

Sauereisen, Inc.

Sherwin-Williams (<100 g/L)

Sika Corporation (<100 g/L)

Top Secret Coatings

■ Epoxy/MCU/MCU

Diamond Vogel Paint Company (>450 g/L)

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy Novolac/Epoxy Novolac

QUESTMARK FLOORING (<100 g/L)

■ Inorganic Zinc/Polyurea (Pure)

Rhino Linings Corporation (<100 g/L)

■ MCU/MCU/MCU

Coronado Paint (251-340 g/L)

Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

BASF Construction Chemicals - Building Systems

Key Resin Company (<100 g/L)

■ Polyester/Polyester/Polyester

Corrocoat Ltd.

Heresite Protective Coatings, Inc. (<100 g/L)

Superior Products International II (251-450 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers

Polycoat Products (<100 g/L)

Rhino Linings Corporation (<100 g/L)

Pulp and Paper Mills

■ Polyurea Pure (1, 2, or 3 coats)

Arcco Performance Polymers
Crown Polymers, LLC
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)

■ Siloxane/Siloxane

Advanced Chemical Technologies (341-450 g/L)
PROSOCO, Inc.
Rainguard International (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

Concrete Solutions (101-250 g/L)
LINE-X Protective Coatings (<100 g/L)
Quantum Group (<100 g/L)
Rainguard International (101-250 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Superior Products International II (251-340 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Corrocoat Ltd.
Micor Company, Inc.

■ Other

Advanced Chemical Technologies (341-450 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Gemite Products Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings (<100 g/L)
PROSOCO, Inc.
SpeedCove Precast Cove Base Systems
Stirling Lloyd Group Plc. (<100 g/L)
W. R. MEADOWS, INC. (<100->450 g/L)

Chemical Exposure - Caustic Steel

■ Alkyd/Acrylic/Acrylic

Diamond Vogel Paint Company (341-450 g/L)
Mascoat Products (<100 g/L)

■ Brick and Tile, Acid-Resistant

Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Henkel Technologies—Corrosion Engineering

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Flexcrete Technologies Ltd. (<100 g/L)

■ Epoxy (1-2 coats)/Fluoropolymer

VersaFlex Incorporated (>450 g/L)

■ Epoxy (1-2 coats)/Urethane

Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Ins-X (101-250 g/L)
Devroe Coatings (AkzoNobel)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Induron Coatings, Inc. (101-250 g/L)
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Ceilcote Products/International Paint (<100 g/L)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Micor Company, Inc.
Protective Floorings and Linings (<100 g/L)
Specialty Polymer Coatings, Inc.
Volatile Free, Inc. (<100 g/L)

■ Epoxy Phenolic (3 coats)

Corchem Corporation (101-250 g/L)
PPG Protective & Marine Coatings (251-340 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Blome International (<100 g/L)
Ceilcote Products/International Paint (<100 g/L)
Duromar, Inc. (<100 g/L)
JAXXON National Maintenance Products
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Tnemec Company, Inc.

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled


Ceilcote Products/International Paint (<100 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Dampney Co., Inc.
Henkel Technologies—Corrosion Engineering
International Paint LLC (<100 g/L)
KCC Corrosion Control Co., Ltd.
PolySpec L.P. / THIOKOL (<100 g/L)
Sherwin-Williams (<100 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)



Protection.

Protective coatings that are durable and attractive are ideal for any industry. From manufacturing facilities and water storage tanks, to wastewater and architectural applications, choose Tnemec.

Everything Else Is Just Paint. | WWW.TNEMEC.COM | 1-800-TNEMEC1

■ Epoxy/Epoxy/Epoxy

Carboline Company
Complementary Coatings/DBA Insl-X (101-250 g/L)
Corro-Shield International, Inc.
Corrosion Control Products Co.
Devoe Coatings (AkzoNobel)
Diamond Vogel Paint Company (251-340 g/L)
Dudick, Inc.
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Industrial Nanotech Inc. (<100 g/L)
International Paint LLC (251-340 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

Micor Company, Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy Novolac/Epoxy Novolac

Dampney Co., Inc.

■ Inorganic Zinc/Epoxy/Epoxy

Carboline Company

■ MCU Zinc Rich/MCU/MCU

Wasser Corporation (251-340 g/L)

■ MCU/MCU/MCU

Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate (2 coats)/Urethane

Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Epoxy Flake Filled/Epoxy Flake Filled

Gulf Coast Paint Mfg., Inc.

■ Organic Zinc/Epoxy Novolac/Epoxy Novolac

Dampney Co., Inc.

■ Organic Zinc/Epoxy/Epoxy

Carboline Company
Diamond Vogel Paint Company (341-450 g/L)

■ Polyester/Polyester/Polyester

Protective Floorings and Linings (<100 g/L)
Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arco Performance Polymers
Rhino Linings Corporation (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)

■ Siloxane/Siloxane

Henkel Technologies—Corrosion Engineering

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Nation Coating Systems, Inc.
Thermion Inc.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

Coatings For Industry, Inc. (251-340 g/L)
LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Superior Products International II (341-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Corrocoat Ltd.
International Paint LLC (<100 g/L)
PolySpec L.P. / THIOKOL (101-250 g/L)
Protective Floorings and Linings (<100 g/L)
Subsea Industries NV
Tnemec Company, Inc.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Gemite Products Inc. (<100 g/L)
Hi-Temp Coatings Technology (341-450 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings (<100 g/L)
Ternarust Technologies
Top Secret Coatings

Chemical Exposure - Caustic Concrete

■ Alkyd/Acrylic/Acrylic

Diamond Vogel Paint Company (341-450 g/L)
Mascoat Products (<100 g/L)
NSP Specialty Products

■ Brick and Tile, Acid-Resistant

Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Henkel Technologies—Corrosion Engineering

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Flexcrete Technologies Ltd. (<100 g/L)

■ Epoxy (1-2 coats)/Fluoropolymer

VersaFlex Incorporated (>450 g/L)

■ Epoxy (1-2 coats)/Urethane

Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Insl-X (101-250 g/L)
Crossfield Products Corp.
Devoe Coatings (AkzoNobel)
Endura Manufacturing Co. Ltd. (101-250 g/L)
National Polymers Inc. (251-340 g/L)
Sika Corporation (101-250 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Crown Polymers, LLC
Duromar, Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Induron Coatings, Inc. (101-250 g/L)
International Coatings Inc. (<100 g/L)
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Specialty Polymer Coatings, Inc.
Superior Epoxies & Coatings (<100 g/L)
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Ceilecote Products/International Paint (<100 g/L)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Coatings For Industry, Inc. (<100 g/L)
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Duromar, Inc. (<100 g/L)
International Coatings Inc. (<100 g/L)
Micor Company, Inc.
National Polymers Inc. (101-250 g/L)
Pacific Polymers International, Inc. (101-250 g/L)
Protective Floorings and Linings (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Epoxy Phenolic (3 coats)

Corchem Corporation (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
PPG Protective & Marine Coatings (251-340 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Carboline Company
Ceilecote Products/International Paint (<100 g/L)
Complementary Coatings/DBA Insl-X (<100 g/L)
Copolymer Protection Systems (<100 g/L)
Dayton Superior
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
JAXXON National Maintenance Products
Key Resin Company (<100 g/L)
National Polymers Inc. (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Tnemec Company, Inc.

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Ceilecote Products/International Paint (<100 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Atlas Minerals & Chemicals, Inc.
BASF Construction Chemicals - Building Systems
Carboline Company
Dampney Co., Inc.
ENECON Corporation (<100 g/L)
Henkel Technologies—Corrosion Engineering
Key Resin Company (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
QUESTMARK FLOORING (<100 g/L)
Sherwin-Williams (<100 g/L)
Sika Corporation (<100 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Carboline Company
Complementary Coatings/DBA Insl-X (101-250 g/L)
Corro-Shield International, Inc.
Corrosion Control Products Co.
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Dayton Superior
Devoe Coatings (AkzoNobel)
Diamond Vogel Paint Company (251-340 g/L)
Dudick, Inc.
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Industrial Nanotech Inc. (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Sika Corporation (<100 g/L)
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU/MCU/MCU

Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Key Resin Company (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Epoxy Flake Filled/Epoxy Flake Filled

Gulf Coast Paint Mfg., Inc.

■ Polyester/Polyester/Polyester

Fox Industries Inc. (101-250 g/L)
Protective Floorings and Linings (<100 g/L)
Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
Rhino Linings Corporation (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)

■ Sheet Lining, Thermoplastic

Henkel Technologies—Corrosion Engineering

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

Coatings For Industry, Inc. (251-340 g/L)
LINE-X Protective Coatings (<100 g/L)
Pacific Polymers International, Inc.
QUESTMARK FLOORING (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Superior Products International II (341-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Corrocoat Ltd.
Micor Company, Inc.
PolySpec L.P. / THIOKOL (101-250 g/L)
Protective Floorings and Linings (<100 g/L)
Tnemec Company, Inc.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
BASF Construction Chemicals - Building Systems
Dayton Superior
Gemite Products Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings (<100 g/L)
SpeedCove Precast Cove Base Systems
Top Secret Coatings
W. R. MEADOWS, INC. (<100 g/L)

Chemical Exposure - Acid Steel

■ Alkyd/Acrylic/Acrylic

Diamond Vogel Paint Company (341-450 g/L)
Mascoat Products (<100 g/L)

■ Brick and Tile, Acid-Resistant

Atlas Minerals & Chemicals, Inc.
Henkel Technologies—Corrosion Engineering

■ Epoxy (1-2 coats)/Fluoropolymer

VersaFlex Incorporated (>450 g/L)

■ Epoxy (1-2 coats)/Urethane

Coatings For Industry, Inc. (251-340 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Gemite Products Inc. (<100 g/L)
Induron Coatings, Inc. (101-250 g/L)
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Coal Tar High Build (1-2 coats)

Gemite Products Inc. (<100 g/L)

■ Epoxy Novolac (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Duromar, Inc. (<100 g/L)
Endura Manufacturing Co. Ltd. (251-340 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Micor Company, Inc.
Protective Floorings and Linings (<100 g/L)
Specialty Polymer Coatings, Inc.
Superior Epoxies & Coatings (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Epoxy Phenolic (3 coats)

PPG Protective & Marine Coatings (251-340 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Duromar, Inc. (<100 g/L)
JAXXON National Maintenance Products
PPG Protective & Marine Coatings (101-250 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Carboline Company
Ceilcote Products/International Paint (<100 g/L)
Corro-Shield International, Inc.
Dampney Co., Inc.
Devoe Coatings (AkzoNobel)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Henkel Technologies—Corrosion Engineering
PolySpec L.P. / THIOKOL (<100 g/L)
Sherwin-Williams (<100 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Carboline Company
Gulf Coast Paint Mfg., Inc. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Corrosion Control Products Co.
Diamond Vogel Paint Company (251-340 g/L)
Dudick, Inc.
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Industrial Nanotech Inc. (<100 g/L)
International Paint LLC (251-340 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

Micor Company, Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy Novolac/Epoxy Novolac

Dampney Co., Inc.

■ MCU Zinc Rich/MCU/MCU

Wasser Corporation (251-340 g/L)

■ MCU/MCU/MCU

Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Epoxy Novolac/Epoxy Novolac

Dampney Co., Inc.

■ Organic Zinc/Epoxy/Epoxy

Carboline Company
Diamond Vogel Paint Company (341-450 g/L)

■ Polyester/Polyester/Polyester

Ceilcote Products/International Paint (341-450 g/L)
PolySpec L.P. / THIOKOL (101-250 g/L)
Protective Floorings and Linings (<100 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
Rhino Linings Corporation (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)

■ Siloxane/Siloxane

Henkel Technologies—Corrosion Engineering

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Nation Coating Systems, Inc.
Thermion Inc.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

Coatings For Industry, Inc. (251-340 g/L)
LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Superior Products International II (251-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Celcote Products/International Paint (101-250 g/L)
Corchem Corporation (101-250 g/L)
Corrocoat Ltd.
Devoe Coatings (AkzoNobel)
International Paint LLC (<100 g/L)
PolySpec L.P. / THIOKOL (101-250 g/L)
Protective Floorings and Linings (<100 g/L)
Subsea Industries NV
Tnemec Company, Inc.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Heresite Protective Coatings, Inc. (251-450 g/L)
Hi-Temp Coatings Technology (341-450 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings (<100 g/L)
Rust-Oleum Corporation (251-340 g/L)
Sub-One Technology
Temarust Technologies
Top Secret Coatings

■ Epoxy (1-2 coats)/Urethane

Coatings For Industry, Inc. (251-340 g/L)
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
National Polymers Inc. (251-340 g/L)
Sika Corporation (101-250 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

Crown Polymers, LLC
Duromar, Inc. (<100 g/L)

Gemite Products Inc. (<100 g/L)
Induron Coatings, Inc. (101-250 g/L)
International Coatings Inc. (<100 g/L)
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)

POLIBRID COATINGS

The World Leader In Solventless Elastomeric Polyurethane Coatings & Linings

POLIBRID® 705

Known By Users Everywhere As

THE MOST RELIABLE

The most mature, field-proven product in its class — in severe service since 1982

THE HIGHEST QUALITY

Premium urethane components contain no solvents, extenders or adulterants

THE TOUGHEST

A thick, flexible membrane that is chemical resistant, wear resistant and impermeable

THE EASIEST TO APPLY

Applied at any thickness in only one coat with the simplest plural-component spray equipment available

THE MOST VERSATILE

Ideal for steel or concrete subjected to severe service in nearly every industry



- Immersion Tank Linings
- Pipe Linings & Coatings
- Marine/Offshore Coatings
- Bonded Geomembranes
- Containment Linings
- Deep Sea Pipe Insulation

WORLDWIDE PROJECT CAPABILITIES & EXPERTISE!

NSF 61 COMPLIANT!



For More Information Contact:

POLIBRID COATINGS, INC.

6700 FM 802, Brownsville, TX 78526, USA • www.polibrid.com

Tel: (956) 831-7818 • Fax: (956) 831-7810 • mktg@polibrid.com

EXPERT SALES & SERVICE IN USA, Canada, Mexico, Brazil, Argentina, Germany, Norway, UK, Israel, UAE, India, Thailand, China, Australia, New Zealand, and more!

NOW MANUFACTURED BY POLIBRID LICENSEES IN GERMANY AND BRAZIL WITH FACILITIES IN NORWAY, THAILAND, AND INDIA COMING SOON!

Chemical Exposure - Acid Concrete

■ Alkyd/Acrylic/Acrylic

Diamond Vogel Paint Company (341-450 g/L)
Mascoat Products (<100 g/L)

■ Brick and Tile, Acid-Resistant

Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Henkel Technologies—Corrosion Engineering

■ Epoxy (1-2 coats)/Fluoropolymer

VersaFlex Incorporated (>450 g/L)

■ Epoxy Novolac (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Coatings For Industry, Inc. (<100 g/L)
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Duromar, Inc. (<100 g/L)
Endura Manufacturing Co. Ltd. (251-340 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
International Coatings Inc. (<100 g/L)
Micor Company, Inc.
National Polymers Inc. (101-250 g/L)
Pacific Polymers International, Inc. (<100 g/L)
Protective Floorings and Linings (<100 g/L)
Sika Corporation (<100 g/L)
Specialty Polymer Coatings, Inc.
Superior Epoxies & Coatings (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Epoxy Phenolic (3 coats)

PPG Protective & Marine Coatings (251-340 g/L)

■ Epoxy/Epoxy 100% Solids

Arcor Epoxy Inc. (<100 g/L)
Carboline Company
Copolymer Protection Systems (<100 g/L)
Dayton Superior
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
JAXXON National Maintenance Products
Key Resin Company (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Reactamine Technology, LLC (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled QUESTMARK FLOORING (<100 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
BASF Construction Chemicals - Building Systems
Blome International (<100 g/L)
Carboline Company (<100 g/L)
Ceilcote Products/International Paint (<100 g/L)
Corro-Shield International, Inc.
Devco Coatings (AkzoNobel)
ENECON Corporation (<100 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Henkel Technologies—Corrosion Engineering
International Coatings Inc. (<100 g/L)
Key Resin Company (<100 g/L)
National Polymers Inc. (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
QUESTMARK FLOORING (<100 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sherwin-Williams (<100 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Carboline Company
Gulf Coast Paint Mfg., Inc. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Corrosion Control Products Co.
Crossfield Products Corp.
Dayton Superior
Diamond Vogel Paint Company (251-340 g/L)
Dudick, Inc.
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Industrial Nanotech Inc. (<100 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Sika Corporation (<100 g/L)
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

Micor Company, Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU/MCU/MCU

Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Key Resin Company (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)

■ Polyester/Polyester/Polyester

Ceilcote Products/International Paint (341-450 g/L)
PolySpec L.P. / THIOKOL (101-250 g/L)
Protective Floorings and Linings (<100 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arncor Performance Polymers
Rhino Linings Corporation (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arncor Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)

■ Sheet Lining, Thermoplastic

Henkel Technologies—Corrosion Engineering

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

Coatings For Industry, Inc. (251-340 g/L)
LINE-X Protective Coatings (<100 g/L)
QUESTMARK FLOORING (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Roadware Incorporated
Specialty Products, Inc. (SPI) (<100 g/L)
Superior Products International II (341-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Ceilcote Products/International Paint (101-250 g/L)
Corchem Corporation (101-250 g/L)
Corrocoat Ltd.
Devco Coatings (AkzoNobel)
PolySpec L.P. / THIOKOL (101-250 g/L)
Protective Floorings and Linings (<100 g/L)
Tnemec Company, Inc.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
BASF Construction Chemicals - Building Systems
Dayton Superior
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings (<100 g/L)
SpeedCove Precast Cove Base Systems
Termarust Technologies
Top Secret Coatings

Secondary Containment Concrete

■ Alkyd/Acrylic/Acrylic

Mascoat Products (<100 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Flexcrete Technologies Ltd. (<100 g/L)

■ Epoxy (1-2 coats)/Urethane

Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Kemper System Inc. (<100 g/L)
National Polymers Inc. (251-340 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Crown Polymers, LLC
Dependable Floor Products Inc. (<100 g/L)
Duromar, Inc. (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
Rust-Oleum Corporation (<100 g/L)
Sherwin-Williams (<100 g/L)

■ Epoxy Novolac (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Crossfield Products Corp.
Duromar, Inc. (<100 g/L)
Endura Manufacturing Co. Ltd. (251-340 g/L)
Fox Industries Inc. (<100 g/L)
International Coatings Inc. (<100 g/L)
Micor Company, Inc.
National Polymers Inc. (101-250 g/L)
Pacific Polymers International, Inc. (<100 g/L)
Rust-Oleum Corporation (<100 g/L)
Superior Epoxies & Coatings (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Epoxy Phenolic (3 coats)

Gulf Coast Paint Mfg., Inc. (101-250 g/L)

■ Epoxy/Epoxy 100% Solids

Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Complementary Coatings/DBA Insl-X (<100 g/L)
Copolymer Protection Systems (<100 g/L)
ENECON Corporation (<100 g/L)
JAXXON National Maintenance Products
National Polymers Inc. (<100 g/L)
Pacific Polymers International, Inc. (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rodda Paint Corporation (<100 g/L)
Tnemec Company, Inc.
Volatile Free, Inc. (<100 g/L)

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Atlas Minerals & Chemicals, Inc.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Carboline Company (<100 g/L)
Ceilcote Products/International Paint (<100 g/L)
Corchem Corporation (<100 g/L)
Crown Polymers, LLC (<100 g/L)
ENECON Corporation (<100 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Henkel Technologies—Corrosion Engineering
International Coatings Inc. (<100 g/L)
International Paint LLC (<100 g/L)
Key Resin Company (<100 g/L)
Protective Floorings and Linings (<100 g/L)
Sherwin-Williams (<100 g/L)
Sika Corporation (<100 g/L)
Tnemec Company, Inc.

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Complementary Coatings/DBA Insl-X (101-250 g/L)
Corrosion Control Products Co.
Crossfield Products Corp.
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
International Paint LLC (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Sherwin-Williams (<100 g/L)
Sika Corporation (<100 g/L)
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

Atlas Minerals & Chemicals, Inc.
Micor Company, Inc.
Sika Corporation (101-250 g/L)

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Wasser Corporation (251-340 g/L)

■ MCU/MCU/MCU

Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Key Resin Company (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Epoxy Novolac/Epoxy Novolac

QUESTMARK FLOORING (<100 g/L)

■ Polyester/Polyester/Polyester

Ceilcote Products/International Paint (341-450 g/L)
Protective Floorings and Linings (<100 g/L)
Superior Products International II (341-450 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arncor Performance Polymers
Rhino Linings Corporation (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arncor Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)

■ Sheet Lining, Thermoplastic

Henkel Technologies—Corrosion Engineering

■ Siloxane/Siloxane

Rainguard International (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
QUESTMARK FLOORING (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Roadware Incorporated
Specialty Products, Inc. (SPI) (<100 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Blome International (<100 g/L)
Carboline Company
Ceilcote Products/International Paint (101-250 g/L)
Corchem Corporation (101-250 g/L)
Fox Industries Inc. (101-250 g/L)
Henkel Technologies—Corrosion Engineering
International Paint LLC (101-250 g/L)
Key Resin Company (<100 g/L)
Protective Floorings and Linings (<100 g/L)
Tnemec Company, Inc.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Gemite Products Inc. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings (<100 g/L)
SpeedCove Precast Cove Base Systems
Stirling Lloyd Group Plc. (<100 g/L)
Ternarust Technologies (<100 g/L)
Top Secret Coatings

Tough Application?
Epoxy Coatings Cements Fireproofers
Deck Coatings Grouts Waterproofers
The CARROUSEL PUMP & U-Blend Mixer
.....will do them all!



**Simple
Versatile
Low/No
...Maintenance
Variable Speed
Sealed Bearings
Rugged
... Construction
Fast Cleanup
Maneuverable
Dependable
Long Service**

Quikspray® Inc.

Box 327 Port Clinton, Oh 43452
419-732-2611 WWW.Quikspray.com

Click our Reader e-Card at paintsquare.com/ric



Coating System Guide for Railcars

Sponsored by

POLYCORP

Systems are alphabetized by first coat.

Exterior Weathering UV, General Industrial Steel Locomotives

■ Alkyd/Acrylic/Acrylic

Cortec Corporation
Mascoat Products (<100 g/L)

■ Alkyd/Alkyd/Alkyd

Carboline Company (341-450 g/L)

■ Alkyd/Alkyd/Silicone Alkyd

Complementary Coatings/DBA Insl-X (251-340 g/L)
Top Secret Coatings

■ Alkyd/Alkyd/Uralkyd

Sherwin-Williams (251-340 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Complementary Coatings/DBA Insl-X (101-250 g/L)
Industrial Nanotech Inc. (<100 g/L)

■ Epoxy (1-2 coats)/Urethane

Carboline Company (251-340 g/L)
Complementary Coatings/DBA Insl-X (101-250 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
Madison Chemical Industries (251-340 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sherwin-Williams (251-340 g/L)
Top Secret Coatings
Watson Coatings, Inc.

■ Epoxy 100% Solids (1-2 coats)

Carboline Company (<100 g/L)

■ Epoxy/Epoxy/Epoxy

Corrosion Control Products Co.
Top Secret Coatings

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Zinc Rich/Epoxy/Urethane

Madison Chemical Industries (251-340 g/L)

■ MCU Zinc Rich/MCU/MCU

Wasser Corporation (251-340 g/L)

■ MCU Zinc Rich/Urethane/Urethane

Madison Chemical Industries (251-340 g/L)

■ MCU/MCU/MCU

Wasser Corporation (<100 g/L)

■ Organic Zinc/Polyurea Hybrid

Wasser Corporation (101-250 g/L)

■ Polyester/Polyester/Polyester

Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arncos Performance Polymers
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arncos Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.
TMS Metalizing Systems, Ltd.

■ Urethane Elastomeric (1 coat)

BASF Construction Chemicals - Building Systems
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Urethane/Urethane

BASF Construction Chemicals - Building Systems
Cortec Corporation
LINE-X Protective Coatings (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Superior Products International II (341-450 g/L)

■ Zinc-Rich, Inorganic

ZRC Worldwide (<100 g/L)

■ Zinc-Rich, Organic

ZRC Worldwide (341-450 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
BioCoatings (<100 g/L)
Hi-Temp Coatings Technology (341-450 g/L)
Industrial Nanotech Inc. (<100 g/L)
KiON Specialty Polymers - Clariant (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
Termarust Technologies

Exterior Weathering UV, General Industrial Steel Rail Cars

■ Alkyd/Acrylic/Acrylic

Cortec Corporation
Mascoat Products (<100 g/L)

■ Alkyd/Alkyd/Alkyd

Carboline Company (341-450 g/L)
Watson Coatings, Inc.

■ Alkyd/Alkyd/Silicone Alkyd

Complementary Coatings/DBA Insl-X (251-340 g/L)
Top Secret Coatings

■ Alkyd/Alkyd/Uralkyd

Sherwin-Williams (251-340 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Complementary Coatings/DBA Insl-X (101-250 g/L)

■ Epoxy (1-2 coats)/Urethane

Carboline Company (251-340 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
Madison Chemical Industries (251-340 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sherwin-Williams (<100 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

Carboline Company (<100 g/L)
ENECON Corporation (<100 g/L)

■ Epoxy/Epoxy/Epoxy

Complementary Coatings/DBA Insl-X (101-250 g/L)
Corrosion Control Products Co.
Top Secret Coatings

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Zinc Rich/Epoxy/Urethane

Madison Chemical Industries (251-340 g/L)

■ MCU Zinc Rich/MCU/MCU

Wasser Corporation (<100 g/L)

■ MCU Zinc Rich/Urethane/Urethane

Madison Chemical Industries (251-340 g/L)

■ MCU/MCU/MCU

Wasser Corporation (<100 g/L)

■ Organic Zinc/Polyurea Hybrid

Wasser Corporation (101-250 g/L)

■ Polyester/Polyester/Polyester

Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

BASF Construction Chemicals - Building Systems
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Urethane/Urethane

BASF Construction Chemicals - Building Systems
LINE-X Protective Coatings (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Superior Products International II (341-450 g/L)

■ Wax

Daubert Chemical, Co. (341-450 g/L)

■ Zinc-Rich, Inorganic

ZRC Worldwide (<100 g/L)

■ Zinc-Rich, Organic

ZRC Worldwide (341-450 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
BioCoatings (<100 g/L)
ENECON Corporation (<100 g/L)
Industrial Nanotech Inc. (<100 g/L)
KION Specialty Polymers - Clariant (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
Rainguard International (<100 g/L)
Termarust Technologies

Linings for Steel Rail Car Interiors Acids

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Epoxy (1-2 coats)/Fluoropolymer

VersaFlex Incorporated (>450 g/L)

■ Epoxy (1-2 coats)/Urethane

Endura Manufacturing Co. Ltd. (101-250 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Madison Chemical Industries (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Duromar, Inc. (<100 g/L)
Endura Manufacturing Co. Ltd. (251-340 g/L)
ENECON Corporation (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)

■ Epoxy Phenolic (3 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)



Carboline Company (>450 g/L)
PPG Protective & Marine Coatings (101-250 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Arcor Epoxy Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)

■ Epoxy/Epoxy/Epoxy

Corrosion Control Products Co.
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Organic Zinc/Polyurea (Pure)

Wasser Corporation (<100 g/L)

■ Polyester/Polyester/Polyester

Celcote Products/International Paint (341-450 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Madison Chemical Industries (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)

■ Sheet Lining, Rubber

Polycorp Ltd.

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.

■ Urethane Elastomeric (1 coat)

LINE-X Protective Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Celcote Products/International Paint (101-250 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings

Linings for Steel Rail Car Interiors Alkalis

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Epoxy (1-2 coats)/Fluoropolymer

VersaFlex Incorporated (>450 g/L)

■ Epoxy (1-2 coats)/Urethane

Endura Manufacturing Co. Ltd. (101-250 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Madison Chemical Industries (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)

■ Epoxy Phenolic (3 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
PPG Protective & Marine Coatings (251-340 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Arcor Epoxy Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Heresite Protective Coatings, Inc. (341-450 g/L)

■ **Epoxy/Epoxy/Epoxy**
Carboline Company (251-340 g/L)



Celcote Products/International Paint (<100 g/L)
Corrosion Control Products Co.
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ **Heat-Shrinkable Sleeves**
Corrosion Control Products Co.

■ **Organic Zinc/Polyurea (Pure)**
Wasser Corporation (<100 g/L)

■ **Polyurea Hybrid (1, 2, or 3 coats)**
Madison Chemical Industries (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ **Polyurea Pure (1, 2, or 3 coats)**
LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)

■ **Sheet Lining, Rubber**
Polycorp Ltd.

■ **Tape Wraps**
Corrosion Control Products Co.

■ **Thermal Spray**
Thermion Inc.

■ **Urethane Elastomeric (1 coat)**
LINE-X Protective Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)

■ **Urethane/Urethane**
LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ **Other**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
Termarust Technologies

X SOLVES COMPLEX PROBLEMS WITH EQUALLY COMPLEX CHEMISTRY.

LINE-X specializes in the development of high-performance protective coatings that are lab-tested and real world approved.

We're proud to be the nation's leading developer and provider of spray-on protective coatings. Our products are utilized in military, commercial, industrial, agricultural and custom applications. High quality materials and superior scientific know-how go into each long-lasting coating, no matter what needs protecting. Some call it overdone. We call it quality control. To put our technology to work, call 800-831-3232 or visit Line-XICD.com.



BE OVERPROTECTIVE.™



©2009 LINE-X Franchise Development Company

Click our Reader e-Card at paintsquare.com/r/c

Linings for Steel Rail Car Interiors Bulk Solids

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Epoxy (1-2 coats)/Urethane

Endura Manufacturing Co. Ltd. (101-250 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

Carboline Company (<100 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
KCC Corrosion Control Co., Ltd.
Madison Chemical Industries (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy Phenolic (3 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Arcor Epoxy Inc. (<100 g/L)

■ Epoxy/Epoxy/Epoxy

Carboline Company (251-340 g/L)
Corrosion Control Products Co.
PPG Protective & Marine Coatings (101-250 g/L)
Top Secret Coatings

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Zinc Rich/MCU/MCU

Wasser Corporation (<100 g/L)

■ MCU/MCU/MCU

Wasser Corporation (<100 g/L)

■ Organic Zinc/Polyurea (Pure)

Wasser Corporation (<100 g/L)

■ Polyester/Polyester/Polyester

Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arco Performance Polymers
Fabick Protective Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polycoat Products (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
Polycoat Products (101-250 g/L)
Rhino Linings Corporation (<100 g/L)
Superior Products International II (251-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

KCC Corrosion Control Co., Ltd.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
Industrial Nanotech Inc. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
Termarust Technologies

Linings for Steel Rail Car Interiors Dairy

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Epoxy (1-2 coats)/Urethane

Chemline
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

Carboline Company (<100 g/L)
Madison Chemical Industries (<100 g/L)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
ENECON Corporation (<100 g/L)

■ Epoxy Phenolic (3 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Carboline Company (251-340 g/L)
Corrosion Control Products Co.
PPG Protective & Marine Coatings (101-250 g/L)
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Organic Zinc/Polyurea (Pure)

Wasser Corporation (<100 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Madison Chemical Industries (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
Industrial Nanotech Inc. (101-250 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings

Linings for Steel Rail Car Interiors Hydrocarbons

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Epoxy (1-2 coats)/Fluoropolymer

VersaFlex Incorporated (>450 g/L)

■ Epoxy (1-2 coats)/Urethane

Endura Manufacturing Co. Ltd. (101-250 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Madison Chemical Industries (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)

■ Epoxy Phenolic (3 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Carboline Company (251-340 g/L)
PPG Protective & Marine Coatings (251-340 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Arcor Epoxy Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)

■ Epoxy/Epoxy/Epoxy

Corrosion Control Products Co.
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Organic Zinc/Polyurea (Pure)

Wasser Corporation (<100 g/L)

■ Polyester/Polyester/Polyester

Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Madison Chemical Industries (<100 g/L)

Rhino Linings Corporation (<100 g/L)

Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

LINE-X Protective Coatings (<100 g/L)

Rhino Linings Corporation (<100 g/L)

Specialty Products, Inc. (SPI) (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.

■ Urethane Elastomeric (1 coat)

LINE-X Protective Coatings (<100 g/L)

Polibrid Coatings, Inc. (<100 g/L)

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)

Rhino Linings Corporation (<100 g/L)

Superior Products International II (341-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

KCC Corrosion Control Co., Ltd. (<100 g/L)

■ Zinc-Rich, Inorganic

Carboline Company (101-250 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)

Heresite Protective Coatings, Inc. (341-450 g/L)

Liquid Rubber Industries Inc. (<100 g/L)

PPC Coatings

Termarust Technologies

Linings for Steel Rail Car Interiors Livestock Carriers

■ Alkyd/Acrylic/Acrylic

Carboline Company (341-450 g/L)

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Epoxy (1-2 coats)/Urethane

Crown Polymers, LLC (<100 g/L)

Endura Manufacturing Co. Ltd. (101-250 g/L)

Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

Carboline Company (<100 g/L)

ENECON Corporation (<100 g/L)

■ Epoxy Novolac (1-2 coats)

Crown Polymers, LLC (<100 g/L)

■ Epoxy/Epoxy/Epoxy

Corrosion Control Products Co.

PPG Protective & Marine Coatings (101-250 g/L)

Superior Products International II (341-450 g/L)

Top Secret Coatings

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Zinc Rich/MCU/MCU

Wasser Corporation (<100 g/L)

■ MCU/MCU/MCU

Wasser Corporation (<100 g/L)

■ Organic Zinc/Polyurea (Pure)

Wasser Corporation (<100 g/L)

■ Polyester/Polyester/Polyester

Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arncor Performance Polymers

Madison Chemical Industries (<100 g/L)

Rhino Linings Corporation (<100 g/L)

Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arncor Performance Polymers

Crown Polymers, LLC

Fox Industries Inc. (<100 g/L)

LINE-X Protective Coatings (<100 g/L)

Polycoat Products (<100 g/L)

Quantum Group (<100 g/L)

Rhino Linings Corporation (<100 g/L)

Specialty Products, Inc. (SPI) (<100 g/L)

VersaFlex Incorporated (<100 g/L)

Volatile Free, Inc. (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.

Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)

LINE-X Protective Coatings (<100 g/L)

Madison Chemical Industries (<100 g/L)

Polibrid Coatings, Inc. (<100 g/L)

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)

Quantum Group (<100 g/L)

Rhino Linings Corporation (<100 g/L)

Superior Products International II (341-450 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)

Industrial Nanotech Inc. (<100 g/L)

Liquid Rubber Industries Inc. (<100 g/L)

PPC Coatings

Termarust Technologies

SAND BLAST WITHOUT SAND



The POWER of the AURAND "Tough Guy" allows you to reduce the mess, set-up and clean-up time associated with abrasive blasting. Patented design allows exact depth adjustment for increased cutler life and precision removal. Where dust is a problem, vacuum attachments are available on selected models.

The "Tough Guy" is available at many tool rental outlets. "TEST DRIVE" the different AURAND tools to find the one that is right for your job!

FOR THE NAME OF A RENTAL
OUTLET NEAR YOU
CALL TOLL FREE: 800-860-2872
Since 1937

AURAND

1210 Ellis Street
Cincinnati, Ohio 45223-1843
TEL: 1 (513) 541-7200
FAX: 1 (513) 541-3066
Website: www.aurand.net



Coating System Guide for Wastewater Plants, Municipal

Systems are alphabetized by first coat.

Exterior Weathering, UV, and Mild Chemical Steel

■ Alkyd/Acrylic/Acrylic

Coronado Paint (251-340 g/L)
Cortec Corporation
Diamond Vogel Paint Company (251-340 g/L)
Mascoat Products (<100 g/L)
QUESTMARK FLOORING
Rodda Paint Corporation (341-450 g/L)
Watson Coatings, Inc.

■ Alkyd/Alkyd/Alkyd

Complementary Coatings/DBA Insl-X (251-340 g/L)
Watson Coatings, Inc.

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Alkyd/Alkyd/Uralkyd

Sherwin-Williams (251-340 g/L)

■ Calcium Sulphonate

Termarust Technologies (<100 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Chemline
Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Insl-X (101-250 g/L)
Flexcrete Technologies Ltd. (<100 g/L)
Rodda Paint Corporation (101-250 g/L)

■ Epoxy (1-2 coats)/Fluoropolymer

Sherwin-Williams (251-340 g/L)

■ Epoxy (1-2 coats)/Fluorourethane

Dampney Co., Inc.
Induron Coatings, Inc. (101-250 g/L)

■ Epoxy (1-2 coats)/Urethane

A.W. Chesterton/ARC Composites (251-340 g/L)
Ceilcote Products/International Paint (<100-340 g/L)
Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Insl-X (101-250 g/L)
Devco Coatings (AkzoNobel) (101-250 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Epoxytec (<100 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
Induron Coatings, Inc. (251-340 g/L)
International Paint LLC (251-340 g/L)
ITW Futura Coatings (<100 g/L)
Madison Chemical Industries (101-250 g/L)
Micor Company, Inc. (341-450 g/L)
Polycoat Products (101-250 g/L)
PPG Protective & Marine Coatings (101-250 g/L)



Rust-Oleum Corporation (101-250 g/L)
Sherwin-Williams (<100 g/L)
Specialty Polymer Coatings, Inc.
Tnemec Company, Inc.
Top Secret Coatings
Watson Coatings, Inc.
Wolverine Coatings Corporation

■ Epoxy 100% Solids (1-2 coats)

Blome International (<100 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Enviroline/International Paint Prot Ctgs (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Protective Floorings and Linings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.

■ Epoxy Novolac (1-2 coats)

Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Enviroline/International Paint Prot Ctgs (101-250 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy 100% Solids

Atlas Minerals & Chemicals, Inc.
Duromar, Inc. (<100 g/L)
JAXXON National Maintenance Products
RLS Solutions/Raven Engineered Systems (<100 g/L)
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Atlas Minerals & Chemicals, Inc.
Henkel Technologies—Corrosion Engineering
PolySpec L.P. / THIOKOL (<100 g/L)
Sauereisen, Inc.



■ Epoxy/Epoxy/Epoxy

Atlas Minerals & Chemicals, Inc.
Corro-Shield International, Inc.
Corrosion Control Products Co.
Dudick, Inc.
Fox Industries Inc. (101-250 g/L)
Henkel Technologies—Corrosion Engineering
PolySpec L.P. / THIOKOL (<100 g/L)
Top Secret Coatings

■ Epoxy/Epoxy/Siloxane

International Paint LLC (101-250 g/L)

■ Epoxy/Vinyl Ester/Vinyl Ester

Sauereisen, Inc.



■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Acrylic/Acrylic

Epmar Corporation

■ Inorganic Zinc/Epoxy/Urethane

Avilion Inc.

Carboline Company (341-450 g/L)

Dampney Co., Inc.

Devoe Coatings (AkzoNobel) (251-340 g/L)

Gulf Coast Paint Mfg., Inc.

Tnemec Company, Inc.

■ MCU Zinc Rich/Epoxy/Urethane

Induron Coatings, Inc. (251-340 g/L)

Tnemec Company, Inc.

■ MCU Zinc Rich/MCU/MCU

Wasser Corporation (251-340 g/L)

■ MCU/MCU/MCU

Cortec Corporation

Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Acrylic/Acrylic

Diamond Vogel Paint Company (341-450 g/L)

Madison Chemical Industries (101-250 g/L)

■ Organic Zinc/Epoxy/Acrylic

Chemline

■ Organic Zinc/Epoxy/Siloxane

Avilion Inc.

■ Organic Zinc/Epoxy/Urethane

Avilion Inc.

Carboline Company (341-450 g/L)

Corchem Corporation (101-250 g/L)

■ Organic Zinc/Siloxane

Carboline Company (251-340 g/L)

■ Organic Zinc/Urethane/Urethane

Madison Chemical Industries (101-250 g/L)

■ Polyester/Polyester/Polyester

Superior Products International II, Inc. (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arncos Performance Polymers

Corolon Coatings & Corrosion Control

ITW Futura Coatings (<100 g/L)

Rhino Linings Corporation (<100 g/L)

Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arncos Performance Polymers

LINE-X Protective Coatings (<100 g/L)

Polycoat Products (<100 g/L)



Quantum Group (<100 g/L)

QUESTMARK FLOORING

Reactamine Technology, LLC (<100 g/L)

Rhino Linings Corporation (<100 g/L)

Specialty Products, Inc. (SPI) (<100 g/L)

VersaFlex Incorporated (<100 g/L)

Volatile Free, Inc. (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

Denso North America

The Tapecoat Co.

■ Thermal Spray

Thermion Inc.

TMS Metalizing Systems, Ltd.

Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Chemline

Global EcoTechnologies (<100 g/L)

LINE-X Protective Coatings (<100 g/L)

Polibrid Coatings, Inc. (<100 g/L)

■ Urethane/Urethane

Coatings For Industry, Inc. (251-340 g/L)

Cortec Corporation

Devoe Coatings (AkzoNobel)

ITW Futura Coatings (<100 g/L)

KCC Corrosion Control Co., Ltd. (<100 g/L)

LINE-X Protective Coatings (<100 g/L)

Polycoat Products (<100 g/L)

Rhino Linings Corporation (<100 g/L)

Specialty Polymer Coatings, Inc.

Superior Products International II, Inc. (251-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Blome International (<100 g/L)

Henkel Technologies—Corrosion Engineering

■ Wax

The Tapecoat Co.

■ Zinc-Rich, Inorganic

ZRC Worldwide (<100 g/L)

■ Zinc-Rich, Organic

ZRC Worldwide (341-450 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)

Albi Mfg. A Division of StanChem Inc. (101-250 g/L)

BioCoatings (<100 g/L)

Corolon Coatings & Corrosion Control

Corroscel (<100 g/L)

ENECON Corporation (<100 g/L)

Epoxytec (<100 g/L)

Gemite Products Inc. (<100 g/L)

Heresite Protective Coatings, Inc. (251-340 g/L)

Hi-Temp Coatings Technology (101-450 g/L)

Industrial Nanotech Inc. (<100 g/L)

Insulating Coatings Corporation

Liquid Rubber Industries Inc. (<100 g/L)

PPC Coatings (<100 g/L)

Rust-Oleum Corporation (<100 g/L)

Stirling Lloyd Group Plc. (<100 g/L)

The Tapecoat Co.

Exterior Weathering, UV,
and Mild Chemical
Concrete

■ Alkyd/Acrylic/Acrylic

BASF Construction Chemicals - Building Systems

Coronado Paint (251-340 g/L)

Diamond Vogel Paint Company (251-450 g/L)

Mascoat Products (<100 g/L)

Sika Corporation (<100 g/L)

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Coatings For Industry, Inc. (251-340 g/L)

Complementary Coatings/DBA Insl-X (101-250 g/L)

Epmar Corporation

Flexcrete Technologies Ltd. (<100 g/L)

PPG Protective & Marine Coatings (101-250 g/L)

Rodda Paint Corporation (101-250 g/L)

Tnemec Company, Inc.

■ Epoxy (1-2 coats)/Fluoropolymer

Enviroline/International Paint Prot Ctg (<100 g/L)

Sherwin-Williams (251-340 g/L)

■ Epoxy (1-2 coats)/Fluorourethane

Induron Coatings, Inc. (101-250 g/L)

■ Epoxy (1-2 coats)/Urethane

Carboline Company (341-450 g/L)



THE PROTECTIVE COATINGS PROFESSIONALS™



1-888-CARBOLINE

Celcote Products/International Paint (<100-340 g/L)

Chemline

Coatings For Industry, Inc. (251-340 g/L)

Complementary Coatings/DBA Insl-X (101-250 g/L)

Corchem Corporation (101-250 g/L)

Crossfield Products Corp.

Crown Polymers, LLC (<100 g/L)

Dampney Co., Inc.

Dayton Superior

Devoe Coatings (AkzoNobel) (101-250 g/L)

Endura Manufacturing Co. Ltd. (101-250 g/L)

Epoxytec (<100 g/L)

Gulf Coast Paint Mfg., Inc. (101-250 g/L)

Heresite Protective Coatings, Inc. (341-450 g/L)

Induron Coatings, Inc. (251-340 g/L)

International Coatings Inc. (<100 g/L)

International Paint LLC (251-340 g/L)

ITW Futura Coatings (<100 g/L)

Kemper System Inc. (<100 g/L)

Key Resin Company (<100 g/L)

Madison Chemical Industries (101-250 g/L)

Micor Company, Inc. (341-450 g/L)

National Polymers Inc. (<100-450 g/L)

Polycoat Products (101-250 g/L)

PPG Protective & Marine Coatings (101-250 g/L)

Rust-Oleum Corporation (101-250 g/L)

Sika Corporation (101-250 g/L)

Specialty Polymer Coatings, Inc.

Top Secret Coatings

Wolverine Coatings Corporation

■ Epoxy 100% Solids (1-2 coats)

Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Concrete Solutions (<100 g/L)
Copolymer Protection Systems (<100 g/L)
Crown Polymers, LLC



Duomar, Inc. (<100 g/L)
Envirolite/International Paint Prot Ctg's (<100 g/L)
Fox Industries Inc. (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.

■ Epoxy Flake Filled/Epoxy Flake Filled

■ Epoxy Novolac (1-2 coats)

Blome International (<100 g/L)
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Envirolite/International Paint Prot Ctg's (101-250 g/L)
Sauereisen, Inc.

■ Epoxy/Epoxy 100% Solids

Atlas Minerals & Chemicals, Inc.
Duomar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
JAXXON National Maintenance Products
KCC Corrosion Control Co., Ltd. (<100 g/L)
Protective Floorings and Linings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Thin Film Technology, Inc. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.
■ Epoxy/Epoxy Novolac/Epoxy Novolac
Atlas Minerals & Chemicals, Inc.
Dudick, Inc.
Henkel Technologies—Corrosion Engineering
PolySpec L.P. / THIOKOL (<100 g/L)
Sauereisen, Inc.

■ Epoxy/Epoxy/Epoxy

Atlas Minerals & Chemicals, Inc.
Avilion Inc.
Carbolite Company (341-450 g/L)
Corro-Shield International, Inc.
Corrosion Control Products Co.
Crossfield Products Corp.
Fox Industries Inc. (101-250 g/L)
Henkel Technologies—Corrosion Engineering
PolySpec L.P. / THIOKOL (<100 g/L)
Sika Corporation (<100 g/L)
Top Secret Coatings

■ Epoxy/Epoxy/Siloxane

Avilion Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Zinc Rich/Urethane/Urethane

Chemline

■ MCU/MCU/MCU

Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Key Resin Company (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)

■ Polyester/Polyester/Polyester

Superior Products International II, Inc. (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arcco Performance Polymers
Corolon Coatings & Corrosion Control
Dampney Co., Inc.
ITW Futura Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arcco Performance Polymers
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Siloxane/Siloxane

Andek Corporation (<100 g/L)
BASF Construction Chemicals - Building Systems
PROSOCO, Inc.
Rainguard International (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)

■ Urethane/Urethane

Coatings For Industry, Inc. (251-340 g/L)
Concrete Solutions (101-250 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Protective Floorings and Linings (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Polymer Coatings, Inc.
Specialty Products, Inc. (SPI) (<100 g/L)
Superior Products International II, Inc. (251-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Blome International (<100 g/L)
Henkel Technologies—Corrosion Engineering

■ Wax

The Tapecoat Co.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Corolon Coatings & Corrosion Control
ENECON Corporation (<100 g/L)
Epoxytec (<100 g/L)
Gemite Products Inc. (<100 g/L)
GSE Lining Technology, Inc.
Heresite Protective Coatings, Inc. (251-340 g/L)
Industrial Nanotech Inc. (<100 g/L)
Insulating Coatings Corporation
Liquid Rubber Industries Inc. (<100 g/L)
Nox-Crete Products Group (101-250 g/L)
PPC Coatings (<100 g/L)
Rust-Oleum Corporation (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)
Termarust Technologies (<100 g/L)
Tnemec Company, Inc.
W. R. MEADOWS, INC. (<100->450 g/L)

Interior Exposure Environment Steel

■ Alkyd/Acrylic/Acrylic

Cortec Corporation
Diamond Vogel Paint Company (251-340 g/L)
Watson Coatings, Inc.

■ Alkyd/Alkyd/Alkyd

Complementary Coatings/DBA Insl-X (251-340 g/L)
Gulf Coast Paint Mfg., Inc.
Induron Coatings, Inc. (341-450 g/L)
PPG Protective & Marine Coatings (341-450 g/L)
Sherwin-Williams (251-340 g/L)
Watson Coatings, Inc.

■ Alkyd/Alkyd/Silicone Alkyd

Gulf Coast Paint Mfg., Inc.
Top Secret Coatings

■ Alkyd/Alkyd/Uralkyd

Sherwin-Williams (251-340 g/L)

■ Calcium Sulphonate

Termarust Technologies (101-250 g/L)

■ Coal Tar/Asphalt

Lone Star Specialties, LLC

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

A.W. Chesterton/ARC Composites (251-340 g/L)
Chemline
Complementary Coatings/DBA Insl-X (101-250 g/L)
Cortec Corporation
Epmar Corporation
PPG Protective & Marine Coatings (101-250 g/L)

■ Epoxy (1-2 coats)/Urethane

Avilion Inc.
Coatings For Industry, Inc. (251-340 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Epoxytec (<100 g/L)
ITW Futura Coatings (<100 g/L)
Madison Chemical Industries (101-250 g/L)
National Polymers Inc. (251-340 g/L)
Rust-Oleum Corporation (<100 g/L)
Top Secret Coatings
Watson Coatings, Inc.



■ Epoxy 100% Solids (1-2 coats)

A&E Systems LLC (<100 g/L)
A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Corchem Corporation (<100 g/L)
Duomar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Enviroline/International Paint Prot Ctg (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
Protective Floorings and Linings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Ceilmate Products/International Paint (<100 g/L)
Enviroline/International Paint Prot Ctg (<100 g/L)
International Paint LLC (<100 g/L)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Enviroline/International Paint Prot Ctg (101-250 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Micor Company, Inc.
National Polymers Inc. (101-250 g/L)
Sauereisen, Inc.
Specialty Polymer Coatings, Inc.
Volatile Free, Inc. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

Heresite Protective Coatings, Inc. (251-340 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Duomar, Inc. (<100 g/L)
JAXXON National Maintenance Products
KCC Corrosion Control Co., Ltd. (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Ceilmate Products/International Paint (101-250 g/L)
Dudick, Inc.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Atlas Minerals & Chemicals, Inc.
Dampney Co., Inc.
Henkel Technologies—Corrosion Engineering
National Polymers Inc. (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Atlas Minerals & Chemicals, Inc.
Carboline Company (101-250 g/L)
Complementary Coatings/DBA Insl-X (101-250 g/L)
Corchem Corporation (101-250 g/L)
Coronado Paint (251-340 g/L)
Corrosion Control Products Co.
Devco Coatings (AkzoNobel)
Dudick, Inc.
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Henkel Technologies—Corrosion Engineering
Induron Coatings, Inc. (251-340 g/L)
International Paint LLC (251-340 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
Rodda Paint Corporation (101-250 g/L)
Sherwin-Williams (<100 g/L)
Superior Products International II, Inc. (341-450 g/L)
Tnemec Company, Inc.
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

Sauereisen, Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy Novolac/Epoxy Novolac

Dampney Co., Inc.

■ Inorganic Zinc/Epoxy/Epoxy

Carboline Company (101-250 g/L)
Tnemec Company, Inc.

■ MCU Zinc Rich/Epoxy/Urethane

Induron Coatings, Inc. (251-340 g/L)

■ MCU Zinc Rich/MCU/MCU

Wasser Corporation (251-340 g/L)

■ MCU/MCU/MCU

Coronado Paint (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ Organic Zinc/Acrylic/Acrylic

Diamond Vogel Paint Company (341-450 g/L)

■ Organic Zinc/Epoxy Novolac/Epoxy Novolac

Dampney Co., Inc.

■ Organic Zinc/Epoxy/Acrylic

Chemline

■ Organic Zinc/Epoxy/Epoxy

Carboline Company (101-250 g/L)
Devco Coatings (AkzoNobel) (251-340 g/L)
Tnemec Company, Inc.

■ Organic Zinc/Urethane/Urethane

Madison Chemical Industries (101-250 g/L)

■ Phenolic/Fusion-Bonded Epoxy

Arcco Performance Polymers

■ Polyester/Polyester/Polyester

Corrocoat Ltd.
Heresite Protective Coatings, Inc. (<100 g/L)
Superior Products International II, Inc. (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

ITW Futura Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Rhino Linings Corporation (<100 g/L)
SpectraShield Liner Systems

■ Polyurea Pure (1, 2, or 3 coats)

Arcco Performance Polymers
Fabick Protective Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Siloxane/Siloxane

Henkel Technologies—Corrosion Engineering

■ Tape Wraps

Corrosion Control Products Co.
The Tapecoat Co.

■ Thermal Spray

Can-Cell Industries Inc (<100 g/L)
Nation Coating Systems, Inc.
Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Chemline
Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

Coatings For Industry, Inc. (251-340 g/L)
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Superior Products International II, Inc. (341-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Blome International (<100 g/L)
Ceilmate Products/International Paint (101-250 g/L)
Corrocoat Ltd.
International Paint LLC (101-250 g/L)
PolySpec L.P. / THIOKOL (101-250 g/L)

■ Wax

Cortec Corporation
The Tapecoat Co.

■ Zinc-Rich, Inorganic

ZRC Worldwide (<100 g/L)

■ Zinc-Rich, Organic

ZRC Worldwide (341-450 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Albi Mfg. A Division of StanChem Inc. (<100 g/L)
Corrocoat (<100 g/L)
ENECON Corporation (<100 g/L)
Epoxytec (<100 g/L)
Gemite Products Inc. (<100 g/L)
Hi-Temp Coatings Technology (101-450 g/L)
Industrial Nanotech Inc. (<100 g/L)
Insulating Coatings Corporation
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings (<100 g/L)
Rust-Oleum Corporation (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)
Sub-One Technology



Interior Exposure Environment Concrete Walls, Ceilings

■ Alkyd/Acrylic/Acrylic

Convenience Products (101-250 g/L)
Diamond Vogel Paint Company (251-450 g/L)
ITW Futura Coatings (<100 g/L)
Sika Corporation (<100 g/L)

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Complementary Coatings/DBA Ins-X (101-250 g/L)
Epmar Corporation
PPG Protective & Marine Coatings (101-250 g/L)
Rust-Oleum Corporation (<100-250 g/L)

■ Epoxy (1-2 coats)/Fluoropolymer

Enviroline/International Paint Prot Ctg (100 g/L)

■ Epoxy (1-2 coats)/Urethane

Avilion Inc.
Chemline
Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Ins-X (101-250 g/L)
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Dayton Superior
Endura Manufacturing Co. Ltd. (101-250 g/L)
Epoxytec (<100 g/L)
ITW Futura Coatings (<100 g/L)
National Polymers Inc. (251-340 g/L)
Polymax/Milamar Coatings L.L.C. (101-250 g/L)
Sika Corporation (<100 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A&E Systems LLC (<100 g/L)
A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Copolymer Protection Systems (<100 g/L)
Corchem Corporation (<100 g/L)
Duromar, Inc. (<100 g/L)
Enviroline/International Paint Prot Ctg (100 g/L)
Fox Industries Inc. (<100 g/L)
International Coatings Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Madison Chemical Industries (<100 g/L)
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
Protective Floorings and Linings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Specialty Polymer Coatings, Inc.

■ Epoxy Flake Filled/Epoxy Flake Filled

Celcote Products/International Paint (<100 g/L)
International Paint LLC (<100 g/L)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Blome International (<100 g/L)
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Enviroline/International Paint Prot Ctg (101-250 g/L)
Micor Company, Inc.
Specialty Polymer Coatings, Inc.
Volatile Free, Inc. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Carboline Company (<100 g/L)
Dayton Superior
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
JAXXON National Maintenance Products
Key Resin Company (<100 g/L)
National Polymers Inc. (<100 g/L)
Polymax/Milamar Coatings L.L.C. (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Thin Film Technology, Inc. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Celcote Products/International Paint (<100 g/L)
Dudick, Inc.
International Paint LLC (<100 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Atlas Minerals & Chemicals, Inc.
Dampney Co., Inc.
National Polymers Inc. (101-250 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
Sauereisen, Inc.
Tnemec Company, Inc.

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Carboline Company (<100 g/L)

■ Epoxy/Epoxy/Epoxy

Atlas Minerals & Chemicals, Inc.
BASF Construction Chemicals - Building Systems
Carboline Company (101-250 g/L)
Complementary Coatings/DBA Ins-X (101-250 g/L)
Corchem Corporation (101-250 g/L)
Coronado Paint (251-340 g/L)
Corro-Shield International, Inc.
Corrosion Control Products Co.
Crossfield Products Corp.
Devoe Coatings (AkzoNobel) (101-250 g/L)
Dudick, Inc.
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Induron Coatings, Inc. (251-340 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rodda Paint Corporation (101-250 g/L)
Sherwin-Williams (<100 g/L)
Sika Corporation (<100 g/L)
Superior Products International II, Inc. (341-450 g/L)
Tnemec Company, Inc.
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

Sauereisen, Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU/MCU/MCU

Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Stirling Lloyd Group Plc. (<100 g/L)

■ Polyester/Polyester/Polyester

Corrocoat Ltd.
Heresite Protective Coatings, Inc. (<100 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
Polycoat Products (<100 g/L)
Rhino Linings Corporation (<100 g/L)
SpectraShield Liner Systems
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
BASF Construction Chemicals - Building Systems
Crown Polymers, LLC
Fox Industries Inc. (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Primeaux Associates LLC (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)

■ Siloxane/Siloxane

PROSOCO, Inc.
Rainguard International (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Can-Cell Industries Inc (<100 g/L)
Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

Coatings For Industry, Inc. (251-340 g/L)
LINE-X Protective Coatings (<100 g/L)
Pacific Polymers International, Inc.
Polycoat Products (<100 g/L)
Primeaux Associates LLC (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Superior Products International II, Inc. (251-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Blome International (<100 g/L)
Celcote Products/International Paint (101-250 g/L)
Corrocoat Ltd.
International Paint LLC (101-250 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
 ENECON Corporation (<100 g/L)
 Epoxytec (<100 g/L)
 Fox Industries Inc. (<100 g/L)
 Gemite Products Inc. (<100 g/L)
 GSE Lining Technology, Inc.
 Induron Coatings, Inc. (101-250 g/L)
 Industrial Nanotech Inc. (<100 g/L)
 Insulating Coatings Corporation
 Kerneos Aluminate Technologies
 Liquid Rubber Industries Inc. (<100 g/L)
 PPC Coatings (<100 g/L)
 PROSOCO, Inc.
 Rust-Oleum Corporation (101-250 g/L)
 SpeedCove Precast Cove Base Systems



Stirling Lloyd Group Plc.
 Termarust Technologies (<100 g/L)
 W. R. MEADOWS, INC. (<100->450 g/L)

Interior Exposure Environment Concrete Floors

■ Alkyd/Acrylic/Acrylic

Diamond Vogel Paint Company (341-450 g/L)

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Brick and Tile, Acid-Resistant

Blome International (<100 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Convenience Products (101-250 g/L)
 Flexcrete Technologies Ltd. (<100 g/L)

■ Epoxy (1-2 coats)/Fluoropolymer

Enviroline/International Paint Prot Ctgs (<100 g/L)

■ Epoxy (1-2 coats)/Urethane

Chemline
 Coatings For Industry, Inc. (251-340 g/L)
 Crossfield Products Corp.
 Crown Polymers, LLC (<100 g/L)
 Dayton Superior
 Diamond Vogel Paint Company (341-450 g/L)
 Endura Manufacturing Co. Ltd. (101-250 g/L)
 Epoxytec (<100 g/L)
 ITW Futura Coatings (<100 g/L)
 National Polymers Inc. (<100 g/L)
 Polymax/Milamar Coatings L.L.C. (101-250 g/L)
 Sherwin-Williams (251-340 g/L)
 Sika Corporation (<100 g/L)
 Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A&E Systems LLC (<100 g/L)
 A.W. Chesterton/ARC Composites (<100 g/L)
 Arcor Epoxy Inc. (<100 g/L)
 Avilion Inc.
 Ceilcote Products/International Paint (<100 g/L)
 Coatings For Industry, Inc. (<100 g/L)
 Complementary Coatings/DBA Insl-X (<100 g/L)
 Concrete Solutions (<100 g/L)
 Crown Polymers, LLC
 Duromar, Inc. (<100 g/L)
 Enviroline/International Paint Prot Ctgs (<100 g/L)
 Fox Industries Inc. (<100 g/L)
 Gemite Products Inc. (<100 g/L)
 Gulf Coast Paint Mfg., Inc. (<100 g/L)
 International Coatings Inc. (<100 g/L)
 International Paint LLC (<100 g/L)
 KCC Corrosion Control Co., Ltd. (<100 g/L)
 Madison Chemical Industries (<100 g/L)
 Micor Company, Inc.
 NSP Specialty Products (<100 g/L)
 Polymax/Milamar Coatings L.L.C. (<100 g/L)
 PPG Protective & Marine Coatings (<100 g/L)
 Protective Floorings and Linings (<100 g/L)
 Reactamine Technology, LLC (<100 g/L)
 RLS Solutions/Raven Engineered Systems (<100 g/L)
 Sauereisen, Inc.
 Specialty Polymer Coatings, Inc.
 Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Ceilcote Products/International Paint (<100 g/L)
 International Paint LLC (<100 g/L)
 Tnemec Company, Inc.

■ Epoxy Novolac (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
 Advanced Polymer Coatings, Ltd. (101-250 g/L)
 Avilion Inc.
 Crossfield Products Corp.
 Crown Polymers, LLC (<100 g/L)
 Enviroline/International Paint Prot Ctgs (101-250 g/L)
 International Coatings Inc. (<100 g/L)
 KCC Corrosion Control Co., Ltd. (<100 g/L)
 Micor Company, Inc.
 National Polymers Inc. (101-250 g/L)
 Specialty Polymer Coatings, Inc.
 Volatile Free, Inc. (<100 g/L)
 Wolverine Coatings Corporation

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
 Arcor Epoxy Inc. (<100 g/L)
 Atlas Minerals & Chemicals, Inc.
 Avilion Inc.
 Carboline Company (<100 g/L)
 CCI Con-Tech of California, Inc. (<100 g/L)
 Complementary Coatings/DBA Insl-X (101-250 g/L)
 Copolymer Protection Systems (<100 g/L)
 Corchem Corporation (<100 g/L)
 Duromar, Inc. (<100 g/L)
 ENECON Corporation (<100 g/L)
 Epmar Corporation
 Gulf Coast Paint Mfg., Inc. (<100 g/L)
 Induron Coatings, Inc.
 JAXXON National Maintenance Products
 Key Resin Company (<100 g/L)
 National Polymers Inc. (<100 g/L)
 Polymax/Milamar Coatings L.L.C. (<100 g/L)
 PPG Protective & Marine Coatings (101-250 g/L)
 Protective Floorings and Linings (<100 g/L)

RLS Solutions/Raven Engineered Systems (<100 g/L)
 Rodda Paint Corporation (101-250 g/L)
 Rust-Oleum Corporation (<100 g/L)
 Termarust Technologies (<100 g/L)
 Thin Film Technology, Inc. (<100 g/L)
 Tnemec Company, Inc.
 Wolverine Coatings Corporation

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Atlas Minerals & Chemicals, Inc.
 Blome International (<100 g/L)
 Carboline Company (<100 g/L)
 Corchem Corporation (<100 g/L)
 Epmar Corporation
 Henkel Technologies—Corrosion Engineering
 Key Resin Company (<100 g/L)
 PolySpec L.P. / THIOKOL (<100 g/L)
 Sika Corporation (<100 g/L)
 Tnemec Company, Inc.

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Atlas Minerals & Chemicals, Inc.
 BASF Construction Chemicals - Building Systems
 Carboline Company (101-250 g/L)
 Complementary Coatings/DBA Insl-X (101-250 g/L)
 Coronado Paint (251-340 g/L)
 Corro-Shield International, Inc.
 Corrosion Control Products Co.
 Crossfield Products Corp.
 Dayton Superior
 Devoe Coatings (AkzoNobel) (101-250 g/L)
 Dudick, Inc.
 Epmar Corporation
 Gulf Coast Paint Mfg., Inc. (101-250 g/L)
 Henkel Technologies—Corrosion Engineering
 Induron Coatings, Inc. (251-340 g/L)
 ITW Futura Coatings (<100 g/L)
 PolySpec L.P. / THIOKOL (<100 g/L)
 PPG Protective & Marine Coatings (101-250 g/L)
 Rodda Paint Corporation (101-250 g/L)
 Rust-Oleum Corporation (101-250 g/L)
 Sauereisen, Inc.
 Sherwin-Williams (<100 g/L)
 Sika Corporation (<100 g/L)
 Superior Products International II, Inc. (341-450 g/L)
 Top Secret Coatings

■ Epoxy/MCU/MCU

Diamond Vogel Paint Company (>450 g/L)

■ Epoxy/Vinyl Ester/Vinyl Ester

International Paint LLC (101-250 g/L)

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU/MCU/MCU

Coronado Paint (251-340 g/L)
 Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

BASF Construction Chemicals - Building Systems
 Key Resin Company (<100 g/L)



■ Polyester/Polyester/Polyester

Corrocoat Ltd.
Heresite Protective Coatings, Inc. (<100 g/L)
Superior Products International II, Inc. (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Andek Corporation (<100 g/L)
Arnco Performance Polymers
Dudick, Inc.
Madison Chemical Industries (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)

■ Siloxane/Siloxane

Henkel Technologies—Corrosion Engineering
Rainguard International (<100 g/L)
SaverSystems/Defy (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

Concrete Solutions (101-250 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (101-250 g/L)
Rainguard International (101-250 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Superior Products International II, Inc. (341-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Blome International (<100 g/L)
Ceilcote Products/International Paint (101-250 g/L)
Corrocoat Ltd.
Sauereisen, Inc.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Corolon Coatings & Corrosion Control
Epoxytec (<100 g/L)
Gemite Products Inc. (<100 g/L)
GSE Lining Technology, Inc.
Kerneos Aluminate Technologies
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings (<100 g/L)
SpeedCove Precast Cove Base Systems
Stirling Lloyd Group Plc. (<100 g/L)
W. R. MEADOWS, INC. (<100->450 g/L)

Immersion - Wastewater Collection, Primary Treatment, Secondary Treatment - Steel

■ Alkyd/Acrylic/Acrylic

Devoe Coatings (AkzoNobel) (341-450 g/L)

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Coal Tar/Asphalt

Henkel Technologies—Corrosion Engineering
Lone Star Specialties, LLC

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Chemline
Flexcrete Technologies Ltd. (<100 g/L)

■ Epoxy (1-2 coats)/Urethane

Endura Manufacturing Co. Ltd. (101-250 g/L)
Epoxytec (<100 g/L)
Nation Coating Systems, Inc.
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Avilion Inc.
Berry Plastics Corrosion Protection Group
Blome International (<100 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Enviroline/International Paint Prot Ctg (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Induron Coatings, Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Madison Chemical Industries (<100 g/L)
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Coal Tar High Build (1-2 coats)

Avilion Inc.
Induron Coatings, Inc. (251-340 g/L)
Tnemec Company, Inc.

■ Epoxy Coal Tar/Epoxy Coal Tar

Avilion Inc.
Carboline Company (101-250 g/L)
Corchem Corporation (101-250 g/L)
Coronado Paint (101-250 g/L)
Epmar Corporation
Fox Industries Inc. (<100-250 g/L)
Rust-Oleum Corporation (101-250 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Ceilcote Products/International Paint (<100 g/L)
Enviroline/International Paint Prot Ctg (<100 g/L)
International Paint LLC (<100 g/L)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Corchem Corporation (<100 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Enviroline/International Paint Prot Ctg (101-250 g/L)
Micor Company, Inc.
Sauereisen, Inc.
Specialty Polymer Coatings, Inc.
Volatile Free, Inc. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
PPG Protective & Marine Coatings (101-250 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Duromar, Inc. (<100 g/L)
Epmar Corporation
Induron Coatings, Inc. (<100 g/L)
JAXXON National Maintenance Products
Protective Floorings and Linings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sherwin-Williams (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Ceilcote Products/International Paint (<100 g/L)
Gulf Coast Paint Mfg., Inc.
PPG Protective & Marine Coatings (251-340 g/L)
Sherwin-Williams (251-340 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Atlas Minerals & Chemicals, Inc.
Henkel Technologies—Corrosion Engineering
PolySpec L.P. / THIOKOL (<100 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Carboline Company (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)

■ Epoxy/Epoxy/Epoxy

Atlas Minerals & Chemicals, Inc.
Complementary Coatings/DBA Insl-X (101-250 g/L)
Corrosion Control Products Co.
Devoe Coatings (AkzoNobel) (101-250 g/L)
Epmar Corporation
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Henkel Technologies—Corrosion Engineering
International Paint LLC (251-340 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
Rodda Paint Corporation (101-250 g/L)
Rust-Oleum Corporation (251-340 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)



A global coatings
company that speaks
just one language – **YOURS.**

800-524-5979

sherwin-williams.com/protective

Superior Products International II, Inc. (341-450 g/L)
Tnemec Company, Inc.
Top Secret Coatings

■ **Epoxy/Vinyl Ester/Vinyl Ester**
The Tapecoat Co.

■ **Heat-Shrinkable Sleeves**
Corrosion Control Products Co.

■ **MCU Coal Tar/MCU Coal Tar/MCU Coal Tar**
Coronado Paint (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ **MCU Zinc Rich/MCU/MCU**
Wasser Corporation (251-340 g/L)

■ **MCU/MCU/MCU**
Wasser Corporation (251-340 g/L)

■ **Methyl Methacrylate/Methyl Methacrylate**
Stirling Lloyd Group Plc. (<100 g/L)

■ **Organic Zinc/Epoxy/Acrylic**
Chemline

■ **Organic Zinc/Epoxy/Epoxy**
Complementary Coatings/DBA Insl-X (341-450 g/L)

■ **Polyurea Hybrid (1, 2, or 3 coats)**
Arnco Performance Polymers
ITW Futura Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polycoat Products (<100 g/L)
Rhino Linings Corporation (<100 g/L)
SpectraShield Liner Systems (<100 g/L)

■ **Polyurea Pure (1, 2, or 3 coats)**
Arnco Performance Polymers
ITW Futura Coatings (<100 g/L)



LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ **Tape Wraps**
Corrosion Control Products Co.
Denso North America

■ **Thermal Spray**
Nation Coating Systems, Inc.
Thermion Inc.
TMS Metalizing Systems, Ltd.

■ **Urethane Elastomeric (1 coat)**
Chemline
Global EcoTechnologies (<100 g/L)
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.
Sprayroq Inc.

■ **Urethane/Urethane**
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (101-250 g/L)
Rhino Linings Corporation (<100 g/L)
Sprayroq Inc.

■ **Vinyl Ester/Vinyl Ester/Vinyl Ester**
Blome International (<100 g/L)
Carboline Company (<100 g/L)
Ceilcote Products/International Paint (101-250 g/L)



Corchem Corporation (101-250 g/L)
Corrocoat Ltd.
Dudick, Inc.
International Paint LLC (101-250 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
PolySpec L.P. / THIOKOL (101-250 g/L)
Tnemec Company, Inc.

■ **Wax**
The Tapecoat Co.

■ **Other**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Epoxytec (<100 g/L)
Gemite Products Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings
SpectraShield Liner Systems (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)
Termaust Technologies
The Tapecoat Co.

Immersion - Wastewater Collection, Primary Treatment, Secondary Treatment - Concrete

■ **Alkyd/Acrylic/Acrylic**
Devoe Coatings (AkzoNobel) (341-450 g/L)

■ **Alkyd/Alkyd/Silicone Alkyd**
Top Secret Coatings

■ **Epoxy (1-2 coats)/Acrylic (1-2 coats)**
Flexcrete Technologies Ltd. (<100 g/L)

■ **Epoxy (1-2 coats)/Fluoropolymer**
Enviroline/International Paint Prot Ctgs (<100 g/L)

■ **Epoxy (1-2 coats)/Urethane**
Chemline
Crown Polymers, LLC (<100 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Epoxytec (<100 g/L)
ITW Futura Coatings (<100 g/L)
Kemper System Inc. (<100 g/L)
National Polymers Inc. (251-340 g/L)
Polycoat Products (<100 g/L)
Top Secret Coatings

■ **Epoxy 100% Solids (1-2 coats)**
A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Avilion Inc.
Berry Plastics Corrosion Protection Group
Blome International (<100 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Copolymer Protection Systems (<100 g/L)
Corchem Corporation (<100 g/L)
Duromar, Inc. (<100 g/L)
Enviroline/International Paint Prot Ctgs (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Induron Coatings, Inc. (<100 g/L)
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Specialty Polymer Coatings, Inc.
The Strong Company, Inc.
Thin Film Technology, Inc. (<100 g/L)

■ **Epoxy Coal Tar High Build (1-2 coats)**
Avilion Inc.
Induron Coatings, Inc. (251-340 g/L)
Tnemec Company, Inc.

■ **Epoxy Coal Tar/Epoxy Coal Tar**
Avilion Inc.
Coronado Paint (101-250 g/L)
Epmar Corporation
Fox Industries Inc. (<100-250 g/L)
Rust-Oleum Corporation (101-250 g/L)

■ **Epoxy Flake Filled/Epoxy Flake Filled**
Ceilcote Products/International Paint (<100 g/L)
International Paint LLC (<100 g/L)

■ **Epoxy Novolac (1-2 coats)**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Corchem Corporation (<100 g/L)
Duromar, Inc. (<100 g/L)
Enviroline/International Paint Prot Ctgs (101-250 g/L)
Micor Company, Inc.
National Polymers Inc. (101-250 g/L)
Specialty Polymer Coatings, Inc.
Volatile Free, Inc. (<100 g/L)
Wolverine Coatings Corporation

■ **Epoxy Phenolic (3 coats)**
Heresite Protective Coatings, Inc. (341-450 g/L)
PPG Protective & Marine Coatings (101-250 g/L)

■ **Epoxy/Epoxy 100% Solids**
Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Epmar Corporation
Induron Coatings, Inc. (<100 g/L)
JAXXON National Maintenance Products
KCC Corrosion Control Co., Ltd. (<100 g/L)
Key Resin Company (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sherwin-Williams (<100 g/L)
Wolverine Coatings Corporation



■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Ceilcote Products/International Paint (<100 g/L)
Gulf Coast Paint Mfg., Inc.
International Paint LLC (<100 g/L)
Sherwin-Williams (251-340 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Atlas Minerals & Chemicals, Inc.
Carboline Company (<100 g/L)
Crown Polymers, LLC (<100 g/L)
Dudick, Inc.
ENECON Corporation (<100 g/L)
Henkel Technologies—Corrosion Engineering
Key Resin Company (<100 g/L)
National Polymers Inc. (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
Protective Floorings and Linings (<100 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

A.W. Chesterton/ARC Composites (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Complementary Coatings/DBA Insl-X (101-250 g/L)
Corro-Shield International, Inc.
Corrosion Control Products Co.
Crown Polymers, LLC (<100 g/L)
Devoe Coatings (AkzoNobel) (101-250 g/L)



888-DEVOE-HPC (888-338-6347)
www.devoecoatings.com

THE POWER TO PROTECT™

Epmar Corporation
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rodda Paint Corporation (101-250 g/L)
Rust-Oleum Corporation (251-340 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)



A global coatings
company that speaks
just one language – **YOURS.**

800-524-5979 sherwin-williams.com/protective

Sika Corporation
Superior Products International II, Inc. (341-450 g/L)
Tnemec Company, Inc.
Top Secret Coatings

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Wasser Corporation (251-340 g/L)

■ MCU/MCU/MCU

Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Stirling Lloyd Group Plc. (<100 g/L)

■ Polyester/Polyester/Polyester

Heresite Protective Coatings, Inc. (<100 g/L)
Protective Floorings and Linings (<100 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnc Performance Polymers
ITW Futura Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Rhino Linings Corporation (<100 g/L)
SpectraShield Liner Systems (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnc Performance Polymers
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Primeaux Associates LLC (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Sheet Lining, Thermoplastic

Henkel Technologies—Corrosion Engineering

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Carboline Company (<100 g/L)
Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Polycoat Products (<100 g/L)
Specialty Polymer Coatings, Inc.
Sprayroq Inc.

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
Pacific Polymers International, Inc. (<100 g/L)
Polycoat Products (<100 g/L)
Primeaux Associates LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Sprayroq Inc.

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Blome International (<100 g/L)
Carboline Company (<100 g/L)
Ceilcote Products/International Paint (101-250 g/L)
Corchem Corporation (101-250 g/L)
Corrocoat Ltd.
Henkel Technologies—Corrosion Engineering
International Paint LLC (101-250 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Key Resin Company (<100 g/L)
PolySpec L.P. / THIOKOL (101-250 g/L)
Protective Floorings and Linings (<100 g/L)
Sauereisen, Inc.
Tnemec Company, Inc.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Corolon Coatings & Corrosion Control
Epoxytec (<100 g/L)
Flexcrete Technologies Ltd. (<100 g/L)
Gemite Products Inc. (<100 g/L)
GSE Lining Technology, Inc.
KCC Corrosion Control Co., Ltd. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings (<100 g/L)
SpectraShield Liner Systems (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)
Termarust Technologies

Immersion - Tertiary Treatment Steel

■ Alkyd/Acrylic/Acrylic

Devoe Coatings (AkzoNobel) (341-450 g/L)

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Chemline
Flexcrete Technologies Ltd. (<100 g/L)

■ Epoxy (1-2 coats)/Urethane

Endura Manufacturing Co. Ltd. (101-250 g/L)
Epoxytec (<100 g/L)
Nation Coating Systems, Inc.
Rhino Linings Corporation (<100 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Avilion Inc.
Berry Plastics Corrosion Protection Group
Blome International (<100 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Corchem Corporation (<100 g/L)
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Enviroline/International Paint Prot Ctg (<100 g/L)
Gemite Products Inc. (<100 g/L)
Induron Coatings, Inc. (<100 g/L)
Madison Chemical Industries (<100 g/L)
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)
TIB Chemicals AG (formerly Goldschmidt TIB GmbH)
■ Epoxy Coal Tar High Build (1-2 coats)
Corchem Corporation (101-250 g/L)
Induron Coatings, Inc. (251-340 g/L)
Tnemec Company, Inc.

■ Epoxy Coal Tar/Epoxy Coal Tar

Avilion Inc.
Coronado Paint (101-250 g/L)
Epmar Corporation

■ Epoxy Flake Filled/Epoxy Flake Filled

Ceilcote Products/International Paint (<100 g/L)
Envirolite/International Paint Prot Ctg (<100 g/L)
International Paint LLC (<100 g/L)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Blome International (<100 g/L)
Carbolite Company (<100 g/L)
Corchem Corporation (<100 g/L)
Duomar, Inc. (<100 g/L)
ENECOR Corporation (<100 g/L)
Envirolite/International Paint Prot Ctg (101-250 g/L)
Micor Company, Inc.
Specialty Polymer Coatings, Inc.
Volatile Free, Inc. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

Carbolite Company (341-450 g/L)
PPG Protective & Marine Coatings (251-340 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Avilion Inc.
Duomar, Inc. (<100 g/L)
Epmar Corporation
JAXXON National Maintenance Products
KCC Corrosion Control Co., Ltd. (<100 g/L)
Micor Company, Inc.
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Ceilcote Products/International Paint (<100 g/L)
Gulf Coast Paint Mfg., Inc.
Sherwin-Williams (251-340 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Atlas Minerals & Chemicals, Inc.
Henkel Technologies—Corrosion Engineering
PolySpec L.P. / THIOKOL (<100 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Atlas Minerals & Chemicals, Inc.
Complementary Coatings/DBA Insl-X (101-250 g/L)
Coronado Paint (101-250 g/L)
Corrosion Control Products Co.
Devoc Coatings (AkzoNobel) (101-250 g/L)
Epmar Corporation
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
International Paint LLC (251-340 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rodd Paint Corporation (101-250 g/L)
Rust-Oleum Corporation (251-340 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Superior Products International II, Inc. (341-450 g/L)
Tnemec Company, Inc.
Top Secret Coatings

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Wasser Corporation (251-340 g/L)

■ MCU Zinc Rich/MCU/MCU

Wasser Corporation (251-340 g/L)

■ MCU/MCU/MCU

Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Epoxy/Acrylic

Chemline

■ Organic Zinc/Epoxy/Epoxy

Complementary Coatings/DBA Insl-X (341-450 g/L)

■ Polyester/Polyester/Polyester

Corrocoat Ltd.
Heresite Protective Coatings, Inc. (<100 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

ITW Futura Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)

■ Siloxane/Siloxane

Henkel Technologies—Corrosion Engineering

■ Tape Wraps

Corrosion Control Products Co.
Denso North America

■ Thermal Spray

Nation Coating Systems, Inc.
Thermion Inc.
TMS Metalizing Systems, Ltd.

■ Urethane Elastomeric (1 coat)

Chemline
Global EcoTechnologies (<100 g/L)
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.
Sprayroq Inc.
TIB Chemicals AG (formerly Goldschmidt TIB GmbH)

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
Sprayroq Inc.

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Blome International (<100 g/L)
Carbolite Company (<100 g/L)
Ceilcote Products/International Paint (101-250 g/L)
Corrocoat Ltd.
Henkel Technologies—Corrosion Engineering
International Paint LLC (101-250 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
PolySpec L.P. / THIOKOL (101-250 g/L)
Tnemec Company, Inc.

■ Zinc-Rich, Inorganic

ZRC Worldwide (<100 g/L)

■ Zinc-Rich, Organic

ZRC Worldwide (341-450 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Epoxytec (<100 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings (<100 g/L)
SpectraShield Liner Systems (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)
Sub-One Technology

Immersion - Tertiary Treatment Concrete

■ Alkyd/Acrylic/Acrylic

Devoc Coatings (AkzoNobel) (341-450 g/L)
NSP Specialty Products

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Epoxy (1-2 coats)/Fluoropolymer

Envirolite/International Paint Prot Ctg (<100 g/L)

■ Epoxy (1-2 coats)/Urethane

Crown Polymers, LLC (<100 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Epoxytec (<100 g/L)
ITW Futura Coatings (<100 g/L)
Kemper System Inc. (<100 g/L)
National Polymers Inc. (341-450 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Avilion Inc.
Berry Plastics Corrosion Protection Group
Blome International (<100 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Corchem Corporation (<100 g/L)
Crown Polymers, LLC
Duomar, Inc. (<100 g/L)
Envirolite/International Paint Prot Ctg (<100 g/L)
Gemite Products Inc. (<100 g/L)
Induron Coatings, Inc. (<100 g/L)
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
Sauereisen, Inc.
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Coal Tar High Build (1-2 coats)

Corchem Corporation (101-250 g/L)
Induron Coatings, Inc. (251-340 g/L)
Tnemec Company, Inc.



■ Epoxy Coal Tar/Epoxy Coal Tar

Coronado Paint (101-250 g/L)
Epmar Corporation

■ Epoxy Flake Filled/Epoxy Flake Filled

Celcote Products/International Paint (<100 g/L)
International Paint LLC (<100 g/L)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Avilion Inc.
Blome International (<100 g/L)
Corchem Corporation (<100 g/L)
Crown Polymers, LLC (<100 g/L)
Duomar, Inc. (<100 g/L)
Enviroline/International Paint Prot Ctgs (101-250 g/L)
Micor Company, Inc.
National Polymers Inc. (101-250 g/L)
Specialty Polymer Coatings, Inc.
Volatile Free, Inc. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy 100% Solids

Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Copolymer Protection Systems (<100 g/L)
Duomar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Epmar Corporation
JAXXON National Maintenance Products
Key Resin Company (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Celcote Products/International Paint (<100 g/L)
Corro-Shield International, Inc.
Gulf Coast Paint Mfg., Inc.
International Paint LLC (<100 g/L)
Sherwin-Williams (251-340 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Atlas Minerals & Chemicals, Inc.
Carboline Company
ENECON Corporation (<100 g/L)
Henkel Technologies—Corrosion Engineering
Key Resin Company (<100 g/L)
National Polymers Inc. (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

A.W. Chesterton/ARC Composites (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Complementary Coatings/DBA Insl-X (101-250 g/L)
Coronado Paint (101-250 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
Corrosion Control Products Co.
Devco Coatings (AkzoNobel) (101-250 g/L)
Epmar Corporation
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rodda Paint Corporation (101-250 g/L)
Rust-Oleum Corporation (251-340 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Superior Products International II, Inc. (341-450 g/L)
Tnemec Company, Inc.
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

Micor Company, Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Avilion Inc.
Wasser Corporation (251-340 g/L)

■ MCU/MCU/MCU

Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Epoxy/Epoxy

Complementary Coatings/DBA Insl-X (341-450 g/L)

■ Polyester/Polyester/Polyester

Corrocoat Ltd.
Heresite Protective Coatings, Inc. (<100 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

ITW Futura Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)

■ Sheet Lining, Thermoplastic

Henkel Technologies—Corrosion Engineering

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.

■ Urethane Elastomeric (1 coat)

Carboline Company (<100 g/L)
Global EcoTechnologies (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.
Sprayroq Inc.

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Sprayroq Inc.
Superior Products International II, Inc. (341-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Blome International (<100 g/L)
Carboline Company
Celcote Products/International Paint (101-250 g/L)
Corrocoat Ltd.
Henkel Technologies—Corrosion Engineering
International Paint LLC (101-250 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Key Resin Company (<100 g/L)
PolySpec L.P. / THIOKOL (101-250 g/L)
Tnemec Company, Inc.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Epoxytec (<100 g/L)
Flexcrete Technologies Ltd. (<100 g/L)
Gemite Products Inc. (<100 g/L)
GSE Lining Technology, Inc.
KCC Corrosion Control Co., Ltd. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings (<100 g/L)
SpectraShield Liner Systems (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)

Secondary Containment Concrete

■ Alkyd/Alkyd/Silicone Alkyd

op Secret Coatings

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Flexcrete Technologies Ltd. (<100 g/L)

■ Epoxy (1-2 coats)/Urethane

Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Endura Manufacturing Co. Ltd.
Epoxytec (<100 g/L)
National Polymers Inc. (251-340 g/L)
Pacific Polymers International, Inc. (<100 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Avilion Inc.
CCI Con-Tech of California, Inc. (<100 g/L)
Crown Polymers, LLC
Duomar, Inc. (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Induron Coatings, Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
Sauereisen, Inc.
Thin Film Technology, Inc. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy Coal Tar/Epoxy Coal Tar

Pacific Polymers International, Inc. (<100 g/L)

■ Epoxy Novolac (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Carboline Company (<100 g/L)
Crossfield Products Corp.
Duomar, Inc. (<100 g/L)
Fox Industries Inc. (<100 g/L)
International Coatings Inc. (<100 g/L)
Micor Company, Inc.
National Polymers Inc. (101-250 g/L)
Volatile Free, Inc. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

Heresite Protective Coatings, Inc. (341-450 g/L)

■ Epoxy/Epoxy 100% Solids

Arcor Epoxy Inc. (<100 g/L)
Avilion Inc.
Blome International (<100 g/L)
Carboline Company (<100 g/L)
Concrete Solutions (<100-250 g/L)
Copolymer Protection Systems (<100 g/L)
Corchem Corporation (<100 g/L)
ENECON Corporation (<100 g/L)
JAXXON National Maintenance Products
Sherwin-Williams (<100 g/L)



A global coatings company that speaks just one language – **YOURS.**

800-524-5979 sherwin-williams.com/protective

Tnemec Company, Inc.

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Sherwin-Williams (251-340 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Novolac/Epoxy Novolac

A.W. Chesterton/ARC Composites (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Blome International (<100 g/L)
Ceilcote Products/International Paint (<100 g/L)
Corchem Corporation (<100 g/L)
Crown Polymers, LLC (<100 g/L)
ENECON Corporation (<100 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
International Paint LLC (<100 g/L)
Key Resin Company (<100 g/L)
National Polymers Inc. (<100 g/L)
Protective Floorings and Linings (<100 g/L)
Sika Corporation (<100 g/L)
Tnemec Company, Inc.
Total Containment Solutions dba FSI (<100 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
PPG Protective & Marine Coatings (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Atlas Minerals & Chemicals, Inc.
Complementary Coatings/DBA Insl-X (101-250 g/L)
Corrosion Control Products Co.
Crossfield Products Corp.
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rodda Paint Corporation (101-250 g/L)
Sauereisen, Inc.
Sherwin-Williams (<100 g/L)
Sika Corporation (<100 g/L)
Superior Products International II, Inc. (251-340 g/L)
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

Avilion Inc.
Micor Company, Inc.
Sauereisen, Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Wasser Corporation (251-340 g/L)

■ MCU/MCU/MCU

Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Key Resin Company (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)

■ Polyester/Polyester/Polyester

Heresite Protective Coatings, Inc. (<100 g/L)
Protective Floorings and Linings (<100 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Andek Corporation (<100 g/L)
Arnco Performance Polymers
ITW Futura Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
BASF Construction Chemicals - Building Systems
Fabick Protective Coatings (<100 g/L)
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Primeaux Associates LLC (<100 g/L)
Quantum Group (<100 g/L)
Reactamine Technology, LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Total Containment Solutions dba FSI (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Siloxane/Siloxane

Raiguard International (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Chemline
Global EcoTechnologies (<100 g/L)
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Sprayroq Inc.

■ Urethane/Urethane

Huntsman Polyurethanes
LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Roadware Incorporated
Specialty Products, Inc. (SPI) (<100 g/L)
Sprayroq Inc.
Superior Products International II, Inc. (341-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Blome International (<100 g/L)
Carboline Company (<100 g/L)
Ceilcote Products/International Paint (101-250 g/L)
Corchem Corporation (<100 g/L)
Fox Industries Inc. (101-250 g/L)
International Paint LLC (101-250 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Key Resin Company (<100 g/L)
Protective Floorings and Linings (<100 g/L)
Sika Corporation (101-250 g/L)
Tnemec Company, Inc.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Chemline
Corolon Coatings & Corrosion Control
Epoxytec (<100 g/L)
Gemite Products Inc. (<100 g/L)
KCC Corrosion Control Co., Ltd. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings (<100 g/L)
SpectraShield Liner Systems (<100 g/L)
SpeedCove Precast Cove Base Systems
Stirling Lloyd Group Plc. (<100 g/L)
Termarust Technologies (<100 g/L)



Sponsored by



Coating System Guide for Waterfront, Lock, & Dam Industry

Systems are alphabetized by first coat.

Onshore Atmospheric Exposure Weathering, UV, & Airborne Salt Steel

■ Alkyd/Acrylic/Acrylic

Watson Coatings, Inc.

■ Alkyd/Alkyd/Alkyd

Complementary Coatings/DBA Insl-X (251-340 g/L)
Watson Coatings, Inc.

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Calcium Sulphonate


Termarust Technologies (101-250 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

A.W. Chesterton/ARC Composites (251-340 g/L)
Chemline
Complementary Coatings/DBA Insl-X (101-250 g/L)

■ Epoxy (1-2 coats)/Urethane

A.W. Chesterton/ARC Composites (251-340 g/L)
Complementary Coatings/DBA Insl-X (101-250 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Heresite Protective Coatings, Inc. (251-450 g/L)
Polycoat Products (<100 g/L)



PPG Protective & Marine Coatings (101-250 g/L)
Rodda Paint Corporation (341-450 g/L)
Rust-Oleum Corporation (101-250 g/L)
Specialty Polymer Coatings, Inc.
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Gemite Products Inc. (<100 g/L)
JAXXON National Maintenance Products
PolySpec L.P. / THIOKOL (<100 g/L)
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.

■ Epoxy/Epoxy 100% Solids

Duromar, Inc. (<100 g/L)
JAXXON National Maintenance Products
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.

■ Epoxy/Epoxy/Epoxy

Corrosion Control Products Co.
Dudick, Inc.
International Paint LLC (251-340 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

The Tapecoat Co.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy/Urethane

Carboline Company (101-250 g/L)
Corchem Corporation (101-250 g/L)
Dampney Co., Inc.
Devoe Coatings (AkzoNobel)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Gulf Coast Paint Mfg., Inc.

■ MCU Zinc Rich/Epoxy/Urethane

Endura Manufacturing Co. Ltd. (101-250 g/L)
Induron Coatings, Inc. (251-340 g/L)
Sherwin-Williams (251-340 g/L)

■ MCU Zinc Rich/MCU/MCU

Coronado Paint (251-340 g/L)
Wasser Corporation (<100 g/L)

■ MCU Zinc Rich/Urethane/Urethane

Sherwin-Williams (251-340 g/L)

■ MCU/MCU/MCU

Coronado Paint (251-340 g/L)
Wasser Corporation (<100 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Acrylic/Acrylic

Carboline Company (>450 g/L)

■ Organic Zinc/Epoxy/Acrylic

Chemline

■ Organic Zinc/Epoxy/Siloxane

International Paint LLC (251-340 g/L)

■ Organic Zinc/Epoxy/Urethane

Corchem Corporation (101-250 g/L)
Devoe Coatings (AkzoNobel)
Fox Industries Inc. (101-250 g/L)
Induron Coatings, Inc. (251-340 g/L)
International Paint LLC (251-340 g/L)
PPG Protective & Marine Coatings (251-340 g/L)

■ Organic Zinc/Polyurea Hybrid

Wasser Corporation (101-250 g/L)

■ Organic Zinc/Siloxane

Carboline Company (251-340 g/L)
PPG Protective & Marine Coatings (251-340 g/L)

■ Polyester/Polyester/Polyester

Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
Fox Industries Inc. (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

A&E Systems LLC (<100 g/L)
Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Chemline
Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Specialty Polymer Coatings, Inc.
Superior Products International II (251-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Andek Corporation (251-340 g/L)

■ Wax

Daubert Chemical, Co. (341-450 g/L)
The Tapecoat Co.
Watson Coatings, Inc.

■ Zinc-Rich, Inorganic

ZRC Worldwide (<100 g/L)

■ Zinc-Rich, Organic

ZRC Worldwide (341-450 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Albi Mfg. A Division of StanChem Inc. (101-250 g/L)
BioCoatings (<100 g/L)
Corrocoat (<100 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
Industrial Nanotech Inc. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
Rust-Oleum Corporation (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)
The Tapecoat Co.

Onshore Atmospheric Exposure Weathering, UV, & Airborne Salt Concrete

■ Alkyd/Acrylic/Acrylic

A.W. Chesterton/ARC Composites (<100 g/L)

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Coal Tar/Asphalt

Carboline Company (251-340 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Complementary Coatings/DBA Insl-X (101-250 g/L)

■ Epoxy (1-2 coats)/Urethane

Chemline
Complementary Coatings/DBA Insl-X (101-250 g/L)
Corchem Corporation (101-250 g/L)
Crossfield Products Corp.
Dayton Superior
Devco Coatings (AkzoNobel)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
International Coatings Inc. (<100 g/L)
Polycoat Products (<100 g/L)
PPG Protective & Marine Coatings (251-340 g/L)
Rodda Paint Corporation (341-450 g/L)
Sherwin-Williams (<100 g/L)
Specialty Polymer Coatings, Inc.
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A&E Systems LLC (<100 g/L)
A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Corchem Corporation (<100 g/L)
Crown Polymers, LLC
Duomar, Inc. (<100 g/L)
International Coatings Inc. (<100 g/L)
PolySpec L.P. / THIOLKOL (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.

■ Epoxy Novolac (1-2 coats)

Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)

■ Epoxy/Epoxy 100% Solids

Duomar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
JAXXON National Maintenance Products
Thin Film Technology, Inc. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.

■ Epoxy/Epoxy/Epoxy

Carboline Company (101-250 g/L)
Corrosion Control Products Co.
Crossfield Products Corp.
Dudick, Inc.
PolySpec L.P. / THIOLKOL (<100 g/L)
Sika Corporation (101-250 g/L)
Top Secret Coatings

■ Epoxy/Epoxy/Siloxane

PPG Protective & Marine Coatings (101-250 g/L)

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Zinc Rich/Epoxy/Urethane

Chemline

■ MCU/MCU/MCU

Andek Corporation (101-250 g/L)
Coronado Paint (251-340 g/L)
Wasser Corporation (<100 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Key Resin Company (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)

■ Polyester/Polyester/Polyester

Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
Dampney Co., Inc.
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
Crown Polymers, LLC
Fox Industries Inc. (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Siloxane/Siloxane

Fox Industries Inc. (<100 g/L)
PROSOCO, Inc.
Rainguard International (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Specialty Polymer Coatings, Inc.
Specialty Products, Inc. (SPI) (<100 g/L)
Superior Products International II (251-450 g/L)

■ Wax

The Tapecoat Co.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (251-340 g/L)
Industrial Nanotech Inc. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings
PROSOCO, Inc.
Rust-Oleum Corporation (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)
Termarust Technologies (<100 g/L)
W. R. MEADOWS, INC. (<100->450 g/L)

Splash Zone Exposure - Weathering, UV, Fresh or Saltwater Splash, & Abrasion - Steel

■ Alkyd/Acrylic/Acrylic

Convenience Products (101-250 g/L)

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Calcium Sulphonate

Termarust Technologies (101-250 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Chemline

■ Epoxy (1-2 coats)/Urethane

Complementary Coatings/DBA Insl-X (101-250 g/L)
Endura Manufacturing Co. Ltd.
Epoxytec (<100 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
Polycoat Products (<100 g/L)
Specialty Polymer Coatings, Inc.
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Corchem Corporation (<100 g/L)
Dampney Co., Inc.
Duomar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
JAXXON National Maintenance Products
NSP Specialty Products (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Coal Tar High Build (1-2 coats)

Corchem Corporation (101-250 g/L)

■ Epoxy Coal Tar/Epoxy Coal Tar

Dampney Co., Inc.

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Duomar, Inc. (<100 g/L)
JAXXON National Maintenance Products
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

PPG Protective & Marine Coatings (101-250 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Carboline Company (251-340 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

Carboline Company (101-250 g/L)
Complementary Coatings/DBA Insl-X (101-250 g/L)
Corrosion Control Products Co.
Devoe Coatings (AkzoNobel)
Dudick, Inc.
Gulf Coast Paint Mfg., Inc. (<100 g/L)
International Paint LLC (251-340 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rodda Paint Corporation (101-250 g/L)
Rust-Oleum Corporation (251-340 g/L)
Sherwin-Williams (<100 g/L)
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

The Tapecoat Co.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy/Epoxy

Carboline Company (101-250 g/L)

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Sherwin-Williams (251-340 g/L)

■ MCU Zinc Rich/Epoxy/Urethane

Endura Manufacturing Co. Ltd.
Induron Coatings, Inc. (251-340 g/L)

■ MCU Zinc Rich/MCU/MCU

Coronado Paint (251-340 g/L)
Wasser Corporation (<100 g/L)

■ MCU/MCU/MCU

Coronado Paint (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Epoxy/Acrylic

Chemline

■ Organic Zinc/Epoxy/Urethane

Endura Manufacturing Co. Ltd.

■ Organic Zinc/Polyurea (Pure)

Wasser Corporation (<100 g/L)

■ Organic Zinc/Polyurea Hybrid

Wasser Corporation (101-250 g/L)

■ Polyester/Polyester/Polyester

Corrocoat Ltd.
Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arncor Performance Polymers
Corchem Corporation (<100 g/L)
Quantum Group (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arncor Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Chemline
Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.
TIB Chemicals AG (formerly Goldschmidt TIB)

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Superior Products International II (251-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Andek Corporation (251-340 g/L)
Corrocoat Ltd.
Subsea Industries NV

■ Wax

The Tapecoat Co.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
BioCoatings (<100 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (251-340 g/L)
Industrial Nanotech Inc. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
Stirling Lloyd Group Plc. (<100 g/L)
The Tapecoat Co.

Splash Zone Exposure - Weathering, UV, Fresh or Saltwater Splash, & Abrasion - Concrete

■ Alkyd/Acrylic/Acrylic

NSP Specialty Products

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Coal Tar/Asphalt

Carboline Company (251-340 g/L)

■ Epoxy (1-2 coats)/Urethane

Chemline
Complementary Coatings/DBA Insl-X (101-250 g/L)
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Dayton Superior
Endura Manufacturing Co. Ltd. (101-250 g/L)
Epoxytec (<100 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
Polycoat Products (<100 g/L)
Specialty Polymer Coatings, Inc.
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Corchem Corporation (<100 g/L)
Duomar, Inc. (<100 g/L)
Fox Industries Inc. (<100 g/L)
JAXXON National Maintenance Products
NSP Specialty Products (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Coal Tar High Build (1-2 coats)

Corchem Corporation (101-250 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)

■ Epoxy/Epoxy 100% Solids

Arcor Epoxy Inc. (<100 g/L)
Concrete Solutions (<100 g/L)
Duomar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Dudick, Inc.
PPG Protective & Marine Coatings (101-250 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy/Epoxy/Epoxy

A.W. Chesterton/ARC Composites (<100 g/L)
Carboline Company (101-250 g/L)
Complementary Coatings/DBA Ins-X (101-250)
Corrosion Control Products Co.
Crossfield Products Corp.
Devoe Coatings (AkzoNobel)
Dudick, Inc.
Gulf Coast Paint Mfg., Inc. (<100 g/L)
International Paint LLC (251-340 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rodda Paint Corporation (101-250 g/L)
Rust-Oleum Corporation (251-340 g/L)
Sherwin-Williams (<100 g/L)
Sika Corporation (101-250 g/L)
Top Secret Coatings

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Sherwin-Williams (251-340 g/L)

■ MCU/MCU/MCU

Coronado Paint (251-340 g/L)
Wasser Corporation (<100 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Key Resin Company (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)

■ Polyester/Polyester/Polyester

Corrocoat Ltd.
Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Anco Performance Polymers
Corchem Corporation (<100 g/L)
Quantum Group (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Anco Performance Polymers
Crown Polymers, LLC
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)
Pacific Polymers International, Inc. (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Superior Products International II (251-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Andek Corporation (251-340 g/L)
Corrocoat Ltd.

■ Wax

The Tapecoat Co.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Gemite Products Inc. (<100 g/L)
Industrial Nanotech Inc. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings
Stirling Lloyd Group Plc. (<100 g/L)
Termarust Technologies

Immersion Exposure - Seawater Steel

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Coal Tar/Asphalt

Lone Star Specialties, LLC

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Chemline

■ Epoxy (1-2 coats)/Urethane

Epoxytex (<100 g/L)
Specialty Polymer Coatings, Inc.
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A&E Systems LLC (<100 g/L)
A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Corchem Corporation (101-250 g/L)
Duomar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
NSP Specialty Products (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy Coal Tar High Build (1-2 coats)

Carboline Company (101-250 g/L)
Corchem Corporation (101-250 g/L)

■ Epoxy Coal Tar/Epoxy Coal Tar

Coronado Paint (101-250 g/L)
Dampney Co., Inc.
Fox Industries Inc. (<100-250 g/L)
Induron Coatings, Inc. (251-340 g/L)
TIB Chemicals AG (formerly Goldschmidt TIB)

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)

■ Epoxy Phenolic (3 coats)

Heresite Protective Coatings, Inc. (341-450 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Duomar, Inc. (<100 g/L)
JAXXON National Maintenance Products
Volatile Free, Inc. (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

PPG Protective & Marine Coatings (101-250 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Sherwin-Williams (251-340 g/L)

■ Epoxy/Epoxy/Epoxy

Carboline Company (251-340 g/L)
Complementary Coatings/DBA Ins-X (101-250 g/L)
Coronado Paint (251-340 g/L)
Corrosion Control Products Co.
Devoe Coatings (AkzoNobel)
Gulf Coast Paint Mfg., Inc. (<100 g/L)
International Paint LLC (251-340 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rodda Paint Corporation (101-250 g/L)
Rust-Oleum Corporation (251-340 g/L)
Sherwin-Williams (<100 g/L)
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ Epoxy/Vinyl Ester/Vinyl Ester

The Tapecoat Co.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy/Urethane

Endura Manufacturing Co. Ltd. (101-250 g/L)

■ **MCU Coal Tar/MCU Coal Tar/MCU Coal Tar**
Wasser Corporation (<100 g/L)

■ **MCU Zinc Rich/MCU/MCU**
Coronado Paint (251-340 g/L)
Wasser Corporation (<100 g/L)

■ **Methyl Methacrylate (2 coats)/Urethane**
Stirling Lloyd Group Plc. (<100 g/L)

■ **Organic Zinc/Epoxy/Acrylic**
Chemline

■ **Organic Zinc/Epoxy/Epoxy**
Carboline Company (341-450 g/L)
Complementary Coatings/DBA Ins-X (341-450 g/L)

■ **Organic Zinc/Polyurea (Pure)**
Wasser Corporation (<100 g/L)

■ **Polyester/Polyester/Polyester**
Corrocoat Ltd.
Superior Products International II (341-450 g/L)

■ **Polyurea Hybrid (1, 2, or 3 coats)**
Arnco Performance Polymers
Corchem Corporation (<100 g/L)
Polycoat Products (<100 g/L)

■ **Polyurea Pure (1, 2, or 3 coats)**
Arnco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ **Tape Wraps**
Corrosion Control Products Co.

■ **Thermal Spray**
Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ **Urethane Elastomeric (1 coat)**
Chemline
Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.
TIB Chemicals AG (formerly Goldschmidt TIB)

■ **Urethane/Urethane**
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
TIB Chemicals AG (formerly Goldschmidt TIB)

■ **Vinyl Ester/Vinyl Ester/Vinyl Ester**
Corrocoat Ltd.
Dudick, Inc.
Subsea Industries NV

■ **Wax**
The Tapecoat Co.

■ **Zinc-Rich, Inorganic**
ZRC Worldwide (<100 g/L)

■ **Zinc-Rich, Organic**
ZRC Worldwide (341-450 g/L)

■ **Other**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
BioCoatings (<100 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
Stirling Lloyd Group Plc. (<100 g/L)
Sub-One Technology
Termarust Technologies
The Tapecoat Co

Immersion Exposure - Seawater Concrete

■ **Alkyd/Acrylic/Acrylic**
NSP Specialty Products

■ **Alkyd/Alkyd/Silicone Alkyd**
Top Secret Coatings

■ **Epoxy (1-2 coats)/Urethane**
Chemline
Crown Polymers, LLC (<100 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Epoxytec (<100 g/L)
Specialty Polymer Coatings, Inc.
Top Secret Coatings

■ **Epoxy 100% Solids (1-2 coats)**
A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Concrete Solutions (<100 g/L)
Corchem Corporation (101-250 g/L)
Crown Polymers, LLC
Duomar, Inc. (<100 g/L)
Fox Industries Inc. (<100 g/L)
NSP Specialty Products (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)

■ **Epoxy Coal Tar High Build (1-2 coats)**
Carboline Company (101-250 g/L)
Corchem Corporation (101-250 g/L)

■ **Epoxy Coal Tar/Epoxy Coal Tar**
Coronado Paint (101-250 g/L)
Fox Industries Inc. (<100 g/L)
Induron Coatings, Inc. (251-340 g/L)

■ **Epoxy Flake Filled/Epoxy Flake Filled**
Corrocoat Ltd.

■ **Epoxy Novolac (1-2 coats)**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Crown Polymers, LLC (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)

■ **Epoxy Phenolic (3 coats)**
Heresite Protective Coatings, Inc. (341-450 g/L)

■ **Epoxy/Epoxy 100% Solids**
A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Duomar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (101-250 g/L)
JAXXON National Maintenance Products
Key Resin Company (<100 g/L)
Sherwin-Williams (<100 g/L)
Volatile Free, Inc. (<100 g/L)
Wolverine Coatings Corporation

■ **Epoxy/Epoxy Flake Filled/Epoxy Flake Filled**
PPG Protective & Marine Coatings (101-250 g/L)

■ **Epoxy/Epoxy Novolac/Epoxy Novolac**
Key Resin Company (<100 g/L)

■ **Epoxy/Epoxy Phenolic/Epoxy Phenolic**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Sherwin-Williams (251-340 g/L)

■ **Epoxy/Epoxy/Epoxy**
Carboline Company (251-340 g/L)
Complementary Coatings/DBA Ins-X (101-250 g/L)
Coronado Paint (251-340 g/L)
Corrosion Control Products Co.
Devoo Coatings (AkzoNobel)
Gulf Coast Paint Mfg., Inc. (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rodda Paint Corporation (101-250 g/L)
Rust-Oleum Corporation (251-340 g/L)
Sherwin-Williams (<100 g/L)
Sika Corporation (101-250 g/L)
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ **Epoxy/Vinyl Ester/Vinyl Ester**
Dudick, Inc.

■ **Heat-Shrinkable Sleeves**
Corrosion Control Products Co.

■ **MCU Coal Tar/MCU Coal Tar/MCU Coal Tar**
Wasser Corporation (<100 g/L)

■ **MCU/MCU/MCU**
Coronado Paint (251-340 g/L)

■ **Methyl Methacrylate (2 coats)/Urethane**
Stirling Lloyd Group Plc. (<100 g/L)

■ **Polyester/Polyester/Polyester**
Corrocoat Ltd.

■ **Polyurea Hybrid (1, 2, or 3 coats)**
Arnco Performance Polymers
Corchem Corporation (<100 g/L)
Polycoat Products (<100 g/L)

■ **Polyurea Pure (1, 2, or 3 coats)**
Arnco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)
Wasser Corporation (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.

TMS Metalizing Systems, Ltd.

Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)

LINE-X Protective Coatings (<100 g/L)

Polibrid Coatings, Inc. (<100 g/L)

Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)

Pacific Polymers International, Inc. (<100 g/L)

Polycoat Products (<100 g/L)

Quantum Group (<100 g/L)

Specialty Products, Inc. (SPI) (<100 g/L)

Superior Products International II (341-450 g/L)

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Corrocoat Ltd.

Dudick, Inc.

■ Wax

The Tapecoat Co.

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)

Gemite Products Inc. (<100 g/L)

Liquid Rubber Industries Inc. (<100 g/L)

PPC Coatings

Stirling Lloyd Group Plc. (<100 g/L)

Immersion Exposure - Freshwater Steel

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Coal Tar/Asphalt

Lone Star Specialties, LLC

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Chemline

■ Epoxy (1-2 coats)/Urethane

Endura Manufacturing Co. Ltd. (101-250 g/L)

Epoxytec (<100 g/L)

Polycoat Products (<100 g/L)

Specialty Polymer Coatings, Inc.

Top Secret Coatings

Watson Coatings, Inc.

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)

Arcor Epoxy Inc. (<100 g/L)

CCI Con-Tech of California, Inc. (<100 g/L)

Corchem Corporation (<100 g/L)

Duromar, Inc. (<100 g/L)

ENECON Corporation (<100 g/L)

Fox Industries Inc. (<100 g/L)

Gemite Products Inc. (<100 g/L)

NSP Specialty Products (<100 g/L)

PolySpec L.P. / THIOKOL (<100 g/L)

PPG Protective & Marine Coatings (<100 g/L)

Specialty Polymer Coatings, Inc.

Thin Film Technology, Inc. (<100 g/L)

TIB Chemicals AG (formerly Goldschmidt TIB)

Volatile Free, Inc. (<100 g/L)

■ Epoxy Coal Tar High Build (1-2 coats)

Carboline Company (101-250 g/L)

■ Epoxy Coal Tar/Epoxy Coal Tar

Coronado Paint (101-250 g/L)

Dampney Co., Inc.

Fox Industries Inc. (<100-250 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ Epoxy Phenolic (3 coats)

Corchem Corporation (101-250 g/L)

Heresite Protective Coatings, Inc. (341-450 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)

Arcor Epoxy Inc. (<100 g/L)

Duromar, Inc. (<100 g/L)

JAXXON National Maintenance Products

Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.

Dudick, Inc.

PPG Protective & Marine Coatings (101-250 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

PolySpec L.P. / THIOKOL (<100 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)

Sherwin-Williams (251-340 g/L)

■ Epoxy/Epoxy/Epoxy

Carboline Company (251-340 g/L)

Complementary Coatings/DBA Insl-X (101-250 g/L)

Corchem Corporation (101-250 g/L)

Coronado Paint (251-340 g/L)

Corrosion Control Products Co.

Devco Coatings (AkzoNobel)

Gulf Coast Paint Mfg., Inc. (<100 g/L)

Induron Coatings, Inc. (251-340 g/L)

International Paint LLC (251-340 g/L)

PolySpec L.P. / THIOKOL (<100 g/L)

PPG Protective & Marine Coatings (101-250 g/L)

Rodda Paint Corporation (101-250 g/L)

Rust-Oleum Corporation (251-340 g/L)

Sherwin-Williams (<100 g/L)

Superior Products International II (341-450 g/L)

■ Epoxy/Vinyl Ester/Vinyl Ester

The Tapecoat Co.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Epoxy/Urethane

Endura Manufacturing Co. Ltd. (101-250 g/L)

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Sherwin-Williams (251-340 g/L)

Wasser Corporation (<100 g/L)

■ MCU Zinc Rich/MCU/MCU

Coronado Paint (251-340 g/L)

Wasser Corporation (<100 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Epoxy/Acrylic

Chemline

■ Organic Zinc/Epoxy/Epoxy

Complementary Coatings/DBA Insl-X (341-450 g/L)

Induron Coatings, Inc. (251-340 g/L)

■ Organic Zinc/Polyurea (Pure)

Wasser Corporation (<100 g/L)

■ Polyester/Polyester/Polyester

Corrocoat Ltd.

Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers

Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers

LINE-X Protective Coatings (<100 g/L)

Polycoat Products (<100 g/L)

Quantum Group (<100 g/L)

Specialty Products, Inc. (SPI) (<100 g/L)

VersaFlex Incorporated (<100 g/L)

Volatile Free, Inc. (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.

TMS Metalizing Systems, Ltd.

Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Chemline

Global EcoTechnologies (<100 g/L)

LINE-X Protective Coatings (<100 g/L)

Polibrid Coatings, Inc. (<100 g/L)

Polycoat Products (<100 g/L)

Specialty Polymer Coatings, Inc.

TIB Chemicals AG (formerly Goldschmidt TIB)

■ Urethane/Urethane

LINE-X Protective Coatings (<100 g/L)

Superior Products International II (341-450 g/L)

■ Wax

The Tapecoat Co.

■ **Zinc-Rich, Inorganic**
ZRC Worldwide (<100 g/L)

■ **Zinc-Rich, Organic**
ZRC Worldwide (341-450 g/L)

■ **Other**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
BioCoatings (<100 g/L)
Carboline Company (<100 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
Stirling Lloyd Group Plc. (<100 g/L)
Sub-One Technology
Termarust Technologies
The Tapecoat Co.

Immersion Exposure - Freshwater Concrete

■ **Alkyd/Acrylic/Acrylic**
NSP Specialty Products

■ **Alkyd/Alkyd/Silicone Alkyd**
Top Secret Coatings

■ **Epoxy (1-2 coats)/Urethane**
Chemline
Crown Polymers, LLC (<100 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Epoxytec (<100 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
Polycoat Products (<100 g/L)
Specialty Polymer Coatings, Inc.
Top Secret Coatings

■ **Epoxy 100% Solids (1-2 coats)**
A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Corchem Corporation (<100 g/L)
Crown Polymers, LLC
Duomar, Inc. (<100 g/L)
Fox Industries Inc. (<100 g/L)
JAXXON National Maintenance Products
Key Resin Company (<100 g/L)
NSP Specialty Products (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
Specialty Polymer Coatings, Inc.
Thin Film Technology, Inc. (<100 g/L)

■ **Epoxy Coal Tar High Build (1-2 coats)**
Carboline Company (101-250 g/L)

■ **Epoxy Coal Tar/Epoxy Coal Tar**
Coronado Paint (101-250 g/L)
Dampney Co., Inc.
Fox Industries Inc. (<100-250 g/L)

■ **Epoxy Flake Filled/Epoxy Flake Filled**
Corrocoat Ltd.

■ **Epoxy Novolac (1-2 coats)**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Crown Polymers, LLC (<100 g/L)

■ **Epoxy Phenolic (3 coats)**
Corchem Corporation (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)

■ **Epoxy/Epoxy 100% Solids**
A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Concrete Solutions (<100 g/L)
Duomar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
JAXXON National Maintenance Products
Sherwin-Williams (<100 g/L)
Wolverine Coatings Corporation

■ **Epoxy/Epoxy Flake Filled/Epoxy Flake Filled**
Corrocoat Ltd.
Dudick, Inc.
PPG Protective & Marine Coatings (101-250 g/L)

■ **Epoxy/Epoxy Novolac/Epoxy Novolac**
Dudick, Inc.
Key Resin Company (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)

■ **Epoxy/Epoxy Phenolic/Epoxy Phenolic**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Sherwin-Williams (251-340 g/L)

■ **Epoxy/Epoxy/Epoxy**
Carboline Company (251-340 g/L)
Complementary Coatings/DBA Insl-X (101-250)
Corchem Corporation (101-250 g/L)
Coronado Paint (251-340 g/L)
Corrosion Control Products Co.
Devoe Coatings (AkzoNobel)
Gulf Coast Paint Mfg., Inc. (<100 g/L)
Induron Coatings, Inc. (251-340 g/L)
Key Resin Company (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rodda Paint Corporation (101-250 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sika Corporation (101-250 g/L)
Superior Products International II (341-450 g/L)
Top Secret Coatings

■ **Heat-Shrinkable Sleeves**
Corrosion Control Products Co.

■ **MCU Coal Tar/MCU Coal Tar/MCU Coal Tar**
Wasser Corporation (<100 g/L)

■ **MCU/MCU/MCU**
Coronado Paint (251-340 g/L)

■ **Methyl Methacrylate/Methyl Methacrylate**
Stirling Lloyd Group Plc. (<100 g/L)

■ **Polyester/Polyester/Polyester**
Corrocoat Ltd.
Superior Products International II (251-340 g/L)

■ **Polyurea Hybrid (1, 2, or 3 coats)**
Arnco Performance Polymers
Volatile Free, Inc. (<100 g/L)

■ **Polyurea Pure (1, 2, or 3 coats)**
Arnco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)
Wasser Corporation (<100 g/L)

■ **Tape Wraps**
Corrosion Control Products Co.

■ **Thermal Spray**
Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ **Urethane Elastomeric (1 coat)**
Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Polycoat Products (<100 g/L)
Specialty Polymer Coatings, Inc.

■ **Urethane/Urethane**
LINE-X Protective Coatings (<100 g/L)
Pacific Polymers International, Inc. (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Superior Products International II (341-450 g/L)

■ **Wax**
The Tapecoat Co.

■ **Other**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Carboline Company (<100 g/L)
Gemite Products Inc. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings
Stirling Lloyd Group Plc. (<100 g/L)
Termarust Technologies

Coating System Guide for Water Works

Sponsored by



PPG Protective & Marine Coatings

Systems are alphabetized by first coat.

Exterior Exposure Weathering and UV Steel

■ Alkyd/Acrylic/Acrylic

Diamond Vogel Paint Company (251-340 g/L)
Induron Coatings, Inc. (251-340 g/L)
Mascoat Products (<100 g/L)
Rodda Paint Corporation (341-450 g/L)
Sherwin-Williams (251-340 g/L)
Watson Coatings, Inc.

■ Alkyd/Alkyd/Alkyd

Complementary Coatings/DBA Insl-X (251-340 g/L)
Watson Coatings, Inc.

■ Alkyd/Alkyd/Silicone Alkyd

Rodda Paint Corporation (341-450 g/L)
Top Secret Coatings

■ Calcium Sulphonate

Termarust Technologies (101-250 g/L)

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Chemline
Complementary Coatings/DBA Insl-X (101-250 g/L)
Epmar Corporation

■ Epoxy (1-2 coats)/Urethane

Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Insl-X (101-250 g/L)
Devoe Coatings (AkzoNobel) (101-250 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
ITW Futura Coatings (101-250 g/L)
Madison Chemical Industries (251-340 g/L)
Micor Company, Inc. (341-450 g/L)
Polycoat Products (<100 g/L)
PolySpec L.P. / THIOKOL (101-250 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rodda Paint Corporation (341-450 g/L)
Rust-Oleum Corporation (251-340 g/L)
Sherwin-Williams (<100 g/L)
Specialty Polymer Coatings, Inc.
Top Secret Coatings
Watson Coatings, Inc.

■ Epoxy 100% Solids (1-2 coats)

Arcor Epoxy Inc. (<100 g/L)
Berry Plastics Corrosion Protection Group



Duomar, Inc. (<100 g/L)

Gemite Products Inc. (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.

■ Epoxy Novolac (1-2 coats)

PolySpec L.P. / THIOKOL (<100 g/L)

■ Epoxy/Epoxy 100% Solids

A&E Systems LLC (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Duomar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Atlas Minerals & Chemicals, Inc.

■ Epoxy/Epoxy/Epoxy

A&E Systems LLC
Atlas Minerals & Chemicals, Inc.
Corrosion Control Products Co.
PolySpec L.P. / THIOKOL (<100 g/L)
Top Secret Coatings

■ Epoxy/Epoxy/Siloxane

International Paint LLC (101-250 g/L)
PPG Protective & Marine Coatings (101-250 g/L)

■ Epoxy/Vinyl Ester/Vinyl Ester

The Tapecoat Co.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ Inorganic Zinc/Acrylic/Acrylic

Epmar Corporation

■ Inorganic Zinc/Epoxy/Fluorourethane

Tnemec Company, Inc.

■ Inorganic Zinc/Epoxy/Urethane

Avilion Inc.
Corchem Corporation (101-250 g/L)
Dampney Co., Inc.
Devoe Coatings (AkzoNobel) (251-340 g/L)
Gulf Coast Paint Mfg., Inc.

■ Inorganic Zinc/Polyurea (Pure)

Primeaux Associates LLC

■ MCU Zinc Rich/Epoxy/Urethane

Induron Coatings, Inc. (251-340 g/L)
Madison Chemical Industries (251-340 g/L)

■ MCU Zinc Rich/MCU/MCU

Coronado Paint (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ MCU Zinc Rich/Urethane/Urethane

Coatings For Industry, Inc. (251-340 g/L)

■ MCU/MCU/MCU

Coronado Paint (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate (2 coats)/Urethane

Stirling Lloyd Group Plc. (<100 g/L)

■ Organic Zinc/Acrylic/Acrylic

Diamond Vogel Paint Company (341-450 g/L)

■ Organic Zinc/Epoxy/Acrylic

Chemline

■ Organic Zinc/Epoxy/Fluorourethane

Induron Coatings, Inc. (101-250 g/L)

■ Organic Zinc/Epoxy/Urethane

Avilion Inc.
Corchem Corporation (101-250 g/L)
Devoe Coatings (AkzoNobel) (251-340 g/L)
Fox Industries Inc. (101-250 g/L)
International Paint LLC (251-340 g/L)
Tnemec Company, Inc.

■ Organic Zinc/Siloxane

Avilion Inc.
Carboline Company (251-340 g/L)

■ Organic Zinc/Urethane/Urethane

Dampney Co., Inc.
Tnemec Company, Inc.

■ Polyester/Polyester/Polyester

Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
ITW Futura Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arnco Performance Polymers
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Sheet Lining, Thermoplastic

A&E Systems LLC

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

Coatings For Industry, Inc. (251-340 g/L)
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Madison Chemical Industries (251-340 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Superior Products International II (251-450 g/L)

■ Wax

The Tapecoat Co.

■ Zinc-Rich, Inorganic

ZRC Worldwide (<100 g/L)

■ Zinc-Rich, Organic

ZRC Worldwide (341-450 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Albi Mfg. A Division of StanChem Inc. (101-250 g/L)
BioCoatings (<100 g/L)
CorroSeal (<100 g/L)
ENECON Corporation (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (251-340 g/L)
Hi-Temp Coatings Technology (101-450 g/L)
Industrial Nanotech Inc. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
PPC Coatings
Rust-Oleum Corporation (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)
The Tapecoat Co.

Exterior Exposure Weathering and UV Concrete

■ Alkyd/Acrylic/Acrylic

Diamond Vogel Paint Company (251-450 g/L)
Fox Industries Inc. (<100 g/L)
Mascoat Products (<100 g/L)

■ Alkyd/Alkyd/Silicone Alkyd

Top Secret Coatings

■ Epoxy (1-2 coats)/Acrylic (1-2 coats)

Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Insl-X (101-250)
Epmar Corporation
PPG Protective & Marine Coatings (101-250 g/L)
Rodda Paint Corporation (251-340 g/L)
Rust-Oleum Corporation (251-340 g/L)
Tnemec Company, Inc.

■ Epoxy (1-2 coats)/Urethane

Chemline
Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Insl-X (101-250 g/L)
Corchem Corporation (101-250 g/L)
Crossfield Products Corp.
Dayton Superior
Devoe Coatings (AkzoNobel) (101-250 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
Heresite Protective Coatings, Inc.
International Coatings Inc. (<100 g/L)
ITW Futura Coatings (101-250 g/L)
Kemper System Inc. (<100 g/L)
Key Resin Company (<100 g/L)
Micor Company, Inc. (341-450 g/L)
Polycoat Products (<100 g/L)
PolySpec L.P. / THIOKOL (101-250 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rodda Paint Corporation (341-450 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sherwin-Williams (<100 g/L)
Specialty Polymer Coatings, Inc.
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A&E Systems LLC (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Berry Plastics Corrosion Protection Group
Concrete Solutions (<100 g/L)
Crown Polymers, LLC
Duomar, Inc. (<100 g/L)
Fox Industries Inc. (<100 g/L)
Kaufman Products, Inc. (<100 g/L)

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.

■ Epoxy Novolac (1-2 coats)

Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)

■ Epoxy/Epoxy 100% Solids

A&E Systems LLC
Atlas Minerals & Chemicals, Inc.
Duomar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Kaufman Products, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Atlas Minerals & Chemicals, Inc.
PolySpec L.P. / THIOKOL (<100 g/L)

■ Epoxy/Epoxy/Epoxy

A&E Systems LLC
Atlas Minerals & Chemicals, Inc.
Corro-Shield International, Inc.
Corrosion Control Products Co.
Crossfield Products Corp.
PolySpec L.P. / THIOKOL (<100 g/L)
Sika Corporation (101-250 g/L)
Top Secret Coatings

■ Epoxy/Epoxy/Siloxane

Avilion Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU Zinc Rich/MCU/MCU

Coronado Paint (251-340 g/L)

■ MCU/MCU/MCU

Coronado Paint (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ Methyl Methacrylate/Methyl Methacrylate

Key Resin Company (<100 g/L)

■ Methyl Methacrylate (2 coats)/Urethane

BioCoatings (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)

■ Polyester/Polyester/Polyester

Superior Products International II (251-340 g/L)

■ Polyurea Hybrid (1, 2, or 3 coats)

Arnco Performance Polymers
ITW Futura Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Polyurea Pure (1, 2, or 3 coats)

Arco Performance Polymers
Crown Polymers, LLC
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Primeaux Associates LLC
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ Siloxane/Siloxane

Gemite Products Inc. (<100 g/L)
PROSOCO, Inc.
Rainguard International (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ Urethane Elastomeric (1 coat)

Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Urethane/Urethane

Coatings For Industry, Inc. (251-340 g/L)
Concrete Solutions (101-250 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Superior Products International II (251-450 g/L)

■ Other

Advanced Polymer Coatings, Ltd. (101-250 g/L)
ENECON Corporation (<100 g/L)
Gemite Products Inc. (<100 g/L)
Induron Coatings, Inc. (<100 g/L)
Industrial Nanotech Inc. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings
PROSOCO, Inc.
Rust-Oleum Corporation (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)
Termarust Technologies (<100 g/L)
Tnemec Company, Inc.
W. R. MEADOWS, INC. (<100->450 g/L)

**Immersion Exposure
Potable Water Approved
Steel**

■ Coal Tar/Asphalt

Lone Star Specialties, LLC

■ Epoxy (1-2 coats)/Urethane

Chemline
Polycoat Products (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Avilion Inc.
Berry Plastics Corrosion Protection Group
Carboline Company (<100 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Duromar, Inc. (<100 g/L)
Envirolite/International Paint Prot Ctgs (<100 g/L)



Induron Coatings, Inc. (<100 g/L)
International Paint LLC (<100 g/L)
JAXXON National Maintenance Products
Madison Chemical Industries (<100 g/L)
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Epoxy Phenolic (3 coats)

Carboline Company (341-450 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Avilion Inc.
Duromar, Inc. (<100 g/L)
Epmar Corporation
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sherwin-Williams (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Dudick, Inc.
ENECON Corporation (<100 g/L)
Henkel Technologies—Corrosion Engineering

■ Epoxy/Epoxy/Epoxy

Carboline Company (251-340 g/L)
Corrosion Control Products Co.
Devco Coatings (AkzoNobel) (<100-250 g/L)
Epmar Corporation
Henkel Technologies—Corrosion Engineering
Heresite Protective Coatings, Inc. (341-450 g/L)
Induron Coatings, Inc. (251-340 g/L)
International Paint LLC (101-340 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sherwin-Williams (<100 g/L)
Tnemec Company, Inc.
Wasser Corporation (101-250 g/L)

Click our Reader e-Card at painsquare.com/ric

■ **Heat-Shrinkable Sleeves**

Corrosion Control Products Co.

■ **Methyl Methacrylate (2 coats)/Urethane**

Stirling Lloyd Group Plc. (<100 g/L)

■ **Organic Zinc/Epoxy/Epoxy**

Induron Coatings, Inc. (251-340 g/L)
Tnemec Company, Inc.

■ **Polyurea Hybrid (1, 2, or 3 coats)**

ITW Futura Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ **Polyurea Pure (1, 2, or 3 coats)**

LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Sherwin-Williams (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)

■ **Sheet Lining, Rubber**

Polycorp Ltd.

■ **Tape Wraps**

Corrosion Control Products Co.

■ **Thermal Spray**

Thermion Inc.

■ **Urethane Elastomeric (1 coat)**

Chemline
Global EcoTechnologies (<100 g/L)
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Polycoat Products (<100 g/L)

■ **Urethane/Urethane**

ITW Futura Coatings (<100 g/L)



LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ **Vinyl Ester/Vinyl Ester/Vinyl Ester**

Corrocoat Ltd.
Dudick, Inc.

■ **Other**

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Gemite Products Inc. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)
Sub-One Technology

Immersion Exposure Potable Water Approved Concrete

■ **Epoxy (1-2 coats)/Urethane**

Chemline
Polycoat Products (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Tnemec Company, Inc.

■ **Epoxy 100% Solids (1-2 coats)**

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Avilion Inc.
Berry Plastics Corrosion Protection Group
Carboline Company (341-450 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Duromar, Inc. (<100 g/L)
Enviroline/International Paint Prot Ctg's (<100 g/L)
Induron Coatings, Inc. (<100 g/L)
JAXXON National Maintenance Products
Madison Chemical Industries (<100 g/L)
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Specialty Polymer Coatings, Inc.

■ **Epoxy/Epoxy 100% Solids**

A.W. Chesterton/ARC Composites (<100 g/L)
Avilion Inc.
Duromar, Inc. (<100 g/L)
Epmar Corporation
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sherwin-Williams (<100 g/L)

■ **Epoxy/Epoxy Novolac/Epoxy Novolac**

Dudick, Inc.
ENECON Corporation (<100 g/L)
Henkel Technologies—Corrosion Engineering

■ **Epoxy/Epoxy/Epoxy**

Carboline Company (251-340 g/L)
Corro-Shield International, Inc.
Corrosion Control Products Co.
Devoe Coatings (AkzoNobel) (<100-250 g/L)



Epmar Corporation
Henkel Technologies—Corrosion Engineering
Heresite Protective Coatings, Inc. (101-250 g/L)
Induron Coatings, Inc. (251-340 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sherwin-Williams (<100 g/L)
Sika Corporation (101-250 g/L)
Tnemec Company, Inc.
Wasser Corporation (101-250 g/L)

■ **Heat-Shrinkable Sleeves**

Corrosion Control Products Co.

■ **Methyl Methacrylate (2 coats)/Urethane**

Stirling Lloyd Group Plc. (<100 g/L)

■ **Polyurea Hybrid (1, 2, or 3 coats)**

ITW Futura Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ **Polyurea Pure (1, 2, or 3 coats)**

Carboline Company (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Primeaux Associates LLC (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Sherwin-Williams (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)

■ **Sheet Lining, Thermoplastic**

Henkel Technologies—Corrosion Engineering

■ **Tape Wraps**

Corrosion Control Products Co.

■ **Thermal Spray**

Thermion Inc.

■ **Urethane Elastomeric (1 coat)**

Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Polycoat Products (<100 g/L)

■ **Urethane/Urethane**

LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Tnemec Company, Inc.

■ **Vinyl Ester/Vinyl Ester/Vinyl Ester**

Corrocoat Ltd.
Dudick, Inc.

■ **Other**

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Gemite Products Inc. (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Madison Chemical Industries (<100 g/L)
PPC Coatings
Stirling Lloyd Group Plc. (<100 g/L)

Immersion Exposure Non-Potable Water Steel

■ **Alkyd/Alkyd/Silicone Alkyd**

Top Secret Coatings

■ **Coal Tar/Asphalt**

Carboline Company (251-340 g/L)
Henkel Technologies—Corrosion Engineering
Lone Star Specialties, LLC

■ **Epoxy (1-2 coats)/Urethane**

Chemline
Endura Manufacturing Co. Ltd. (101-250 g/L)
Polycoat Products (<100 g/L)
Top Secret Coatings

■ Epoxy 100% Solids (1-2 coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Berry Plastics Corrosion Protection Group
Carboline Company (<100 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Corchem Corporation (<100 g/L)
Duomar, Inc. (<100 g/L)
Envirolite/International Paint Prot Ctg's (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Induron Coatings, Inc. (<100 g/L)
International Paint LLC (<100 g/L)
JAXXON National Maintenance Products
Madison Chemical Industries (<100 g/L)
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Epoxy Coal Tar High Build (1-2 coats)

Avilion Inc.
Corchem Corporation (101-250 g/L)
Tnemec Company, Inc.

■ Epoxy Coal Tar/Epoxy Coal Tar

Avilion Inc.
Epmar Corporation

■ Epoxy Flake Filled/Epoxy Flake Filled

Corrocoat Ltd.
Envirolite/International Paint Prot Ctg's (<100 g/L)

■ Epoxy Novolac (1-2 coats)

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Envirolite/International Paint Prot Ctg's (101-250 g/L)
Specialty Polymer Coatings, Inc.
Wolverine Coatings Corporation

■ Epoxy Phenolic (3 coats)

Dudick, Inc.
Heresite Protective Coatings, Inc. (341-450 g/L)

■ Epoxy/Epoxy 100% Solids

A&E Systems LLC
A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Duomar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Epmar Corporation
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sherwin-Williams (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Ceilecote Products/International Paint (101-250 g/L)
Dudick, Inc.
PPG Protective & Marine Coatings (101-250 g/L)

■ Epoxy/Epoxy Novolac/Epoxy Novolac

A.W. Chesterton/ARC Composites (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Henkel Technologies—Corrosion Engineering
PolySpec L.P. / THIOKOL (<100 g/L)

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Avilion Inc.

■ Epoxy/Epoxy/Epoxy

A&E Systems LLC
Atlas Minerals & Chemicals, Inc.
Carboline Company (251-340 g/L)
Complementary Coatings/DBA Insl-X (251-340 g/L)
Coronado Paint (251-340 g/L)
Corro-Shield International, Inc.
Corrosion Control Products Co.
Devoe Coatings (AkzoNobel) (<100-250 g/L)
Diamond Vogel Paint Company (101-250 g/L)
Epmar Corporation
Gulf Coast Paint Mfg., Inc.

Henkel Technologies—Corrosion Engineering
Induron Coatings, Inc. (251-340 g/L)
International Paint LLC (101-340 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rust-Oleum Corporation (251-340 g/L)
Sherwin-Williams (<100 g/L)
Superior Products International II (341-450 g/L)
Tnemec Company, Inc.
Top Secret Coatings

The Only Thing We Can't Contain is your Excitement.



Vincent Thomas Bridge

www.hippwrap.com

SOUTHWEST OFFICE
4070 Kearny Mesa Road
San Diego, CA 92111
1-800-362-4477 Toll Free
FAX - 858-541-1580
Info@hippwrap.com

NORTHWEST OFFICE
PO Box 5667
Tacoma, WA 98415-0667
Phone - 253-627-4563
Fax - 253-627-4584
steve@hippwrap.com

SAN FRANCISCO/FAIRFIELD OFFICE
149 Groblich Ct. Unit D
Fairfield, CA 94534
1-877-362-4477 Toll Free
Fax - 707-864-5567
grover@hippwrap.com

HIPPWRAP™ Containment is America's 1st Choice in Shrinkwrap Protection for all your blasting, coating, weather protection, and asbestos containment jobs. Whether you need to wrap a ship, storage tank, tower, building, aircraft, bridge, or any other steel structure, HIPPWRAP can get the job done quickly and affordably.

And, HIPPWRAP contains your bottom line. Our team of professionals are ready to visit your job site to conduct or oversee the efficient and proper installation of our durable, fire-retardant, seamless system that is sure to increase your productivity with less down time, minimal maintenance, and quick and easy clean up.

You can trust the HIPPWRAP team for quality materials, a firm commitment to the customer, and the know-how and experience to get your next job done right. Call us today for a HIPPWRAP quote.

HIPPWRAP

CONTAINMENT



■ **Epoxy/Vinyl Ester/Vinyl Ester**
The Tapecoat Co.

■ **Fusion-Bonded Epoxy (1-2 coats)**
Ceilcote Products/International Paint (101-250 g/L)

■ **Heat-Shrinkable Sleeves**
Corrosion Control Products Co.

■ **MCU Coal Tar/MCU Coal Tar/MCU Coal Tar**
Wasser Corporation (251-340 g/L)

■ **MCU Zinc Rich/MCU/MCU**
Coronado Paint (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ **MCU/MCU/MCU**
Wasser Corporation (251-340 g/L)

■ **Methyl Methacrylate (2 coats)/Urethane**
Stirling Lloyd Group Plc. (<100 g/L)

■ **Organic Zinc/Epoxy/Epoxy**
Complementary Coatings/DBA Ins-X (251-340 g/L)
Diamond Vogel Paint Company (341-450 g/L)
Induron Coatings, Inc. (251-340 g/L)
Tnemec Company, Inc.

■ **Polyester/Polyester/Polyester**
Corrocoat Ltd.

■ **Polyurea Hybrid (1, 2, or 3 coats)**
Arnco Performance Polymers
Corchem Corporation (<100 g/L)
ITW Futura Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polycoat Products (<100 g/L)
Rhino Linings Corporation (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ **Polyurea Pure (1, 2, or 3 coats)**
Arnco Performance Polymers
Fox Industries Inc. (<100 g/L)
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polycoat Products (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Sherwin-Williams (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ **Sheet Lining, Rubber**
Polycorp Ltd.

■ **Tape Wraps**
Corrosion Control Products Co.

■ **Thermal Spray**
Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ **Urethane Elastomeric (1 coat)**
Chemline
Global EcoTechnologies (<100 g/L)
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ **Urethane/Urethane**
LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)

■ **Vinyl Ester/Vinyl Ester/Vinyl Ester**
Corrocoat Ltd.
Dudick, Inc.
PolySpec L.P. / THIOKOL (101-250 g/L)
Subsea Industries NV

■ **Wax**
The Tapecoat Co.

■ **Zinc-Rich, Inorganic**
ZRC Worldwide (<100 g/L)

■ **Zinc-Rich, Organic**
ZRC Worldwide (341-450 g/L)

■ **Other**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
BioCoatings (<100 g/L)
Gemite Products Inc. (<100 g/L)
Heresite Protective Coatings, Inc. (341-450 g/L)
JAXXON National Maintenance Products
Liquid Rubber Industries Inc. (<100 g/L)
Madison Chemical Industries (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
Stirling Lloyd Group Plc. (<100 g/L)
Sub-One Technology
Termarust Technologies
The Tapecoat Co.

Immersion Exposure Non-Potable Water Concrete

■ **Alkyd/Acrylic/Acrylic**
A&E Systems LLC
NSP Specialty Products

■ **Alkyd/Alkyd/Silicone Alkyd**
Top Secret Coatings

■ **Coal Tar/Asphalt**
Carboline Company (251-340 g/L)

■ **Epoxy (1-2 coats)/Fluoropolymer**
Enviroline/International Paint Prot Ctgs (<100 g/L)

■ **Epoxy (1-2 coats)/Urethane**
Chemline
Endura Manufacturing Co. Ltd. (101-250 g/L)
Kemper System Inc. (<100 g/L)
National Polymers Inc. (251-340 g/L)
Polycoat Products (<100 g/L)
Tnemec Company, Inc.
Top Secret Coatings

■ **Epoxy 100% Solids (1-2 coats)**
A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Carboline Company (<100 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Corchem Corporation (<100 g/L)
Crown Polymers, LLC
Duromar, Inc. (<100 g/L)
Enviroline/International Paint Prot Ctgs (<100 g/L)
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Induron Coatings, Inc. (<100 g/L)
JAXXON National Maintenance Products
Kaufman Products, Inc. (<100 g/L)
Micor Company, Inc.
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Specialty Polymer Coatings, Inc.

■ **Epoxy Coal Tar High Build (1-2 coats)**
Avilion Inc.
Corchem Corporation (101-250 g/L)
Tnemec Company, Inc.

■ **Epoxy Coal Tar/Epoxy Coal Tar**
Avilion Inc.
Epmar Corporation

■ **Epoxy Flake Filled/Epoxy Flake Filled**
Ceilcote Products/International Paint (101-250 g/L)
Corrocoat Ltd.

■ **Epoxy Novolac (1-2 coats)**
A.W. Chesterton/ARC Composites (<100 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Arcor Epoxy Inc. (<100 g/L)
Crown Polymers, LLC (<100 g/L)
Enviroline/International Paint Prot Ctgs (101-250 g/L)
Micor Company, Inc.
National Polymers Inc. (101-250 g/L)
Specialty Polymer Coatings, Inc.

■ **Epoxy Phenolic (3 coats)**
Dudick, Inc.

■ **Epoxy/Epoxy 100% Solids**
A&E Systems LLC
Arcor Epoxy Inc. (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Epmar Corporation
Kaufman Products, Inc. (<100 g/L)
RLS Solutions/Raven Engineered Systems (<100 g/L)
Sherwin-Williams (<100 g/L)
Wolverine Coatings Corporation

■ **Epoxy/Epoxy Flake Filled/Epoxy Flake Filled**
Ceilcote Products/International Paint (101-250 g/L)
Dudick, Inc.
PPG Protective & Marine Coatings (101-250 g/L)

■ **Epoxy/Epoxy Novolac/Epoxy Novolac**
A.W. Chesterton/ARC Composites (<100 g/L)
Atlas Minerals & Chemicals, Inc.
Henkel Technologies—Corrosion Engineering
National Polymers Inc. (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)

■ **Epoxy/Epoxy Phenolic/Epoxy Phenolic**
Advanced Polymer Coatings, Ltd. (101-250 g/L)

■ **Epoxy/Epoxy/Epoxy**
A&E Systems LLC
Atlas Minerals & Chemicals, Inc.
Carboline Company (251-340 g/L)
Complementary Coatings/DBA Insl-X (251-340 g/L)
Coronado Paint (251-340 g/L)
Corro-Shield International, Inc.
Corrosion Control Products Co.
Devoe Coatings (AkzoNobel) (<100-250 g/L)
Diamond Vogel Paint Company (101-250 g/L)
Epmar Corporation
Gulf Coast Paint Mfg., Inc.
Henkel Technologies—Corrosion Engineering
Induron Coatings, Inc. (251-340 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
PPG Protective & Marine Coatings (101-250 g/L)
Rust-Oleum Corporation (251-340 g/L)
Sherwin-Williams (<100 g/L)
Sika Corporation (101-250 g/L)
Tnemec Company, Inc.
Top Secret Coatings

■ **Heat-Shrinkable Sleeves**
Corrosion Control Products Co.

■ **MCU Coal Tar/MCU Coal Tar/MCU Coal Tar**
Wasser Corporation (251-340 g/L)

■ **MCU/MCU/MCU**
Coronado Paint (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ **Methyl Methacrylate (2 coats)/Urethane**
Stirling Lloyd Group Plc. (<100 g/L)

■ **Polyester/Polyester/Polyester**
Corrocoat Ltd.
Heresite Protective Coatings, Inc. (<100 g/L)

■ **Polyurea Hybrid (1, 2, or 3 coats)**
Arnco Performance Polymers
Corchem Corporation (<100 g/L)
ITW Futura Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polycoat Products (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ **Polyurea Pure (1, 2, or 3 coats)**
Arnco Performance Polymers
Crown Polymers, LLC
Fox Industries Inc. (<100 g/L)
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Primeaux Associates LLC (<100 g/L)
Quantum Group (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Sherwin-Williams (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
VersaFlex Incorporated (<100 g/L)
Volatile Free, Inc. (<100 g/L)

■ **Sheet Lining, Thermoplastic**
Henkel Technologies—Corrosion Engineering

■ **Tape Wraps**
Corrosion Control Products Co.

■ **Thermal Spray**
Thermion Inc.
TMS Metalizing Systems, Ltd.
Xiom Corp. (<100 g/L)

■ **Urethane Elastomeric (1 coat)**
Chemline
Global EcoTechnologies (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ **Urethane/Urethane**
ITW Futura Coatings (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Rhino Linings Corporation (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)

■ **Vinyl Ester/Vinyl Ester/Vinyl Ester**
Corrocoat Ltd.
Dudick, Inc.
PolySpec L.P. / THIOKOL (101-250 g/L)

■ **Other**
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Gemite Products Inc. (<100 g/L)
JAXXON National Maintenance Products
Liquid Rubber Industries Inc. (<100 g/L)
PPC Coatings
Stirling Lloyd Group Plc. (<100 g/L)
Termarust Technologies

UNLIMITED ONLINE JOB POSTINGS

Find The Best, Hire The Best
in the **PaintSquare**
Career Center



Now's the time to find that next star employee. The **Career Center at PaintSquare.com** is your fast and easy way to post job openings and view resumes of prospective candidates.

And now, you can purchase **Unlimited Posting Bundles** to get instant posting access! All packages include posting PLUS online resume access.

There's *no limit* to the number of jobs you can post, and you'll be able to do your own headhunting by checking out all the online resumes! You'll also be able to see at a glance how many applicants you got for each job posting.

PLUS, jobs posted in the Career Center are eligible for inclusion in the PaintSquare e-Newspaper, sent daily to over 30,000 e-mail addresses registered through PaintSquare.com!

Buy online through secure purchase for instant access!

www.paintsquare.com/careercenter/post



Coating System Guide for Specialty Functions

Sponsored by

PolySpec THIOKOL
AN ITW COMPANY

Systems are alphabetized by first coat.

Anti-Graffiti Steel

■ Epoxy (1-2 coats)/Fluoropolymer

Devco Coatings (AkzoNobel)
Induron Coatings, Inc. (101-250 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Tnemec Company, Inc.

■ Epoxy/Urethane (color)/Urethane (clear)

Andek Corporation (251-340 g/L)
Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Ins-X (101-250 g/L)
Coronado Paint (251-340 g/L)
Cortec Corporation
Endura Manufacturing Co. Ltd. (101-250 g/L)
Epmar Corporation
Gulf Coast Paint Mfg., Inc. (341-450 g/L)
National Polymers Inc. (251-450 g/L)
PPG Protective & Marine Coatings (251-340 g/L)
Protek Paint Ltd (251-340 g/L)
Rodda Paint Corporation (341-450 g/L)
Rust-Oleum Corporation (<100 g/L)
Superior Products International II (251-340 g/L)
Tnemec Company, Inc.
Top Secret Coatings
Watson Coatings, Inc.

■ Inorganic Zinc/Epoxy/Urethane (color & clear)

Epmar Corporation
Gulf Coast Paint Mfg., Inc.
PPG Protective & Marine Coatings (251-340 g/L)
Rodda Paint Corporation (341-450 g/L)
Top Secret Coatings

■ Organic Zinc/Epoxy/Urethane (color & clear)

Chemline
Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Ins-X (341-450 g/L)
Gulf Coast Paint Mfg., Inc.
Induron Coatings, Inc. (251-340 g/L)
Rodda Paint Corporation (341-450 g/L)
Tnemec Company, Inc.

■ Organic Zinc/Urethane (color)/Urethane (clear)

Andek Corporation (251-340 g/L)
Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Ins-X (341-450 g/L)
Fox Industries Inc. (<100 g/L)
Rainguard International (<100 g/L)
Top Secret Coatings

■ Organic Zinc/Epoxy/Urethane (color & clear)

Top Secret Coatings

■ Organic Zinc/Urethane (color)/Urethane (clear)

Andek Corporation (251-340 g/L)
Rainguard International (<100 g/L)
Top Secret Coatings

■ Zinc-Rich Primer/Fluoropolymer

BASF Construction Chemicals - Building Systems

Anti-Graffiti Concrete

■ Epoxy (1-2 coats)/Fluoropolymer

Dampney Co., Inc.
Devco Coatings (AkzoNobel)
Liquid Rubber Industries Inc. (<100 g/L)
Tnemec Company, Inc.

■ Epoxy/Urethane (color)/Urethane (clear)

Andek Corporation (251-340 g/L)
Chemline
Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Ins-X (101-250 g/L)
Coronado Paint (251-340 g/L)
Cortec Corporation

651-429-1100 • 800-4-CORTEC



CORTEC
CORPORATION
Environmentally Safe VpCI®/MCI® Technologies

info@cortecvci.com • <http://www.cortecvci.com>

Endura Manufacturing Co. Ltd. (101-250 g/L)
Epmar Corporation
Fox Industries Inc. (<100 g/L)
Gemite Products Inc. (<100 g/L)
Gulf Coast Paint Mfg., Inc. (101-250 g/L)
International Coatings Inc. (<100 g/L)
National Polymers Inc. (251-450 g/L)
PPG Protective & Marine Coatings (251-340 g/L)
Quantum Group
Rodda Paint Corporation (341-450 g/L)
Rust-Oleum Corporation (<100 g/L)
Superior Products International II (251-340 g/L)
Tnemec Company, Inc.
Top Secret Coatings

Fire-Resistive Coatings Fire Resistance up to 4 Hours (UL1709 Rating) Steel

■ Cementitious

Isolatek International (<100 g/L)
Superior Products International II (<100 g/L)

■ Sprayed Fibers

Isolatek International (<100 g/L)
LINE-X Protective Coatings

■ Thick-Film Intumescent

Albi Mfg. A Division of StanChem Inc. (101-250 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Polycoat Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
Protek Paint Ltd (<100 g/L)
Superior Products International II (<100 g/L)

■ Thin-Film Intumescent

Andek Corporation
Isolatek International (<100 g/L)
Protek Paint Ltd (<100 g/L)

Fire-Resistive Coatings Fire Resistance from 1 to 2 Hours (UL1709 Rating) Steel

■ Cementitious

Isolatek International (<100 g/L)
Superior Products International II (<100 g/L)

■ Sprayed Fibers

Can-Cell Industries Inc (<100 g/L)
Isolatek International (<100 g/L)

■ Thick-Film Intumescent

Albi Mfg. A Division of StanChem Inc. (101-250 g/L)
Flame Control Coatings, LLC (341-450 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Polycoat Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
Quantum Group
Superior Products International II (<100 g/L)

■ Thin-Film Intumescent

Andek Corporation
Protek Paint Ltd (<100 g/L)
Quantum Group

Heat-Resistant Coatings Dry Heat Resistance from 201 F to 450 F (99 C to 233 C) Steel

■ Alkyd Modified/Alkyd Modified

Complementary Coatings/DBA Insl-X
Coronado Paint (341-450 g/L)
Enviroline/International Paint Prot Ctgs (<100 g/L)
Euronavy
Industrial Nanotech Inc. (<100 g/L)
Termarust Technologies

■ Epoxy Ester/Epoxy Ester

Flame Control Coatings, LLC (341-450 g/L)
Industrial Nanotech Inc. (<100 g/L)
Top Secret Coatings

■ Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Heresite Protective Coatings, Inc. (251-340 g/L)

■ Inorganic Zinc-Rich

Corchem Corporation (<100 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Tnemec Company, Inc.

■ IOZinc-Rich Primer/Silicone Modified

PPG Protective & Marine Coatings (251-340 g/L)

■ Novolac Epoxy/Novolac Epoxy

A.W. Chesterton/ARC Composites (101-250 g/L)
Advanced Polymer Coatings, Ltd. (<100 g/L)
Devoo Coatings (AkzoNobel)
National Polymers Inc. (<100 g/L)
Sherwin-Williams (251-340 g/L)

■ Silicone Modified/Silicone Modified

Albi Mfg. A Division of StanChem Inc. (251-340 g/L)
Chemline
Coatings For Industry, Inc. (251-340 g/L)
Complementary Coatings/DBA Insl-X
Corchem Corporation (341-450 g/L)
Devoo Coatings (AkzoNobel)
Flame Control Coatings, LLC (341-450 g/L)
Hi-Temp Coatings Technology (341-450 g/L)
PPG Protective & Marine Coatings (341-450 g/L)
Rodda Paint Corporation (>450 g/L)
Rust-Oleum Corporation (251-340 g/L)
Sherwin-Williams (341-450 g/L)
Tnemec Company, Inc.

■ Silicone Unmodified/Silicone Unmodified

Cortec Corporation

Heat-Resistant Coatings Dry Heat Resistance from 451 F to 800 F (234 C to 427 C) Steel

■ Alkyd Modified/Alkyd Modified

Sika Corporation
Termarust Technologies
Top Secret Coatings

■ Inorganic Zinc-Rich

Corchem Corporation (<100 g/L)
Tnemec Company, Inc.

■ IOZinc-Rich Primer/Silicone Modified

PPG Protective & Marine Coatings (341-450 g/L)

■ Silicone Modified/Silicone Modified

Albi Mfg. A Division of StanChem Inc. (251-340 g/L)
Andek Corporation
Complementary Coatings/DBA Insl-X
Corchem Corporation (341-450 g/L)
Coronado Paint (>450 g/L)
Devoo Coatings (AkzoNobel)
Euronavy
Flame Control Coatings, LLC (341-450 g/L)
Hi-Temp Coatings Technology (341-450 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPG Protective & Marine Coatings (341-450 g/L)
Rust-Oleum Corporation (251-340 g/L)
Sherwin-Williams (>450 g/L)
Tnemec Company, Inc.

■ Silicone Unmodified/Silicone Unmodified

Coatings For Industry, Inc. (<100 g/L)
Cortec Corporation
Devoo Coatings (AkzoNobel)
Flame Control Coatings, LLC (341-450 g/L)
Hi-Temp Coatings Technology (341-450 g/L)

Heat-Resistant Coatings Dry Heat Resistance from 801 F to 1200 F (428 C to 649 C) Steel

■ Alkyd Modified/Alkyd Modified

Corolon Coatings & Corrosion Control
Diamond Vogel Paint Company (>450 g/L)

■ Silicone Modified/Silicone Modified

Albi Mfg. A Division of StanChem Inc. (251-340 g/L)
Complementary Coatings/DBA Insl-X
Coronado Paint (>450 g/L)
Diamond Vogel Paint Company (>450 g/L)
Hi-Temp Coatings Technology (341-450 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
PPG Protective & Marine Coatings (341-450 g/L)
Sherwin-Williams (>450 g/L)
Tnemec Company, Inc.
Top Secret Coatings

■ Silicone Unmodified/Silicone Unmodified

Coatings For Industry, Inc. (<100 g/L)
Corchem Corporation (341-450 g/L)
Cortec Corporation
Devoo Coatings (AkzoNobel)
Euronavy
Flame Control Coatings, LLC (341-450 g/L)
Hi-Temp Coatings Technology (341-450 g/L)
PPG Protective & Marine Coatings (341-450 g/L)
Rust-Oleum Corporation (>450 g/L)

Heat-Resistant Coatings Under Insulation, Wet Heat Resistance up to 300 F (149 C) Steel

■ Alkyd Modified/Alkyd Modified

Enviroline/International Paint Prot Ctgs (101-250 g/L)
Termarust Technologies

■ Epoxy Phenolic/Epoxy Phenolic

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Corchem Corporation (101-250 g/L)
PPG Protective & Marine Coatings (101-250 g/L)

■ Inorganic Zinc-Rich

Tnemec Company, Inc.

■ Novolac Epoxy/Novolac Epoxy

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Devoo Coatings (AkzoNobel)
National Polymers Inc. (<100 g/L)
Sherwin-Williams (101-250 g/L)
Tnemec Company, Inc.

■ Silicone Modified/Silicone Modified

Liquid Rubber Industries Inc. (<100 g/L)

■ Silicone Unmodified/Silicone Unmodified

Flame Control Coatings, LLC (341-450 g/L)

Concrete Surfacing Materials

■ Acrylic Blockfiller

BASF Construction Chemicals - Building Systems
Induron Coatings, Inc. (<100 g/L)
Rainguard International (<100 g/L)
Richard's Paint Mfg. Co., Inc. (<100 g/L)
Stirling Lloyd Group Plc. (<100 g/L)

■ Cementitious Modified Block Filler

BASF Construction Chemicals - Building Systems
Fox Industries Inc.
Gemite Products Inc. (<100 g/L)

■ Cementitious Modified Surfacers/Patching Compound

Concrete Solutions (<100 g/L)
Fox Industries Inc.



Gemite Products Inc. (<100 g/L)
Induron Coatings, Inc. (<100 g/L)
Key Resin Company (<100 g/L)
National Polymers Inc. (<100 g/L)
Sika Corporation

■ Epoxy Blockfiller (2-part)

A.W. Chesterton/ARC Composites (<100 g/L)
Corchem Corporation (<100 g/L)
Crossfield Products Corp.
Fox Industries Inc. (<100 g/L)
Gulf Coast Paint Mfg., Inc. (341-450 g/L)
Induron Coatings, Inc. (341-450 g/L)
Key Resin Company (<100 g/L)
PPG Protective & Marine Coatings
Protective Floorings and Linings (<100 g/L)
Sherwin-Williams (251-340 g/L)
Superior Products International II (251-340 g/L)
Xiom Corp. (<100 g/L)

■ Epoxy Ester Surfacers

Corolon Coatings & Corrosion Control

■ Epoxy Sealer

A.W. Chesterton/ARC Composites (<100 g/L)
Andek Corporation (<100 g/L)
Chemline
Corolon Coatings & Corrosion Control
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
Gulf Coast Paint Mfg., Inc. (<100 g/L)
National Polymers Inc. (101-250 g/L)
Polycoat Products (<100 g/L)
Polymax/Milamar Coatings L.L.C. (<100 g/L)
Sika Corporation

■ Epoxy Surfacers (2-part)

A.W. Chesterton/ARC Composites (<100 g/L)
Advanced Polymer Coatings, Ltd. (101-250 g/L)
Andek Corporation (<100 g/L)
Bonstone (<100 g/L)
CCI Con-Tech of California, Inc. (<100 g/L)
Chemline
Coatings For Industry, Inc. (<100 g/L)
Concrete Solutions (<100 g/L)
Corchem Corporation (<100 g/L)
Crossfield Products Corp.
Crown Polymers, LLC (<100 g/L)
EnviroGLAS (<100 g/L)
Gulf Coast Paint Mfg., Inc. (<100 g/L)
International Coatings Inc. (<100 g/L)
Key Resin Company (<100 g/L)
National Polymers Inc. (<100 g/L)
Polymax/Milamar Coatings L.L.C. (<100 g/L)
Sherwin-Williams (101-250 g/L)
Sika Corporation
Superior Products International II (251-340 g/L)

■ Moisture-Cured Urethane Block Filler

Andek Corporation (101-250 g/L)
Corolon Coatings & Corrosion Control
Superior Products International II (251-340 g/L)

■ Other Special Block Filler

Liquid Rubber Industries Inc. (<100 g/L)
Quantum Group (<100 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)

Antifoulant and Foulant Release Coatings Steel

■ Conventional (Copper Biocide)

Xiom Corp. (<100 g/L)

■ Fouling Release

A.W. Chesterton/ARC Composites (<100 g/L)
PPG Protective & Marine Coatings (251-340 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)
Termarust Technologies (<100 g/L)

■ Hybrid

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Chemline
Liquid Rubber Industries Inc. (<100 g/L)

■ Hydrating (Ablative)

PPG Protective & Marine Coatings (341-450 g/L)

■ Hydrolysis (Polishing)

PPG Protective & Marine Coatings (341-450 g/L)

Antifoulant and Foulant Release Coatings Concrete

■ Conventional (Copper Biocide)

Xiom Corp. (<100 g/L)

■ Fouling Release

A.W. Chesterton/ARC Composites (<100 g/L)
PPG Protective & Marine Coatings (341-450 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)

■ Hybrid

Advanced Polymer Coatings, Ltd. (101-250 g/L)
Chemline
Liquid Rubber Industries Inc. (<100 g/L)

■ Hydrating (Ablative)

PPG Protective & Marine Coatings (341-450 g/L)

■ Hydrolysis (Polishing)

PPG Protective & Marine Coatings

Shop Primers for Steel

■ Alkyd (fast dry)

Albi Mfg. A Division of StanChem Inc. (251-340 g/L)
Complementary Coatings/DBA Insl-X (341-450 g/L)
PPG Protective & Marine Coatings (251-340 g/L)
Richard's Paint Mfg. Co., Inc. (341-450 g/L)
Rodda Paint Corporation (341-450 g/L)
Rust-Oleum Corporation (341-450 g/L)
Sherwin-Williams (251-340 g/L)
Top Secret Coatings

■ Alkyd (Universal Primer)

Albi Mfg. A Division of StanChem Inc. (251-340 g/L)
Flame Control Coatings, LLC (341-450 g/L)
Induron Coatings, Inc. (341-450 g/L)
PPG Protective & Marine Coatings (251-340 g/L)
Richard's Paint Mfg. Co., Inc. (>450 g/L)
Rodda Paint Corporation (341-450 g/L)

■ Epoxy (fast dry, extended recoat)

Chemline
Complementary Coatings/DBA Insl-X (251-340 g/L)
Corchem Corporation (101-250 g/L)
Endura Manufacturing Co. Ltd. (101-250 g/L)
Induron Coatings, Inc. (101-250 g/L)
PPG Protective & Marine Coatings (251-340 g/L)
Sherwin-Williams (251-340 g/L)
Specialty Products, Inc. (SPI) (<100 g/L)

■ Inorganic Zinc

Endura Manufacturing Co. Ltd. (101-250 g/L)
Fox Industries Inc. (101-250 g/L)
Liquid Rubber Industries Inc. (<100 g/L)
Termarust Technologies
Top Secret Coatings

■ Organic Zinc (fast dry, extended recoat)

Chemline
Complementary Coatings/DBA Insl-X (341-450 g/L)
Corchem Corporation (101-250 g/L)
Flame Control Coatings, LLC (341-450 g/L)
Induron Coatings, Inc. (101-250 g/L)
Roval USA Corp
Sherwin-Williams (251-340 g/L)
Termarust Technologies
Top Secret Coatings


Conversion Coatings

■ Corrosion Protection

Advanced Polymer Coatings, Ltd. (101-250 g/L)
BioCoatings (<100 g/L)
ConShield Technologies
Endura Manufacturing Co. Ltd. (<100 g/L)
Gemite Products Inc.
KiON Specialty Polymers - Clariant (<100 g/L)
LINE-X Protective Coatings (<100 g/L)
Neutra Rust Incorporated (101-250 g/L)
Roval USA Corp

■ Surface Hardening

Gemite Products Inc.
PROSOCO, Inc.



Company Profiles

A&E Systems LLC

Ste. 301, 150 Hilden Dr.
Ponte Vedra, FL 32081
Phone: 904-819-8985
Contact: Richard Hoyland
rhoyland@ae-sys.com
www.ae-sys.com

A.W. Chesterton/ ARC Composites

860 Salem St., Bldg. A
Groveland, MA 01834
Phone: 978-469-6612
Contact: Kathy Marith
marithk@chesterton.com
www.arc-composites.com
See our display ad, p. 43.

Abatron, Inc.

5501-95th Ave.
Kenosha, WI 53144
Phone: 800-445-1754
Contact: Marsha Caporaso
info@abatron.com
www.abatron.com

Advanced Chemical Technologies, Inc.

100 W. Wilshire Blvd., Ste. C-1
Oklahoma City, OK 73116
Phone: 800-535-0433
Contact: Kevin Brown
advchem@flash.net
www.advchemtech.com

Advanced Polymer Coatings

951 Jaycox Rd., PO Box 269
Avon, OH 44011
Phone: 800-334-7193
Contact: Jim DeChant
jdechant@adv-polymer.com
www.adv-polymer.com

Agion Technologies Inc.

60 Audubon Rd.
Wakefield, MA 01880
Phone: 781-224-7100
Contact: Bill Hurst
sales@agion-tech.com
www.agion-tech.com

Albi Mfg. A Division of StanChem Inc.

401 Berlin St.
East Berlin, CT 06023
Phone: 860-828-0571
Contact: W. Casey West
info@albi.com
www.albi.com

Alistagen

Ten Park Ave.
New York, NY 10016
Phone: 212-289-5118
Contact: Alis Yeterian
alis.yeterian@alistagen.com
www.caliwel.com

American Polymer

9176 South 300 West, Ste. 4
Sandy, UT 84070
Phone: 800-676-5963
Contact: Larry McNeill
larrym@americanpolymer.com

Andek Corp.

850 Glen Ave., PO Box 392
Moorestown, NJ 08057
Phone: 800-800-2844
Contact: Neil Shearer
nshearer@andek.com
www.andek.com

Arch Chemicals, Inc.

5660 New Northside Dr.
Ste. 1100
Atlanta, GA 30328
Phone: 800-523-7391
Contact: Customer Service
sales@archbiocides.com
www.archbiocides.com

Arcor Epoxy Inc.

PO Box 273
South Dennis, MA 02660
Phone: 800-878-9593
Contact: Denise McClellan
sales@arcorepoxy.com
www.arcorepoxy.com

Arkema Inc.

2000 Market St.
Philadelphia, PA 19103
Phone: 215-419-7898
Contact: Vince Casmirri
vincent.casmirri@arkema.com
www.kynar500.com

Arnco Performance Polymers

5141 Firestone Pl.
South Gate, CA 90280
Phone: 323-249-7500
Contact: Bill Hory
billh@arncoperformance
polymers.com
www.arncoperformance
polymers.com

Atlas Minerals & Chemicals

1227 Valley Rd., PO Box 38
Mertztown, PA 19539
Phone: 610-682-7171
Contact: Scott Gallagher
sales@atlasmin.com
www.atlasmin.com

Avilion Inc.

3947 Lincoln Hwy.
Downtown, PA 19335
Phone: 610-942-7388
Contact: Michelle Morkun
tony@avilioninc.com
www.avilioninc.com

BASF Construction Chemicals—Building Systems

889 Valley Park Dr.
Shakopee, MN 55379
Phone: 800-433-9517
Contact: Customer Service
basfbcsct@basf.com
www.buildingsystems.basf.com

Bechtel Industrial Coating Supply

21424 SE 16th Pl.
Sammamish, WA 98075
Contact: Robert Bechtel
sales@bechtelcoatingsupply.com
www.bechtelscoatingsupply.com

Berry Plastics Corrosion Protection Group

25 Forge Pkwy.
Franklin, MA 02038
Phone: 508-918-1618
Contact: Samuel J. Thomas
samthomas@berryplastics.com
www.berrycpg.com
See our display ad, p. 106.

BioCoatings

1007 N. Federal Hwy., Ste. 227
Ft. Lauderdale, FL 33304
Phone: 866-201-2877
Contact: Janet Simmons
info@biocoatings.org
www.biocoatings.org

Blair Rubber Co.

5020 Panther Pkwy.
Seville, OH 44273
Phone: 800-321-5583
Contact: Michael Burkholder
sales@blairrubber.com
www.blairrubber.com

Blome International

1450 Hoff Industrial Dr.
O'Fallon, MO 63366
Phone: 636-379-9119
Contact: Laura Pecoraro
info@blome.com
www.blome.com

Bonstone

707 Swan Dr.
Mukwonago, WI 53149
Phone: 262-363-9877
Contact: Paul Klees
info@bonstone.com
www.bonstone.com

Bredero Shaw

3838 N. Sam Houston Pkwy. E.
Ste. 300
Houston, TX 77032
Phone: 281-886-2350
Contact: Maria Cook
solutions@brederoshaw.com
www.brederoshaw.com

Bredero Shaw Norge AS

Grønøra Industriområde
Orkanger 7300 Norway
Phone: 47 72466060
Contact: Simon Dewey
sdewey@brederoshaw.com
www.brederoshaw.com/
thermotite.no

Can-Cell Industries Inc.

14735 - 124 Ave.
Edmonton, AB T5L 3B2 Canada
Phone: 780-447-1255
Contact: Bob Menchaca
bob@can-cell.com
www.can-cell.com

Cantex Coatings Ltd.

1329 Heine Crt., Burlington
ON L7L 6A7 Canada
Phone: 905-319-8972
Contact: Sales Dept.
sales@cantexcoatings.com
www.cantexcoatings.com

Carboline Co.
2150 Schuetz Rd.
St. Louis, MO 63146
Phone: 314-644-1000
Contact: Alicia Bruder
abruder@carboline.com
www.carboline.com
See our display ad, inside front cover.

CCI Con-Tech of California
2211 Navy Dr.
Stockton, CA 95206
Phone: 209-941-8324
Contact: Steven A. Williams
sw@hydro-pox.com
www.hydro-pox.com

Ceilcote Products/ International Paint
6001 Antoine Dr.
Houston, TX 77091
Phone: 800-589-1267
Contact: Susan Saville
susan.saville@akzonobel.com
www.ceilcotecc.com

Chem-Coat Industries, Inc.
1926 Copper St.
Garland, TX 75042
Phone: 972-485-8648
Contact: Ben
ben@chem-coat.com
www.chem-coat.com

Chemline
5151 Natural Bridge Rd.
St. Louis, MO 63115
Phone: 314-664-2230
Contact: Jim Segbers
info@chemline.net
www.chemline.net

CIM Industries
23 Elm St.
Peterborough, NH 03458
Phone: 603-924-9481
Contact: Mariah Sefel
information@cimind.com
www.cimindustries.com
See our display ad, p. 121.

Cloverdale Paint Inc.
6950 King George Hwy.
Surrey, BC V3W 4Z1 Canada
Phone: 604-596-6261
Contact: Marketing Dept.
marketing@cloverdalepaint.com

CMS—Corrosion Management Solutions
PO Box 128
Spencerport, NY 14559
Phone: 585-314-1587
Contact: Gary W. O'Connor
gary@cmscoatinginspections.com
www.cmscoatinginspections.com

Coatings For Industry, Inc.
319 Township Line Rd.
Souderton, PA 18964
Phone: 215-723-0919
Contact: Kevin Klotz
cs@coatingsforindustry.com
www.coatingsforindustry.com
See our display ad, p. 53.

Comex Group
Blvd. Manuel Avila Camacho
#138 PH 1 & 2
Col. Lomas de Chapultepec
CP 11000 Mexico
Phone: 52 551669
Contact: Gabriela Cardoso M.
gcardosom@comex.com.mx

Complementary Coatings Corp./dba Insl-X
101 Paragon Dr.
Montvale, NJ 07645
Phone: 201-949-6925
Contact: Jim Boyce
jim.boyce@insl-x.com
www.insl-x.com

Concrete Solutions
3904 Riley St.
San Diego, CA 92110
Phone: 619-297-3999
Contact: Bart Sadleir
bart@concretesolutions.com
www.concretesolutions.com

Conklin Co., Inc.
3951 NE Kimball Dr.
Kansas City, MO 64161
Phone: 952-224-5122
Contact: Jane Messenger
jane.messenger@conklin.com
www.conklin.com

ConShield Technologies
541 10th St., Unit 233
Atlanta, GA 30318
Phone: 877-543-2094
Contact: Joe Cherry
info@conshield.com
www.conshield.com

Convenience Products
306 Gandy Rd.
Auburndale, FL 33823
Phone: 800-323-7357
Contact: David Haskell
dhaskell@seal-krete.com
www.seal-krete.com

Copolymer Protection Systems
P O Box 2860
Danville, CA 94526
Phone: 925-551-7796
Contact: Gerald Morris
cpsfloor@comcast.net
www.chemproof.com

Corchem Corp.
1227 South Murphy St.
Odessa, TX 79766
Phone: 432-332-1335
Contact: Kyle Allison
sales@corchem.com
www.corchem.com

Corolon Coatings & Corrosion Control Tech.
2 Haas Rd.
Toronto, ON M9W 3A2 Canada
Phone: 416-401-8855
Contact: Stan E. Buchowski
info@corolon.com
www.corolon.com

Coronado Paint
101 Paragon Dr.
Montvale, NJ 07645
Phone: 386-428-6461
Contact: Mark Mangan
mark.mangan@insl-x.com
www.coronadopaint.com

Corrocoat Ltd.
Forster St.
Leeds, West Yorkshire
LS10 1PW UK
Phone: 44 113 276 0760
Contact: Robert Cole
robertc@corrocoat.com
www.corrocoat.com

Corroseal
6107 N. Marine Dr.
Portland, OR 97203
Phone: 800-237-1573
Contact: Sue Steele
ssteel@roddapaint.com
www.corroseal.com

Corro-Shield International
7059 Barry St.
Rosemont, IL 60018
Phone: 847-298-7770
Contact: Hugh McVey
info@corroshield.com
www.corroshield.com

Corrosion Control Products Co.
1480 W. Artesia Blvd.
Gardena, CA 90248
Phone: 310-532-9314
Contact: Marnie Rankin
sales@ccppo.com
www.ccpco.com

Cortec Corp.
4119 White Bear Pkwy.
St. Paul, MN 55110
Phone: 651-429-1100
Contact: Cliff Cracauer
mmorin@cortecvci.com
www.cortecvci.com

Crossfield Products Corp.
3000 E. Harcourt St.
Rancho Dominguez, CA 90221
Phone: 310-886-9100
Contact: Jodi Hood
jodih@cpcmail.net
www.dexotex.com
See our display ad, p. 71.

Crown Polymers, LLC
11111 Kiley Dr.
Huntley, IL 60142
Phone: 888-732-1270
Contact: Floyd Dimmick
info@crownpolymers.com
www.crownpolymers.com
See our display ad, p. 50.

Dampney Co., Inc.
85 Paris St.
Everett, MA 02149
Phone: 617-389-2805
Contact: Dennis Aikman
dennis@dampney.com
www.thurmalox.com

Daubert Chemical Co.
4700 S. Central Ave.
Chicago, IL 60638
Phone: 708-563-8302
Contact: Frank Vella
fvella@daubert.com
www.daubertchemical.com

Dayton Superior
7777 Washington Village Dr.
Ste. 130
Dayton, OH 45459
Phone: 937-428-6360
Contact: Dave Debruler
davedebruler@daytonsuperior.com
www.daytonsuperiorchemical.com

DEMILEC (USA) LLC
2925 Galleria Dr.
Arlington, TX 76011
Phone: 817-640-4900
Contact: Dave Lall
info@demilecusa.com
www.demilecusa.com

Denso North America
9747 Whithorn Dr.
Houston, TX 77095
Phone: 281-821-3355
Contact: Jesse Flores
info@densona.com
www.densona.com

Dependable Floor Products
PO Box 16334
Rocky River, OH 44116
Phone: 440-333-1123
Contact: Richard Tanski
contactus@dependable.us
www.floorprep.com

Company Profiles

Devco Coatings (AkzoNobel)

15885 W. Sprague Rd.
Strongsville, OH 44136
Phone: 888-338-6347
Contact: Devco Coatings
susan.saville@akzonobel.com
www.devcoatings.com
See our display ads, pp. 38 and 141.

Diamond Vogel Paint Co.

1110 Albany Pl. S.
Orange City, IA 51041
Phone: 712-737-8880
Contact: Perry Foreman
perry.foreman@vogelpaint.com
www.diamondvogel.com

Dow Chemical Co.

100 Larkin Center
Midland, MI 48674
Phone: 800-447-4369
Contact: Customer Info. Group
dowcig@dow.com
www.dow.com

Dudick, Inc.

1818 Miller Pkwy.
Streetsboro, OH 44241
Phone: 330-562-1970
Contact: Barb Fischer
bfischer@dudick.com
www.dudick.com

DuPont Coatings Solutions

9800 Genard Rd.
Houston, TX 77041
Phone: 800-247-3886
Contact: Customer Sales
info.powder@usa.dupont.com
www.coatingsolutions.dupont.com

Duomar, Inc.

706 Washington St.
Pembroke, MA 02359
Phone: 781-826-2525
Contact: Paul Nicklas
paulnicklas@duomar.com
www.duomar.com

Endura Manufacturing Co. Ltd.

12425 -149 St.
Edmonton, AB T5L 2J6 Canada
Phone: 800-661-9930
Contact: Pete Deys
peted@enduramail.ca
www.endura.ca

ENECON Corp.

6 Platinum Crt.
Medford, NY 11763
Phone: 516-349-0022
Contact: Mike Tedesco
info@enecon.com
www.enecon.com

Enviro Epoxy Products

2 - 90 Nolan Crt.
Morkham, ON L3R 4L9 Canada
Phone: 866-724-0880
Contact: Terry De Souza
info@enviroepoxy.com
www.enviroepoxy.com

EnviroGLAS

7704 San Jacinto Pl., Ste. 200
Plano, TX 75024
Phone: 972-608-3790
Contact: Tim Whaley
communications@enviroglas
products.com

Enviroline/International Paint Protective Coatings

6001 Antoine Dr.
Houston, TX 77091
Phone: 713-684-1339
Contact: Diane Longoria
pcmarketing.americas@akzonobel.com
www.envirolinegroup.com

Epamar Corp.

13240 E. Barton Cir.
Whittier, CA 90605
Phone: 562-946-8781
Contact: Michael Soriano
epmar@quakerchem.com
www.epmar.com

Epoxy Chemicals, Inc.

3835 State Route 72
Kirkland, IL 60146
Phone: 815-522-2308
Contact: Brad Nemunaitis
info@epoxychemicals.com
www.epoxychemicals.com

Epoxytec

PO Box 3656
West Park, FL 33083
Phone: 954-961-4656
Contact: Al Varon
drapanos@epoxytec.com
www.epoxytec.com

EPRO Services

PO Box 347
Derby, KS 67037
Phone: 800-882-1896
Contact: Donna Frail
eproserv@aol.com
www.eproserv.com

Euronavy

Estrada Vale de Mulatas
Quinta de Sao Francisco
Setubal 2914-516 Portugal
Phone: 35 1 265739440
Contact: Joao Azevedo
sales@euronavy.net
www.euronavy.net

Evonik Degussa Corp.

379 Interpace Pkwy.
Parsippany, NJ 07054
Phone: 800-828-0919
Contact: Ed McGettigan
info.protectosil@evonik.com
www.protectosil.com

Fabick Protective Coatings

4118 Robertson Rd.
Madison, WI 53714
Phone: 608-242-1100
Contact: Brad Gabrielse
info@fabick.com
www.fabick.com

Fine Paints of Europe

Route 4 West
Woodstock, VT 05091
Phone: 802-457-5899
Contact: John Lahey
exec@finepaints.com
www.finepaintsofeurope.com

Flame Control Coatings, LLC

4120 Hyde Park Blvd.
Niagara Falls, NY 14305
Phone: 716-282-1399
Contact: Jim Raby
flame@flamecontrol.com
www.flamecontrol.com

Flame Safe Chemical Corp.

2653 Warfield Ave.
Fort Worth, TX 76106
Phone: 800-333-9197
Contact: Louis
fireprod@aol.com
www.flame-safe.com

Flexcrete Technologies Ltd.

Tomlinson Rd.
Leyland PR25 2DY UK
Phone: 44 1772 450950
Contact: Graham James
graham.james@flexcrete.com
www.flexcrete.com

Fox Industries Inc.

3100 Falls Cliff Rd.
Baltimore, MD 21211
Phone: 410-243-8856
Contact: Edye Fox Abrams
info@foxind.com
www.foxind.com
See our display ad, p. 87.



**Repair, Protect, and
Restore Deteriorated Concrete**
Before You Coat

For over 40 years, Fox Industries has manufactured dependable, economical, and innovative products to repair deteriorated concrete. Our vast line includes rapid-setting, high strength cementitious, polymer and epoxy grouts and mortars, joint sealants, polyurethane grouts, MMA injection resins, bonding agents, chemical-resistant coatings, polyureas, and more.

Now available through Sherwin-Williams Protective Coatings/Marine division! Contact Fox or your Sherwin-Williams PM representative for more information.



FOX INDUSTRIES
ENGINEERED PRODUCTS

Since 1969

See Fox's full line of innovative products and case histories at www.foxind.com or call 888.760.0369

Fusion UV Systems

910 Clopper Rd.
Gaithersburg, MD 20878
Phone: 301-527-2660
Contact: Julie Sharpe
info@fusionuv.com
www.fusionuv.com

Gelest, Inc.

11 E. Steel Rd.
Morrisville, PA 19067
Phone: 215-547-1015
Contact: Gabrielle Horvath
ghorvath@gelest.com
www.gelest.com

Gemini Coatings

2300 Holloway Dr.
El Reno, OK 73036
Phone: 405-262-5710
Contact: Tim Woolery
timw@gemini-coatings.com
www.gemini-coatings.com

Gemite Products Inc.

1787 Drew Rd.
Mississauga ON L5S 1J5 Canada
Phone: 888-443-6483
Contact: Igor Nikolajev
sales@gemite.com
www.gemite.com

Global EcoTechnologies

PO Box 2205
Antioch, CA 94531
Phone: 925-473-9250
Contact: Scott Hobbs
scotthobbs@getcoatings.com
www.getcoatings.com

Green Earth Nano Science Inc.

181 University Ave., Ste. 2200
Toronto, ON M5H 3M7 Canada
Phone: 416-800-0969
Contact: Miroslaw Chrzaniecki
info@gensnano.com
www.gensnano.com

GSE Lining Technology, Inc.

19103 Gundle Rd.
Houston, TX 77073
Phone: 281-443-5864
Contact: Larry Munger
lmunger@gseworld.com
www.gseworld.com

Gulf Coast Paint Mfg., Inc.

30075 County Rd. 49
Loxley, AL 36551
Phone: 251-964-7911
Contact: John R. Theis
info@gulfcoastpaint.com
www.gulfcoastpaint.com

Hempel (USA) Inc.

600 Conroe Park North Dr.
Conroe, TX 77303
Phone: 936-523-6000
Contact: Jeff Bricker
hempel.us@hempel.com
www.hempel.us

Henkel Technologies- Corrosion Engineering

300 Stevens Dr., Ste. 310
Lester, PA 19113
Phone: 888-215-7237
Contact: Christine Osborne
contactus.corrosion@us.henkel.com
www.corrosion-engineering.com

Heresite Protective Coatings

822 South 14th St.
Manitowoc, WI 54220
Phone: 920-684-6646
Contact: Doug Schmidt
sales@heresite.com
www.heresite.com

Highland International, Inc.

465 Industrial Park Dr.
PO Box 3564
Boone, NC 28607
Phone: 828-265-2513
Contact: Pam Baxter
pbaxter@highland-international.com
www.highland-international.com
See our display ad, p. 113.



Hi-Temp Coatings Technology

PO Box 2347
Acton, MA 01720
Phone: 978-635-1110
Contact: Mike McLampy
mmelampy@hitempcoatings.com
www.hitempcoatings.com

Huntsman Polyurethanes

2190 Executive Hills Blvd.
Auburn Hills, MI 48326
Phone: 248-322-7431
Contact: Kevin A. Buck
kevin_a_buck@huntsman.com
www.huntsman.com/pu/ace

Hydroseal Polymers Inc.

12151 Madera Way
Riverside, CA 92503
Phone: 951-272-2344
Contact: Dan Hill
contact@hydrosealpolymers.com
www.hydrosealpolymers.com

Induron Coatings, Inc.

3333 Richard Arrington Jr. Blvd. N.
Birmingham, AL 35234
Phone: 800-324-9584
Contact: Jeff White
jwhite@induron.com
www.induron.com

Industrial Nanotech Inc.

1925 Trade Center Way, Ste. 1
Naples, FL 34109
Phone: 800-767-3998
Contact: Francesca Crolley
contact@nansulate.com
www.nansulate.com

Insulating Coatings Corp.

103 Main St.
Binghamton, NY 13905
Phone: 800-223-8494
Contact: Rick Thomas
info@icc-astec.com
www.icc-astec.com

International Coatings Inc.

2925 Lucy Ln.
Franklin Park, IL 60131
Phone: 800-624-8919
Contact: Raymond Hurley
rhurley@icocoat.com
www.internationalcoatings.com

International Paint LLC

6001 Antoine Dr.
Houston, TX 77091
Phone: 713-684-5892
Contact: Diane Longoria
pcmarketing.americas@akzonobel.com
www.international-pc.com

Isolatek International

41 Furnace St.
Stanhope, NJ 07874
Phone: 800-631-9600
Contact: Sean Canfield
scanfield@isolatek.com
www.caico.com

ITW Futura Coatings

1685 Galt Industrial Blvd.
St. Louis, MO 63132
Phone: 314-733-1110
Contact: Dannie Vickers
dvickers@futura coatings.com
www.futura coatings.com
See our display ad, p. 74.

JAXXON National Maintenance Products

19 Miltiadis St.
Acacia Ridge, Qld 4110 Australia
Phone: 61 7 3216 7388
Contact: Jack Josephsen
sales@nmp-pty.com.au
www.asknmp.com

Jotun Paints Inc.

9203 Hwy. 23
Belle Chasse, LA 70037
Phone: 800-229-3538
Contact: Dawn Adams
customer.service.us@jotun.com
www.jotun.com/us
See our display ad, p. 58.

Company Profiles

Kaufman Products, Inc.
3811 Curtis Ave.
Baltimore, MD 21226
Phone: 800-637-6372
Contact: Alex Kaufman
akaufman@kaufman
products.net
www.kaufmanproducts.net

KCC Corrosion Control Co., Ltd.
4018 Trey Dr.
Houston, TX 77084
Phone: 281-550-1199
Contact: Owen T. Priest
solutions@kcchouston.com
www.kcccontrol.com

Kelly-Moore Paint Co., Inc.
987 Commercial St.
San Carlos, CA 94070
Phone: 650-592-8337
Contact: Rusty Martindale
martindale@kellymoore.com
www.kellymoore.com
See our display ad, p. 24.

KEMA Coatings Ltd.
Unit 904, 60 Wyndham St.
S. Guelph, ON N1E 7H7
Canada
Phone: 888-733-5362
Contact: Mark Gibson
info@4pipelines.com
www.4pipelines.com

Kemper System Inc.
1182 Teaneck Rd.
Teaneck, NJ 07666
Phone: 800-541-5455
Contact: Diana Nino-Tables
dntables@kempersystem.net
www.kempersystem.net

Kerneos Aluminate Technologies
1316 Priority Ln.
Chesapeake, VA 23324
Phone: 757-284-3200
Contact: Joe Talley
joseph.talley@kerneos.com
www.kerneosinc.com

Key Resin Co.
4050 Clough Woods Dr.
Batavia, OH 45103
Phone: 888-943-4532
Contact: Eric Borglum
sales@keyresin.com
www.keyresin.com
See our display ad, p. 92.

KiON Specialty Polymers A Clariant Business
4331 Chesapeake Dr.
Charlotte, NC 28216
Phone: 800-585-2151
Contact: Gregg McCraw
nakion.info@clariant.com
www.thegshield.com

Leighs Paints
Tower Works, Kestor St.
Bolton BL2 2AL UK
Phone: 44 1204 521771
Contact: Paul Clayton
enquiries@leighspaints.co.uk
www.leighspaints.co.uk

LINE-X Protective Coatings
6 Hutton Centre Dr., Ste. 500
Santa Ana, CA 92707
Phone: 815-444-7960
Contact: Mike Babiarz
mbabiarz@linexcorp.com
www.line-xicd.com
See our display ad, p. 103.

Liquid Rubber Industries Inc.
601 Burlington St. E.
Hamilton, ON L8L 4J5 Canada
Phone: 866-979-0300
Contact: Customer Service
sales@liquidrubber.ca
www.liquidrubber.ca

Lone Star Specialties, LLC
6412 US Hwy. 259 S.
Lone Star, TX 75668
Phone: 903-656-2536
Contact: Chris Smith
chris@lonestarspecialties.net
www.lonestarspecialties.net

Mad Dog Primer
309 Plum St. N.
Northfield, MN 55057
Phone: 507-645-7431
Contact: Steve Ryan
sales@maddogprimer.com
www.maddogprimer.com

Madison Chemical Industries
490 McGeachie Dr.
Milton, ON L9T 3Y5 Canada
Phone: 905-878-8863
Contact: Kim Bruce
sales@madisonchemical.com
www.madisonchemical.com

Mascoat Products
4310 Campbell Rd.
Houston, TX 77041
Phone: 713-465-0304
Contact: Chad Davis
cdavis@mascoat.com
www.mascoat.com

Micor Co., Inc.
3232 N. 31st St.
Milwaukee, WI 53216
Phone: 800-284-4308
Contact: Patrick Cox
micorox@sbcglobal.net
www.micorco.com

Nation Coating Systems, Inc.
501 Shotwell Dr.
Franklin, OH 45005
Phone: 937-746-7632
Contact: Mark Simpson
ncsmsimpson@aol.com
www.nationcoatingsystems.com

National Polymers Inc.
9 Guttman Ave.
Charleroi, PA 15022
Phone: 724-483-9300
Contact: Harry Jackson
harry.jackson@national
polymers.com
www.nationalpolymers.com

Navcor
4150 112th Terrace N., Bldg. A
Clearwater, FL 33762
Phone: 727-299-9090
Contact: Leo Meilus
leo.meilus@navcor.us
www.navcor.us

Neutra Rust Inc.
148 Lynn Rd., PO Box 540
Johnson City, TN 37601
Phone: 423-232-6255
Contact: Bruce Young
byoung@neutrustinc.com
www.neutrustinc.com

NoFire Technologies, Inc.
21 Industrial Ave.
Upper Saddle River, NJ 07458
Phone: 201-818-1616
Contact: Al Margino
nofire@nofire.net
www.nofire.com

Nox-Crete Products Group
1444 S. 20th St.
Omaha, NE 68108
Phone: 402-341-1976
Contact: Customer Service
corporate@nox-crete.com
www.nox-crete.com

NSP Specialty Products
PO Box 4690
Pinehurst, NC 28374
Phone: 910-235-0468
Contact: Larry Harrison
lharrison@nsp-specialty.com
www.nsp-specialty.com

Pacific Polymers International
12271 Monarch St.
Garden Grove, CA 92841
Phone: 714-898-0025
Contact: Michael Claus
michaelclaus@pacpoly.com
www.pacpoly.com

Polibrid Coatings, Inc.
6700 F.M. 802
Brownsville, TX 78526
Phone: 956-831-7818
Contact: Klaus D. Meyer
klaus@polibrid.com
www.polibrid.com
See our display ad, p. 97.

Polycoat Products
14722 Spring Ave.
Santa Fe Springs, CA 90670
Phone: 562-802-8834
Contact: Prashant Varshney
sales@polycoatusa.com
www.polycoatusa.com
See our display ad, p. 130.

Polycorp Ltd.
33 York St.
Elora, ON N0B 1S0 Canada
Phone: 519-846-2075
Contact: Dennis Nolan
dnolan@poly-corp.com
www.poly-corp.com
See our display ad, p. 100.

Polymax/Milamar Coatings L.L.C.
12005 N. Virginia Ave.
Oklahoma City, OK 73120
Phone: 405-755-8454
Contact: Joanne Kontorchik
polymax@casspolymers.com
www.polymax-us.com

PolySpec L.P./THIOKOL
6614 Gant Rd.
Houston, TX 77066
Phone: 281-397-0033
Contact: Tom Scurlock
info@polyspec.com
www.polyspec.com
See our display ad, p. 146.

PPC Coatings
2 Pixie Rd.
Wilmington, DE 19810
Phone: 302-547-3055
Contact: Cliff Narunsky
ppc@ppccoatings.com
www.ppccoatings.com

PPG Protective & Marine Coatings
1 PPG Pl.
Pittsburgh, PA 15272
Contact: Steve Feldman
pmcmktg@ppg.com
www.ppgpmc.com
See our display ad, p. 138.

Primeaux Associates LLC
161 Forest Dr.
Elgin, TX 78621
Phone: 512-285-4870
Contact: Dudley J. Primeaux II
dudley@primeauxassociates.com
www.primeauxassociates.com

Professional Products of Kansas, Inc.
4456 S. Clifton
Wichita, KS 67216
Phone: 800-676-7346
Contact: Vicky Hall
vicky@watersealant.com
www.watersealant.com

PROSOCO, Inc.
3741 Greenway Cir.
Lawrence, KS 66046
Phone: 800-255-4255
Contact: Marketing Dept.
marketing@prosoco.com
www.prosoco.com

Protective Floorings and Linings

2009 Enterprise Dr.
De Pere, WI 54115
Phone: 800-818-6792
Contact: Don Pieper Jr.
pieperd@chesterton.com
www.protectivefloorings.com

Protecto Wrap

1955 Cherokee St.
Denver, CO 80223
Phone: 925-584-9825
Contact: Patrick Tuel
pat@protectowrap.com
www.protectowrap.com

Protek Paint Ltd.

335 Horner Ave.
Etobicoke ON M8W 1Z6
Canada
Phone: 800-773-5233
Contact: Barry Affleck
info@texturline.com
www.texturline.com

Quantum Group

14601 134 Ave.
Edmonton, AB T5L 4S9
Canada
Phone: 780-454-9166
Contact: Tony LaGrange
info@quantumchemical.com
www.quantumchemical.com

Questmark Flooring

12 Grandview Cir.
Canonsburg, PA 15317
Phone: 800-569-1142
Contact: Ronald Pritt
ronald.pritt@centimark.com
www.questmarkflooring.com

Rainguard International

1079 Culppepper Dr.
Conyers, GA 30094
Phone: 866-989-5159
Contact: Keith Jackson
info@rainguard.com
www.rainguard.com

Reactamine Technology, LLC

1270 Progress Ctr. Ave.
Ste. 200
Lawrenceville, GA 30043
Phone: 770-483-0480
Contact: Howard Combs
hcombs@reactamine.com
www.reactamine.com
See our display ad, p. 54.

Rhino Linings Corp.

9151 Rehco Rd.
San Diego, CA 92121
Phone: 858-450-0441
Contact: Leticia Smith
rli@rhinolinings.com
www.rhinoliningsindustrial.com
See our display ad, back cover.

Richard's Paint Mfg. Co., Inc.

200 Paint St.
Rockledge, FL 32955
Phone: 800-432-0983
Contact: Tom O'Donnell
paint@richardspaint.com
www.richardspaint.com

RLS Solutions/Raven Engineered Systems

13105 East 61st St., Ste. A
Broken Arrow, OK 74012
Phone: 800-324-2810
Contact: Jim Henke
henkej@rlssolutions.com
www.rlssolutions.com

Roadware Inc.

381 Bridgepoint Dr.
South St. Paul, MN 55075
Phone: 651-457-6122
Contact: Richard E. King
sales@concretemender.com
www.concretemender.com
See our display ad, p. 37.

Rodda Paint Corp.

6107 N. Marine Dr.
Portland, OR 97203
Phone: 503-572-8201
Contact: Tom Selby
tselby@roddapaint.com
www.roddapaint.com

RoofMart International Inc.

PO Box 502
Chapman, KS 67431
Phone: 800-766-3764
Contact: Customer Service
sales@roofrmi.com
www.roofrmi.com

Royal USA Corp.

12270 NW Luoto Ln.
Carlton, OR 97111
Phone: 971-237-0958
Contact: Aldo Donnaioia
aldo@royal-usa.com
www.royal-usa.com

Rudd Co., Inc.

1141 NW 50th St.
Seattle, WA 98107
Phone: 800-444-7833
Contact: Customer Service
info@ruddcompany.com
www.ruddcompany.com

Rust-Oleum Corp.

11 Hawthorn Pkwy.
Vernon Hills, IL 60061
Phone: 800-769-6565
Contact: Lars Cederquist
lcederquist@rustoleum.com
www.rustoleum.com/industrial

Safe Encasement Systems

4344 San Cascina St.
Las Vegas, NV 89135
Phone: 888-277-8834
Contact: John Thoburn
thoburn@safeencasement.com
www.safeencasement.com

Samax Enterprises, Inc.

29-75 Riverside Ave., Bldg. 2
Newark, NJ 07104
Phone: 973-350-9400
Contact: Chas Wolfson
info@rockmiracle.com
www.rockmiracle.com

Sauereisen, Inc.

160 Gamma Dr.
Pittsburgh, PA 15238
Phone: 412-963-0303
Contact: Lake Barrett
questions@sauereisen.com
www.sauereisen.com
See our display ad, p. 88.

SaverSystems/Defy

800 South 7th St.
Richmond, IN 47374
Phone: 800-860-6327
Contact: Customer Service
info@saversystems.com
www.saversystems.com

Seacoat Technology

11215 Jones Rd. W., Ste. H
Houston, TX 77065
Phone: 832-237-4400
Contact: John Bowlin
sales@seacoat.com
www.seacoat.com

Sherwin-Williams

101 Prospect Ave. NW
Cleveland, OH 44115
Phone: 800-524-5979
Contact: Customer Service
sherwin@ultlead.com
www.sherwin-williams.com/
protective
See our display ad, p. 116.

Sika Corp.

201 Polito Ave.
Lyndhurst, NJ 07071
Phone: 800-933-7452
Contact: Angela Smedley
smedley.angela@sika-corp.com
www.sikafloorusa.com

Simco Coatings Inc.

211 Gunther Ln.
Belle Chasse, LA 70037
Phone: 504-393-9455
Contact: Paul Juneja
sales@simcocoatings.com
www.simcocoatings.com

Specialty Polymer Coatings

101 - 20529 62nd Ave.
Langley, BC V3A 8R4 Canada
Phone: 604-514-9711
Contact: Matt Alliston
matt@spc-net.com
www.spc-net.com

Specialty Products, Inc. (SPI)

2410 104th St., Ct. S., Ste. D
Lakewood, WA 98499
Phone: 253-588-7101
Contact: Cliff Haskins
cliffh@specialty-products.com
www.specialty-products.com

SpectraShield Liner Systems

9716-02 Florida Mining Blvd.
Jacksonville, FL 32257
Phone: 904-268-4951
Contact: Bob Klopfenstein
bklopfenstein@ccispectrum.com
www.spectrashield.com

SpeedCove Precast Cove Base Systems

5781 Pleasant Valley Rd.
El Dorado, CA 95623
Phone: 530-344-9000
Contact: Doug Standal
dstandal@speedcove.com
www.speedcove.com

Sprayroq Inc.

4707 Alton Crt., Box 101717
Birmingham, AL 35210
Phone: 205-957-0020
Contact: Chip Johnson
cjohnson@sprayroq.com
www.sprayroq.com

Stirling Lloyd Group Plc.

Union Bank, King St.
Knutsford, Cheshire
WA16 6EF UK
Phone: 44 1565 633111
Contact: Dave Mulligan
marketing@stirlinglloyd.com
www.stirlinglloyd.com

Sub-One Technology

4464 Willow Rd., Bldg. 103
Pleasanton, CA 94588
Phone: 925-924-1020
Contact: Tony Rossell
trossell@sub-one.com
www.sub-one.com

Subsea Industries NV

Haven 29 - Noorderlaan 9
Antwerp 2030 Belgium
Phone: 32 3 213 53 18
Contact: Kristof Adam
info@ecospeed.be
www.ecospeed.be

Superior Epoxies & Coatings

2527 Lantrac Ct.
Decatur, GA 30035
Phone: 800-240-1310
Contact: Donald A. Goldstein
don@superiorepoxies.com
www.superiorepoxies.com

Company Profiles

Superior Products International II, Inc.

10835 W 78th St.
Shawnee, KS 66214
Phone: 913-962-4848
Contact: Hal or Tim
sales@spicoatings.com
www.spicoatings.com

Teknos OY

Takkatie 3, PO Box 107
Helsinki 00371 Finland
Phone: 358 9 506091
Contact: Lassi Tirkkonen
sales@teknos.fi
www.teknos.com

Termarust Technologies

9100 Edison
Montreal, QC H1J 1T3 Canada
Phone: 888-279-5497
Contact: Craig Ballinger
info@termarust.com
www.termarust.com

The Strong Co., Inc.

4505 Emmett Sanders Rd.
Pine Bluff, AR 71601
Phone: 800-982-8009
Contact: Tim DeJarnette
info@strongseal.com
www.strongseal.com

The Tapecoat Co.

1527 Lyons St.
Evanston, IL 60201
Phone: 847-866-8500
Contact: Katy Simon
ksimon@tapecoat.com
www.tapecoat.com

Thermion Inc.

PO Box 780
Silverdale, WA 98383
Phone: 877-884-3428
Contact: Dean Hooks
dhooks@thermioninc.com
www.thermioninc.com
See our display ad, p. 31.

Thin Film Technology, Inc.

5211 Brookglen Dr., Ste. A
Houston, TX 77017
Phone: 713-910-6200
Contact: Jeff Longmore
jeff@thinfilmttech.net
www.thinfilmttech.net

TIB Chemicals AG (formerly Goldschmidt TIB GmbH)

Muelheimer Str. 16-22
Mannheim D-68219 Germany
Phone: 49 621 8901 812
Contact: Rainer Kuprion
rainer.kuprion@tib-chemicals.com
www.tib-chemicals.de

TMS Metalizing Systems, Ltd.

PO Box 2136
Silverdale, WA 98383
Phone: 360-692-6656
Contact: Dave Wixson
info@tmsmetalizing.com
www.tmsmetalizing.com
See our display ad, p. 33.

Tnemec Co., Inc.

6800 Corporate Dr.
Kansas City, MO 64120
Phone: 816-483-3400
Contact: Marketing Dept.
marketing@tnemec.com
www.tnemec.com
See our display ad, p. 94.

Top Secret Coatings

18701 58th Ave. NE
Arlington, WA 98223
Phone: 360-651-9050
Contact: Peter Harrett
info@topsecretcoatings.com
www.topsecretcoatings.com

Total Containment Solutions Inc. dba FSI, Inc.

11000 Metro Pkwy., Ste. 20
Fort Myers, FL 33966
Phone: 239-275-6235
Contact: Mike Whitener
mike@fsicoatings.com
www.fsicoatings.com

TPR2 Corp.

161 Interstate Ln.
Waterbury, CT 06705
Phone: 203-756-8772
Contact: Brian
mail@tpr2.com
www.tpr2.com

Transpo Industries Inc.

20 Jones St.
New Rochelle, NY 10801
Phone: 914-636-1000
Contact: John Karlson
info@transpo.com
www.transpo.com

Ultimate Linings

6630 Roxburgh, Ste. 175
Houston, TX 77041
Phone: 800-989-9869
Contact: Industrial Sales Dept.
info@ultimatelinings.com
www.ultimatelinings.com
See our display ad, p. inside back cover.

Unified Technologies

3015 Center Dr.
Cleveland, OH 44134
Phone: 877-547-5308
Contact: Art Koch
artkoch@cox.net
www.ut-unifiedtechnologies.com

United Gilsonite Laboratories

1396 Jefferson Ave.
Dunmore, PA 18509
Phone: 800-845-5227
Contact: William Tucker
sales@ugl.com
www.ugl.com

VersaFlex Inc.

87 Shawnee Ave.
Kansas City, KS 66105
Phone: 888-649-7713
Contact: Jeff Downing
jeff@versaflex.com
www.versaflex.com

Volatile Free, Inc.

19500 Janacek Ct., PO Box 344
Brookfield, WI 53008
Phone: 800-307-9218
Contact: Mark Baum
mark@volatilefree.com
www.volatilefree.com

W. R. MEADOWS, Inc.

300 Industrial Dr.
Hampshire, IL 60140
Phone: 800-342-5976
Contact: Jason Davoodi
jdavoodi@wrmeadows.com
www.wrmeadows.com

Wasser Corp.

4118 B Pl. NW, Ste. B
Auburn, WA 98001
Phone: 919-624-7320
Contact: Joe Werner
jwerner@wassercoatings.com
www.wassercoatings.com

Watson Coatings, Inc.

325 Paul Ave.
St. Louis, MO 63135
Phone: 314-521-2000
Contact: Paul Powers
powerspm@watsoncoatings.com
www.watsoncoatings.com
See our display ad, p. 32.

Whitford Ltd.

10 Christleton Crt., Manor Park
Runcorn, Cheshire WA7 1ST UK
Phone: 44 1928 571000
Contact: Rachel Howarth
rhowarth@whitfordww.com
www.whitfordww.com

Wolverine Coatings Corp.

204 Wellesley Dr.
Spartanburg, SC 29307
Phone: 864-342-9292
Contact: Eric C. Swanson
eric.swanson@wolverinecoatings.com
www.wolverinecoatings.com

Xiom Corp.

78 Lamar St.
West Babylon, NY 11704
Phone: 866-688-9466
Contact: Charles Affatato
caffatato@xiom-corp.com
www.xiom-corp.com

ZRC Worldwide

145 Enterprise Dr.
Marshfield, MA 02050
Phone: 800-831-3275
Contact: Lorraine DeWald
info@zrcworldwide.com
www.zrcworldwide.com

Sponsored by



Courtesy of Bredero Shaw

Systems are alphabetized by final coat.

External of Buried Pipe Steel

■ **Alkyd/Acrylic/Acrylic**
Mascoat Products (<100 g/L)

■ **Coal Tar/Asphalt**
Fox Industries Inc.
Premium Coatings
Tnemec Company, Inc.
Vertellus Specialties Inc

■ **Epoxy/Epoxy/Epoxy**
CANUSA-CPS (<100 g/L)



info@canusacps.com • www.canusacps.com

Corrosion Control Products Co.
Dampney Co., Inc.
Duron Paints & Wallcoverings
Epmar Corp.
Euronavy
Gulf Coast Paint Mfg., Inc.
Highland International, Inc.
ICI Paints/Devco High Performance Coatings
Inst-X Products Corp. (101-250 g/L)
International Paint LLC (251-340 g/L)
MAB Industrial Coatings
Protega Coatings Ltd.
Rust-Oleum Netherlands B.V. (<100 g/L)
Sherwin-Williams (<100 g/L)
Superior Environmental Products, Inc.
U.S. Coatings, LLC (<100 g/L)

■ **Epoxy 100% Solids (1 or 2 Coats)**
Avilion Inc.
Carboline Company (<100 g/L)

Carbomastic 615 HS
"Apply over wet, rusted steel"



Covalence Adhesives Corrosion Protection
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Enviroline Group (<100 g/L)
Goldschmidt TIB GmbH
International Paint LLC (<100 g/L)
Madison Chemical Industries (<100 g/L)
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
SigmaKalon USA LLC (<100 g/L)
Specialty Polymer Coatings, Inc.

■ **Epoxy/Epoxy 100% solids**
Ceilcote USA, Inc.
Denso North America Inc.
Duromar, Inc. (<100 g/L)
Epmar Corp.
Euronavy
Goldschmidt TIB GmbH
Superior Environmental Products, Inc.
Tambour Ltd.
Wolverine Coatings Corporation

■ **Epoxy Coal Tar/Epoxy Coal Tar**
Ceilcote USA, Inc. (101-250 g/L)
Coronado Paint (101-250 g/L)
Dampney Co., Inc.
Epmar Corp.
Gulf Coast Paint Mfg., Inc.
PPG Protective & Marine Coatings (251-340 g/L)
Protega Coatings Ltd.
Sherwin-Williams (251-340 g/L)
Tambour Ltd.
U.S. Coatings, LLC (101-250 g/L)

■ **Inorganic Zinc/Epoxy Coal Tar/Epoxy Coal Tar**
Gulf Coast Paint Mfg., Inc.

■ **Epoxy Coal Tar High Build (1 or 2 Coats)**
Keeler & Long PPG (101-250 g/L)
Rust-Oleum Corporation (101-250 g/L)
Sherwin-Williams (251-340 g/L)
Tnemec Company, Inc.
U.S. Coatings, LLC (101-250 g/L)

■ **Epoxy Flake Filled/Epoxy Flake Filled**
Enviroline Group (<100 g/L)

■ **Fusion-Bonded Epoxy**
3M Corrosion Protection Products (<100 g/L)
Jotun Powder Coatings A.S.

■ **Fusion-Bonded Epoxy/Fusion-Bonded Epoxy**
3M Corrosion Protection Products (<100 g/L)
Jotun Powder Coatings A.S.

■ **Epoxy Novolac (1 or 2 Coats)**
Carboline Company (<100 g/L)
Enviroline Group (101-250 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
SigmaKalon USA LLC (101-250 g/L)
Specialty Polymer Coatings, Inc.
Wolverine Coatings Corporation

■ **Epoxy/Epoxy Novolac/Epoxy Novolac**
Superior Environmental Products, Inc.

■ **Epoxy Phenolic/Epoxy Phenolic/Epoxy Phenolic**
Visuron Technologies Inc.

■ **Epoxy Other/Epoxy Other/Epoxy Other**
Fox Industries Inc.
Heresite Protective Coatings (251-340 g/L)
Industrial Nanotech Inc. (101-250 g/L)

External of Buried Pipe

Steel.....continued

■ Epoxy/Fluoropolymer

Integument Technologies, Inc.

■ Heat-Shrinkable Sleeves

CANUSA-CPS (<100 g/L)



Corrosion Control Products Co.
Covalence Adhesives Corrosion Protection

■ MCU/MCU/MCU

Duron Paints & Wallcoverings
POR-15, Inc.
Wasser Corporation (251-340 g/L)

■ MCU Zinc Rich/MCU/MCU

REMA TIP TOP GmbH (341-450 g/L)
Steelpaint GmbH (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Keeler & Long PPG (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ Polyester/Polyester/Polyester

Corrocoat Ltd
PPC Coatings
Visuron Technologies Inc.

■ Polyurea Pure (1, 2, or 3 Coats)

Advanced Resin Coatings, LLC (<100 g/L)
Arcco
Fox Industries Inc.
Polycoat Products
Quantum Group (<100 g/L)



Rhino Linings USA, Inc. (<100 g/L)
Specialty Products, Inc. (SPI)
Tambour Ltd.
UCSC Ltd.

■ Polyurea Hybrid (1, 2, or 3 Coats)

Advanced Resin Coatings, LLC (<100 g/L)
Arcco
Dampney Co., Inc.
Madison Chemical Industries (<100 g/L)
Polycoat Products
Rhino Linings USA, Inc. (<100 g/L)
VersaFlex Incorporated (<100 g/L)

■ Tape Wraps

CANUSA-CPS (<100 g/L)
Corrosion Control Products Co.
Covalence Adhesives Corrosion Protection
Denso North America Inc.
Integument Technologies, Inc.
Polyguard Products, Inc. (<100 g/L)
Trenton Corporation (<100 g/L)

■ Thermal Spray

The Platt Brothers & Company
TMS Metalizing Systems, Ltd.

■ Urethane/Urethane

ITW Devcon Futura Coatings (101-250 g/L)



Rhino Linings USA, Inc. (<100 g/L)
United Coatings

■ Epoxy/Urethane

Heresite Protective Coatings (341-450 g/L)
Top Secret Coatings
Volatile Free, Inc.
Watson Coatings, Inc.

■ Epoxy/Epoxy/Urethane

Top Secret Coatings
Watson Coatings, Inc.

■ Fusion-Bonded Epoxy/Fusion-Bonded Epoxy/Urethane

Jotun Powder Coatings A.S.

■ Urethane Elastomeric (1 Coat)

Advanced Resin Coatings, LLC (<100 g/L)
Carboline Company (<100 g/L)
Chemline
Goldschmidt TIB GmbH
ITW Devcon Futura Coatings (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.
Zebron Corporation

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Celcote USA, Inc. (101-250 g/L)
Corrocoat Ltd
Dudick, Inc.
Visuron Technologies Inc.

■ Epoxy/Vinyl Ester/Vinyl Ester

CHEMTREAT INDIA LTD.
The Tapecoat Co.

■ Wax

The Tapecoat Co.
Trenton Corporation (<100 g/L)

■ Zinc-rich, Inorganic

Top Secret Coatings
ZRC Worldwide (<100 g/L)

■ Zinc-rich, Organic

ZRC Worldwide (341-450 g/L)

■ Other

Advanced Polymer Coatings (101-250 g/L)
Basell Sales & Marketing Company B.V.
Heresite Protective Coatings (251-340 g/L)
Hi-Temp Coatings (341-450 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
Madison Chemical Industries (<100 g/L)
Termarust Technologies
The Tapecoat Co.

External of Buried Pipe Concrete

■ Alkyd/Acrylic/Acrylic

Mascoat Products (<100 g/L)

■ Coal Tar/Asphalt

Fox Industries Inc.
Premium Coatings
Tnemec Company, Inc.

■ Epoxy/Epoxy/Epoxy

Corrosion Control Products Co.
Duron Paints & Wallcoverings
Epmar Corp.
Euronavy
Gulf Coast Paint Mfg., Inc.
Highland International, Inc.
ICI Paints/Devco High Performance Coatings
Inst-X Products Corp. (101-250 g/L)
MAB Industrial Coatings
Rust-Oleum Netherlands B.V. (<100 g/L)
Sherwin-Williams (<100 g/L)
Superior Environmental Products, Inc.
Tambour Ltd.
U.S. Coatings, LLC (<100 g/L)

■ Epoxy 100% Solids (1 or 2 Coats)

Avilion Inc.
Covalence Adhesives Corrosion Protection
Crown Polymers, LLC (<100 g/L)
Duromar, Inc. (<100 g/L)
Enviroline Group (<100 g/L)
Kaufman Products, Inc. (<100 g/L)
Madison Chemical Industries (<100 g/L)
MAPEI Corporation
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
Specialty Polymer Coatings, Inc.



■ **Epoxy/Epoxy 100% Solids**

Carboline Company (<100 g/L)
 Ceilcote USA, Inc.
 ChemMasters
 Dampney Co., Inc.
 Duomar, Inc. (<100 g/L)
 ENECON Corporation (<100 g/L)
 Epmar Corp.
 Euronavy
 Kaufman Products, Inc. (<100 g/L)
 Superior Environmental Products, Inc.
 Wolverine Coatings Corporation

■ **Epoxy Coal Tar/Epoxy Coal Tar**

Carboline Company (101-250 g/L)
 Ceilcote USA, Inc. (101-250 g/L)
 Coronado Paint (101-250 g/L)
 Epmar Corp.
 Gulf Coast Paint Mfg., Inc.
 Sherwin-Williams (251-340 g/L)
 Tambour Ltd.
 U.S. Coatings, LLC (101-250 g/L)

■ **Inorganic Zinc/Epoxy Coal Tar/Epoxy Coal Tar**

Gulf Coast Paint Mfg., Inc.

■ **Epoxy Coal Tar High Build (1 or 2 Coats)**

Keeler & Long PPG (101-250 g/L)
 PPG Protective & Marine Coatings (101-250 g/L)
 Rust-Oleum Corporation (101-250 g/L)
 Sherwin-Williams (251-340 g/L)
 Tnemec Company, Inc.
 U.S. Coatings, LLC (101-250 g/L)

■ **Epoxy Flake Filled/Epoxy Flake Filled**

Enviroline Group (<100 g/L)

■ **Epoxy Novolac (1 or 2 Coats)**

Crown Polymers, LLC (<100 g/L)
 Enviroline Group (101-250 g/L)
 Specialty Polymer Coatings, Inc.
 Wolverine Coatings Corporation

■ **Epoxy/Epoxy Novolac/Epoxy Novolac**

KCC Corrosion Control Co., Ltd.
 Superior Environmental Products, Inc.

■ **Epoxy Phenolic/Epoxy Phenolic/Epoxy Phenolic**

Visuron Technologies Inc.

■ **Epoxy/Epoxy Phenolic/Epoxy Phenolic**

Carboline Company (101-250 g/L)

■ **Epoxy Other/Epoxy Other/Epoxy Other**

Fox Industries Inc.
 Heresite Protective Coatings (251-340 g/L)
 Industrial Nanotech Inc. (101-250 g/L)

■ **Epoxy/Fluoropolymer**

Integument Technologies, Inc.

■ **Heat-Shrinkable Sleeves**

Corrosion Control Products Co.
 Covalence Adhesives Corrosion Protection

■ **MCU/MCU/MCU**

POR-15, Inc.
 REMA TIP TOP GmbH (341-450 g/L)
 Steelpaint GmbH (341-450 g/L)
 Wasser Corporation (251-340 g/L)

■ **MCU Coal Tar/MCU Coal Tar/MCU Coal Tar**

Keeler & Long PPG (251-340 g/L)
 Wasser Corporation (251-340 g/L)

■ **Polyester/Polyester/Polyester**

Corrocoat Ltd
 Heresite Protective Coatings (<100 g/L)
 PPC Coatings
 Visuron Technologies Inc.



Denso®
Leaders in Corrosion Prevention

- Protal Liquid Coatings
- Petrolatum Tape Systems
- Bitumen and Butyl Tapes
- SeaShield Marine Systems

In business for over 120 years and with manufacturing plants worldwide, Denso is recognized as the global leader in corrosion prevention. For additional information and/or technical assistance call Denso at 1-888-821-2300.

Denso Product Training Video
 For a free DVD, please call 1-888-821-2300

Denso®
 A Member of Winn & Coates International

www.denso.com • 1-888-821-2300 • info@denso.com

Click our Reader e-Card at paintsquare.com/r/c

External of Buried Pipe

Concrete.....continued

■ Polyurea Pure (1, 2, or 3 Coats)

Advanced Resin Coatings, LLC (<100 g/L)
Arnco
Fox Industries Inc.
ITW Devcon Futura Coatings (<100 g/L)
Polycoat Products
Quantum Group (<100 g/L)
Rhino Linings USA, Inc. (<100 g/L)
Specialty Products, Inc. (SPI)
UCSC Ltd.
VersaFlex Incorporated (<100 g/L)

■ Polyurea Hybrid (1, 2, or 3 Coats)

Advanced Resin Coatings, LLC (<100 g/L)
Arnco
ITW Devcon Futura Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polycoat Products
Rhino Linings USA, Inc. (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.
Covalence Adhesives Corrosion Protection
Denso North America Inc.
Integument Technologies, Inc.

■ Thermal Spray

The Platt Brothers & Company
TMS Metalizing Systems, Ltd.

■ Urethane/Urethane

Rhino Linings USA, Inc. (<100 g/L)
United Coatings

■ Epoxy/Urethane

ChemMasters
Heresite Protective Coatings (341-450 g/L)
Top Secret Coatings

■ Epoxy/Epoxy/Urethane

Crown Polymers, LLC (<100 g/L)
Top Secret Coatings

■ Urethane Elastomeric (1 Coat)

Advanced Resin Coatings, LLC (<100 g/L)
ITW Devcon Futura Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.
Zebron Corporation

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Celcote USA, Inc. (101-250 g/L)
Corrocoat Ltd
Dudick, Inc.
Visuron Technologies Inc.

■ Other

Advanced Polymer Coatings (101-250 g/L)
GSE Lining Technology, Inc.
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
Termarust Technologies
Top Secret Coatings

Internal of Buried Pipe

Steel

■ Coal Tar/Asphalt

Fox Industries Inc.
Premium Coatings
Tnemec Company, Inc.
Vertellus Specialties Inc

■ Epoxy/Epoxy/Epoxy

Benjamin Moore & Co. (101-250 g/L)
Corrosion Control Products Co.
Epmar Corp.
Euronavy
Gulf Coast Paint Mfg., Inc.
ICI Paints/Devoe High Performance Coatings
International Paint LLC (251-340 g/L)
Keeler & Long PPG (251-340 g/L)
PPG Protective & Marine Coatings (<100 g/L)
Sherwin-Williams (<100 g/L)
Tnemec Company, Inc.
U.S. Coatings, LLC (<100 g/L)

■ Epoxy 100% Solids (1 or 2 Coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Avilion Inc.
Duromar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Enviroline Group (<100 g/L)
Goldschmidt TIB GmbH
Madison Chemical Industries (<100 g/L)
NSP Specialty Products (<100 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
Raven Lining Systems (<100 g/L)
SigmaKalon USA LLC (101-250 g/L)
Specialty Polymer Coatings, Inc.
Tambour Ltd.
U.S. Coatings, LLC (<100 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Celcote USA, Inc.
Duromar, Inc. (<100 g/L)
Epmar Corp.
Euronavy
Raven Lining Systems (<100 g/L)
Sherwin-Williams (<100 g/L)
Superior Environmental Products, Inc.
Tambour Ltd.
Wolverine Coatings Corporation
X-Calibur Construction Systems Inc.

■ Epoxy Coal Tar/Epoxy Coal Tar

Benjamin Moore & Co. (251-340 g/L)
Celcote USA, Inc. (101-250 g/L)
Epmar Corp.

■ Epoxy Coal Tar High Build (1 or 2 Coats)

Tnemec Company, Inc.
U.S. Coatings, LLC

■ Epoxy Flake Filled/Epoxy Flake Filled

Enviroline Group (<100 g/L)

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Gulf Coast Paint Mfg., Inc.

■ Fusion-Bonded Epoxy

3M Corrosion Protection Products (<100 g/L)

■ Fusion-Bonded Epoxy/Fusion-Bonded Epoxy

3M Corrosion Protection Products (<100 g/L)

■ Epoxy Novolac (1 or 2 Coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Carboline Company (<100 g/L)
Duromar, Inc. (<100 g/L)
Enviroline Group (101-250 g/L)
PolySpec L.P. / THIOKOL (<100 g/L)
Sherwin-Williams (<100 g/L)
SigmaKalon USA LLC (101-250 g/L)
Specialty Polymer Coatings, Inc.
Superior Environmental Products, Inc.
Tambour Ltd.
Wolverine Coatings Corporation

■ Epoxy/Epoxy Novolac/Epoxy Novolac

ICI Paints/Devoe High Performance Coatings
KCC Corrosion Control Co., Ltd.
Superior Environmental Products, Inc.

■ Epoxy Phenolic/Epoxy Phenolic/Epoxy Phenolic

Carboline Company (341-450 g/L)
Gulf Coast Paint Mfg., Inc.
PPG Protective & Marine Coatings (251-340 g/L)
SigmaKalon USA LLC (251-340 g/L)
Visuron Technologies Inc.

■ Epoxy Other/Epoxy Other/Epoxy Other

Benjamin Moore & Co. (251-340 g/L)
Fox Industries Inc.
Goldschmidt TIB GmbH
Heresite Protective Coatings (<100, 251-340 g/L)
PPG Protective & Marine Coatings (101-250 g/L)

■ Heat-Shrinkable Sleeves

CANUSA-CPs
Corrosion Control Products Co.

■ MCU/MCU/MCU

POR-15, Inc.
Wasser Corporation (251-340 g/L)

■ MCU Zinc Rich/MCU/MCU

REMA TIP TOP GmbH (341-450 g/L)
Steelpaint GmbH (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Wasser Corporation (251-340 g/L)

■ Polyester/Polyester/Polyester

Corrocoat Ltd
 PPC Coatings
 Visuron Technologies Inc.

■ Polyurea Pure (1 or 2 Coats)

Advanced Resin Coatings, LLC (<100 g/L)
 Fox Industries Inc.
 Polycoat Products
 Rhino Linings USA, Inc. (<100 g/L)
 UCSC Ltd.
 VersaFlex Incorporated (<100 g/L)

■ Polyurea Hybrid (1 or 2 Coats)

Advanced Resin Coatings, LLC (<100 g/L)
 Madison Chemical Industries (<100 g/L)
 Rhino Linings USA, Inc. (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

The Platt Brothers & Company

■ Urethane/Urethane

Rhino Linings USA, Inc. (<100 g/L)

■ Urethane Elastomeric (1 Coat)

Advanced Resin Coatings, LLC (<100 g/L)
 Carboline Company (<100 g/L)
 Chemline
 Goldschmidt TIB GmbH
 ITW Devcon Futura Coatings (<100 g/L)
 Polibrid Coatings, Inc. (<100 g/L)
 Specialty Polymer Coatings, Inc.
 Zebtron Corporation

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Ceilcote USA, Inc. (101-250 g/L)
 Corrocoat Ltd
 Dudick, Inc.
 Visuron Technologies Inc.

■ Epoxy/Vinyl Ester/Vinyl Ester

CHEMTREAT INDIA LTD.

■ Other

Advanced Polymer Coatings (101-250 g/L)
 Heresite Protective Coatings (341-450 g/L)
 Integument Technologies, Inc.
 KCC Corrosion Control Co., Ltd.
 Liquid Rubber Industries Inc. (<100 g/L)
 Madison Chemical Industries (<100 g/L)
 Sub-One Technology
 Termarust Technologies

**Internal of Buried Pipe
 Concrete**
■ Coal Tar/Asphalt

Fox Industries Inc.
 Premium Coatings
 Tnemec Company, Inc.

■ Epoxy/Epoxy/Epoxy

Benjamin Moore & Co. (101-250 g/L)
 Corrosion Control Products Co.
 Epmar Corp.
 Euronavy
 Gulf Coast Paint Mfg., Inc.
 ICI Paints/Devoe High Performance Coatings
 Keeler & Long PPG (251-340 g/L)
 PPG Protective & Marine Coatings
 Sherwin-Williams (<100 g/L)
 Tambour Ltd.
 U.S. Coatings, LLC (<100 g/L)

■ Epoxy 100% Solids (1 or 2 Coats)

A.W. Chesterton/ARC Composites (<100 g/L)
 Avilion Inc.
 Crown Polymers, LLC (<100 g/L)
 Duromar, Inc. (<100 g/L)
 Enviroline Group (<100 g/L)
 Kaufman Products, Inc. (<100 g/L)
 NSP Specialty Products (<100 g/L)
 PolySpec L.P. / THIOKOL (<100 g/L)
 Raven Lining Systems (<100 g/L)
 Specialty Polymer Coatings, Inc.
 Tambour Ltd.
 U.S. Coatings, LLC (<100 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
 Ceilcote USA, Inc.
 ChemMasters
 Duromar, Inc. (<100 g/L)
 ENECON Corporation (<100 g/L)
 Epmar Corp.
 Euronavy
 Kaufman Products, Inc. (<100 g/L)
 Madison Chemical Industries (<100 g/L)
 Raven Lining Systems (<100 g/L)
 Sherwin-Williams (<100 g/L)
 Superior Environmental Products, Inc.
 Wolverine Coatings Corporation
 X-Calibur Construction Systems Inc.

■ Epoxy Coal Tar/Epoxy Coal Tar

Benjamin Moore & Co. (251-340 g/L)
 Carboline Company (101-250 g/L)
 Ceilcote USA, Inc. (101-250 g/L)
 Epmar Corp.

■ Epoxy Coal Tar High Build (1 or 2 Coats)

Tnemec Company, Inc.
 U.S. Coatings, LLC (101-250 g/L)

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Gulf Coast Paint Mfg., Inc.

■ Epoxy Novolac (1 or 2 Coats)

A.W. Chesterton/ARC Composites (<100 g/L)
 Crown Polymers, LLC (<100 g/L)
 Duromar, Inc. (<100 g/L)
 Enviroline Group (101-250 g/L)
 PolySpec L.P. / THIOKOL (<100 g/L)
 Sherwin-Williams (<100 g/L)
 Specialty Polymer Coatings, Inc.
 Superior Environmental Products, Inc.
 Tambour Ltd.
 Wolverine Coatings Corporation

■ Epoxy/Epoxy Novolac/Epoxy Novolac

Carboline Company (<100 g/L)
 ICI Paints/Devoe High Performance Coatings
 Superior Environmental Products, Inc.

■ Epoxy Phenolic/Epoxy Phenolic/Epoxy Phenolic

Gulf Coast Paint Mfg., Inc.
 Heresite Protective Coatings (341-450 g/L)
 PPG Protective & Marine Coatings (251-340 g/L)
 Visuron Technologies Inc.

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Carboline Company (101-250 g/L)

■ Epoxy Other/Epoxy Other/Epoxy Other

Benjamin Moore & Co. (251-340 g/L)
 Fox Industries Inc.
 Heresite Protective Coatings (251-340 g/L)
 PPG Protective & Marine Coatings (101-250 g/L)

■ Epoxy/Fluoropolymer

Enviroline Group (<100 g/L)
 Integument Technologies, Inc.

■ Heat-Shrinkable Sleeves

Corrosion Control Products Co.

■ MCU/MCU/MCU

POR-15, Inc.
 REMA TIP TOP GmbH (341-450 g/L)
 Steelpaint GmbH (341-450 g/L)
 Wasser Corporation (251-340 g/L)

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Wasser Corporation (251-340 g/L)

■ Polyester/Polyester/Polyester

Corrocoat Ltd
 Visuron Technologies Inc.

■ Polyurea Pure (1 or 2 Coats)

Advanced Resin Coatings, LLC (<100 g/L)
 Fox Industries Inc.
 ITW Devcon Futura Coatings (<100 g/L)
 Polycoat Products
 Rhino Linings USA, Inc. (<100 g/L)
 UCSC Ltd.
 VersaFlex Incorporated (<100 g/L)

■ Polyurea Hybrid (1 or 2 Coats)

Advanced Resin Coatings, LLC (<100 g/L)
 ITW Devcon Futura Coatings (<100 g/L)
 Madison Chemical Industries (<100 g/L)
 Rhino Linings USA, Inc. (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.

■ Thermal Spray

The Platt Brothers & Company

■ Urethane/Urethane

Polycoat Products
 Rhino Linings USA, Inc. (<100 g/L)

Internal of Buried Pipe Concrete.....continued

■ Epoxy/Urethane

ChemMasters

■ Epoxy/Epoxy/Urethane

Crown Polymers, LLC (<100 g/L)

■ Urethane Elastomeric (1 Coat)

Advanced Resin Coatings, LLC (<100 g/L)
ITW Devcon Futura Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polibrid Coatings, Inc. (<100 g/L)
Polycoat Products
Specialty Polymer Coatings, Inc.
Zebron Corporation

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Ceilmate USA, Inc. (101-250 g/L)
Corrocoat Ltd
Dudick, Inc.
Visuron Technologies Inc.

■ Other

Advanced Polymer Coatings (101-250 g/L)
ENECON Corporation (<100 g/L)

GSE Lining Technology, Inc.
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)

Field Joint Coating of Buried Pipe Steel

■ Alkyd/Acrylic/Acrylic

Mascoat Products (<100 g/L)

■ Coal Tar/Asphalt

Fox Industries Inc.
Premium Coatings
Vertellus Specialties Inc

■ Epoxy/Epoxy/Epoxy

Corrosion Control Products Co.
Gulf Coast Paint Mfg., Inc.
ICI Paints/Devco High Performance Coatings
International Paint LLC (251-340 g/L)
Sherwin-Williams (<100 g/L)
Tambour Ltd.
Tnemec Company, Inc.

■ Epoxy 100% Solids (1 or 2 Coats)

3M Corrosion Protection Products (<100 g/L)
A.W. Chesterton/ARC Composites (<100 g/L)
Avilion Inc.

Carboline Company (<100 g/L)
Covalence Adhesives Corrosion Protection
Dampney Co., Inc.
Duromar, Inc. (<100 g/L)
Enviroline Group (<100 g/L)
Epmar Corp.
Goldschmidt TIB GmbH
ITW Devcon Futura Coatings (<100 g/L)
NSP Specialty Products (<100 g/L)
PPG Protective & Marine Coatings (<100 g/L)
SigmaKalon USA LLC (<100 g/L)
Specialty Polymer Coatings, Inc.
Superior Environmental Products, Inc.
Thin Film Technology, Inc. (<100 g/L)

■ Epoxy/Epoxy 100% Solids

3M Corrosion Protection Products (<100 g/L)
A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Ceilmate USA, Inc.
Denso North America Inc.
Duromar, Inc. (<100 g/L)
Madison Chemical Industries (<100 g/L)
Sherwin-Williams (<100 g/L)

■ Epoxy Coal Tar/Epoxy Coal Tar

Ceilmate USA, Inc. (101-250 g/L)
Tambour Ltd.

■ Epoxy Coal Tar High Build (1 or 2 Coats)

Epmar Corp.

■ Epoxy Flake Filled/Epoxy Flake Filled

Sherwin-Williams (101-250 g/L)

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Gulf Coast Paint Mfg., Inc.

■ Fusion-Bonded Epoxy

3M Corrosion Protection Products (<100 g/L)
Jotun Powder Coatings A.S.

■ Epoxy Novolac (1 or 2 Coats)

Carboline Company (<100 g/L)
SigmaKalon USA LLC (101-250 g/L)
Specialty Polymer Coatings, Inc.
Superior Environmental Products, Inc.

■ Inorganic Zinc/Epoxy Novolac/Epoxy

Novolac
CANUSA-CPS (<100 g/L)



CANUSA-CPS
A SHAWCOR COMPANY

info@canusacps.com • www.canusacps.com

■ Epoxy Phenolic/Epoxy Phenolic/Epoxy Phenolic

Gulf Coast Paint Mfg., Inc.
Visuron Technologies Inc.

■ Epoxy Other/Epoxy Other/Epoxy Other

Fox Industries Inc.
Tambour Ltd.



STACwrap

STOPS Corrosion on ALL Surfaces

NOT a paint
- requires no drying time -



Chemically Inert
- contains no VOC's -



- Impervious to moisture & oxygen
- Conforms to odd shapes
- No extensive surface preparation required
- Requires no special tools or training
- Easy to apply anywhere even underwater

Central Plastics Company

PH: 800.654.3872 - FX: 800.733.5993 - www.centralplastics.com



Field Joint Coating of Buried Pipe Steel.....continued

■ Epoxy/Fluoropolymer

Integument Technologies, Inc.

■ Heat-Shrinkable Sleeves

CANUSA-CPS (<100 g/L)
Corrosion Control Products Co.
Covalence Adhesives Corrosion Protection Group

■ MCU/MCU/MCU

POR-15, Inc.
Wasser Corporation (251-340 g/L)

■ MCU Zinc Rich/MCU/MCU

REMA TIP TOP GmbH (341-450 g/L)
Steelpaint GmbH (251-340 g/L)
Wasser Corporation (251-340 g/L)

■ MCU Coal Tar/MCU Coal Tar/MCU Coal Tar

Wasser Corporation (251-340 g/L)

■ Polyester/Polyester/Polyester

Corrocoat Ltd
PPC Coatings
Visuron Technologies Inc.

■ Polyurea Pure (1, 2, or 3 Coats)

Advanced Resin Coatings, LLC (<100 g/L)
Arnco
Fox Industries Inc.
Polycoat Products
Quantum Group (<100 g/L)
Rhino Linings USA, Inc. (<100 g/L)
Specialty Products, Inc. (SPI)
UCSC Ltd.
VersaFlex Incorporated (<100 g/L)

■ Polyurea Hybrid (1, 2, or 3 Coats)

Advanced Resin Coatings, LLC (<100 g/L)
Arnco
Madison Chemical Industries (<100 g/L)
Rhino Linings USA, Inc. (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.
Covalence Adhesives Corrosion Protection Group
Denso North America Inc.
Integument Technologies, Inc.
Polyguard Products, Inc. (<100 g/L)
Trenton Corporation (<100 g/L)

■ Thermal Spray

The Platt Brothers & Company

■ Urethane/Urethane

Rhino Linings USA, Inc. (<100 g/L)

■ Epoxy/Urethane

Arcor Epoxy Inc. (<100 g/L)
Watson Coatings, Inc.

■ Epoxy/Epoxy/Urethane

Watson Coatings, Inc.

■ Organic Zinc/Epoxy/Urethane

Arcor Epoxy Inc. (<100 g/L)

■ Urethane Elastomeric (1 Coat)

Carboline Company
Chemline
Goldschmidt TIB GmbH
Polibrid Coatings, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.
Zebtron Corporation

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Ceilmate USA, Inc. (101-250 g/L)
Corrocoat Ltd
Visuron Technologies Inc.

■ Epoxy/Vinyl Ester/Vinyl Ester

The Tapecoat Co.

■ Wax

The Tapecoat Co.
Trenton Corporation (<100 g/L)

■ Other

Basell Sales & Marketing Company B.V.
Hi-Temp Coatings Technology (341-450 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
Madison Chemical Industries (<100 g/L)
Sub-One Technology
Termarust Technologies
The Tapecoat Co.

Field Joint Coating of Buried Pipe Concrete

■ Alkyd/Acrylic/Acrylic

Mascoat Products (<100 g/L)

■ Coal Tar/Asphalt

Fox Industries Inc.
Premium Coatings

■ Epoxy/Epoxy/Epoxy

Corrosion Control Products Co.
Gulf Coast Paint Mfg., Inc.
ICI Paints/Devco High Performance Coatings
Sherwin-Williams (<100 g/L)
Tambour Ltd.
Tnemec Company, Inc.

■ Epoxy 100% Solids (1 or 2 Coats)

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Avilion Inc.
Covalence Adhesives Corrosion Protection
Crown Polymers, LLC (<100 g/L)
Duromar, Inc. (<100 g/L)

Enviroline Group (<100 g/L)

Epmar Corp.

ITW Devcon Futura Coatings (<100 g/L)

Madison Chemical Industries (<100 g/L)

NSP Specialty Products (<100 g/L)

PPG Protective & Marine Coatings (<100 g/L)

Specialty Polymer Coatings, Inc.

Superior Environmental Products, Inc.

Thin Film Technology, Inc. (<100 g/L)

■ Epoxy/Epoxy 100% Solids

A.W. Chesterton/ARC Composites (<100 g/L)
Arcor Epoxy Inc. (<100 g/L)
Carboline Company (<100 g/L)
Ceilmate USA, Inc.
ChemMasters
Dampney Co., Inc.
Duromar, Inc. (<100 g/L)
Sherwin-Williams (<100 g/L)
Wolverine Coatings Corporation

■ Epoxy Coal Tar/Epoxy Coal Tar

Carboline Company (101-250 g/L)
Ceilmate USA, Inc. (101-250 g/L)
Tambour Ltd.

■ Epoxy Coal Tar High Build (1 or 2 Coats)

Epmar Corp.

■ Epoxy Flake Filled/Epoxy Flake Filled

Sherwin-Williams (101-250 g/L)

■ Epoxy/Epoxy Flake Filled/Epoxy Flake Filled

Gulf Coast Paint Mfg., Inc.

■ Epoxy Novolac (1 or 2 Coats)

Crown Polymers, LLC (<100 g/L)
Specialty Polymer Coatings, Inc.
Superior Environmental Products, Inc.
Wolverine Coatings Corporation

■ Epoxy/Epoxy Novolac/Epoxy Novolac

CANUSA-CPS (<100 g/L)



■ Epoxy Phenolic/Epoxy Phenolic/Epoxy Phenolic

Gulf Coast Paint Mfg., Inc.

■ Epoxy/Epoxy Phenolic/Epoxy Phenolic

Carboline Company (101-250 g/L)

■ Epoxy Other/Epoxy Other/Epoxy Other

Fox Industries Inc.
Tambour Ltd.

■ Epoxy/Fluoropolymer

Enviroline Group (<100 g/L)
Integument Technologies, Inc.

■ **Heat-Shrinkable Sleeves**

CANUSA-CPS (<100 g/L)



Corrosion Control Products Co.
 Covalence Adhesives Corrosion Protection

■ **MCU/MCU/MCU**

POR-15, Inc.
 REMA TIP TOP GmbH (341-450 g/L)
 Steelpaint GmbH (341-450 g/L)
 Wasser Corporation (251-340 g/L)

■ **MCU Coal Tar/MCU Coal Tar/MCU Coal Tar**

Wasser Corporation (251-340 g/L)

■ **Polyester/Polyester/Polyester**

Corrocoat Ltd
 PPC Coatings

■ **Polyurea Pure (1, 2, or 3 Coats)**

Advanced Resin Coatings, LLC (<100 g/L)
 Arnco
 Epmar Corp.
 Fox Industries Inc.
 Polycoat Products
 Quantum Group (<100 g/L)
 Rhino Linings USA, Inc. (<100 g/L)
 Specialty Products, Inc. (SPI)
 UCSC Ltd.
 VersaFlex Incorporated (<100 g/L)

■ **Polyurea Hybrid (1, 2, or 3 Coats)**

Advanced Resin Coatings, LLC (<100 g/L)
 Arnco
 Madison Chemical Industries (<100 g/L)
 Rhino Linings USA, Inc. (<100 g/L)

■ **Tape Wraps**

CANUSA-CPS (<100 g/L)



Corrosion Control Products Co.
 Covalence Adhesives Corrosion Protection Group
 Integument Technologies, Inc.

■ **Thermal Spray**

The Platt Brothers & Company

■ **Urethane/Urethane**

Rhino Linings USA, Inc. (<100 g/L)

■ **Epoxy/Urethane**

Arcor Epoxy Inc. (<100 g/L)
 ChemMasters

■ **Epoxy/Epoxy/Urethane**

Crown Polymers, LLC (<100 g/L)

■ **Urethane Elastomeric (1 Coat)**

Advanced Resin Coatings, LLC (<100 g/L)
 Polibrid Coatings, Inc. (<100 g/L)
 Specialty Polymer Coatings, Inc.
 Zebron Corporation

■ **Vinyl Ester/Vinyl Ester/Vinyl Ester**

Celcote USA, Inc. (101-250 g/L)
 Corrocoat Ltd

■ **Other**

GSE Lining Technology, Inc.
 KCC Corrosion Control Co., Ltd.
 Liquid Rubber Industries Inc. (<100 g/L)

Aboveground Pipe Exteriors
Steel
■ **Alkyd/Acrylic/Acrylic**

Duron Paints & Wallcoverings
 Mascoat Products (<100 g/L)
 Watson Coatings, Inc.

■ **Epoxy/Acrylic/Acrylic**

Benjamin Moore & Co. (101-250 g/L)
 Duron Paints & Wallcoverings
 Epmar Corp.
 Instl-X Products Corp. (101-250 g/L)
 Premium Coatings

■ **Epoxy/Acrylic**

Chemline

■ **Epoxy/Epoxy/Acrylic**

Benjamin Moore & Co. (101-250 g/L)
 Corrocoat Ltd
 Epmar Corp.
 Highland International, Inc.

■ **Inorganic Zinc/Acrylic/Acrylic**

Epmar Corp.

■ **Organic Zinc/Epoxy/Acrylic**

Chemline

■ **Alkyd/Alkyd/Alkyd**

Instl-X Products Corp. (101-250 g/L)
 Tnemec Company, Inc.
 Watson Coatings, Inc.

■ **Alkyd/Alkyd/Silicone Alkyd**

Duron Paints & Wallcoverings
 Keeler & Long PPG (251-340 g/L)
 Sherwin-Williams (251-340 g/L)
 Tnemec Company, Inc.

■ **Coal Tar/Asphalt**

Premium Coatings
 Tambour Ltd.

■ **Epoxy/Epoxy/Epoxy**

Corrosion Control Products Co.
 Protega Coatings Ltd.
 Rust-Oleum Corporation (101-250 g/L)
 SigmaKalon USA LLC (101-250 g/L)
 Tambour Ltd.

■ **Epoxy 100% Solids (1 or 2 Coats)**

Avilion Inc.
 Covalence Adhesives Corrosion Protection
 Duromar, Inc. (<100 g/L)
 ENECON Corporation (<100 g/L)
 Enviroline Group (<100 g/L)
 Goldschmidt TIB GmbH

■ **Epoxy/Epoxy 100% Solids**

Duromar, Inc. (<100 g/L)
 Superior Environmental Products, Inc.
 Tambour Ltd.

■ **Fusion-Bonded Epoxy**

Jotun Powder Coatings A.S.

■ **Fusion-Bonded Epoxy/Fusion-Bonded Epoxy**

Jotun Powder Coatings A.S.

■ **Epoxy Novolac (1 or 2 Coats)**

Enviroline Group (101-250 g/L)
 Superior Environmental Products, Inc.

■ **Epoxy Phenolic/Epoxy Phenolic/Epoxy Phenolic**

Visuron Technologies Inc.

■ **Epoxy Other/Epoxy Other/Epoxy Other**

SigmaKalon USA LLC (101-250 g/L)

■ **Epoxy/Fluoropolymer**

Integument Technologies, Inc.

■ **Epoxy/Fluorourethane**

KCC Corrosion Control Co., Ltd.

■ **Organic Zinc/Epoxy/Fluorourethane**

Wolverine Coatings Corporation

■ **Heat-Shrinkable Sleeves**

Corrosion Control Products Co.
 Covalence Adhesives Corrosion Protection Group

■ **MCU/MCU/MCU**

Keeler & Long PPG (341-450 g/L)
 POR-15, Inc.
 Wasser Corporation (251-340 g/L)
 Watson Coatings, Inc.

■ **MCU Zinc Rich/MCU/MCU**

REMA TIP TOP GmbH (341-450 g/L)
 Steelpaint GmbH (341-450 g/L)
 Wasser Corporation (251-340 g/L)

■ **Polyester/Polyester/Polyester**

Corrocoat Ltd
 PPC Coatings
 Visuron Technologies Inc.

Aboveground Pipe Exteriors

Steel.....continued

■ Polyurea Pure (1, 2, or 3 Coats)

Arnco
Polycoat Products
Rhino Linings USA, Inc. (<100 g/L)
UCSC Ltd.
VersaFlex Incorporated (<100 g/L)
X-Calibur Construction Systems Inc.

■ Polyurea Hybrid (1, 2, or 3 Coats)

Arnco
ITW Devcon Futura Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polycoat Products
Rhino Linings USA, Inc. (<100 g/L)

■ Tape Wraps

Corrosion Control Products Co.
Covalence Adhesives Corrosion Protection Group
Denso North America Inc.
Integument Technologies, Inc.
Polyguard Products, Inc. (<100 g/L)
Trenton Corporation (<100 g/L)

■ Thermal Spray

The Platt Brothers & Company
TMS Metalizing Systems, Ltd.

■ Urethane/Urethane

Goldschmidt TIB GmbH
ICI Paints/Devco High Performance Coatings
ITW Devcon Futura Coatings (<100 g/L)
Madison Chemical Industries (<100 g/L)
Polycoat Products
Quantum Group (<100 g/L)
Rhino Linings USA, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ Epoxy/Urethane

Ceilmate USA, Inc.
Dampney Co., Inc.
Fox Industries Inc.
Heresite Protective Coatings (341-450 g/L)
ITW Devcon Futura Coatings (<100 g/L)
KCC Corrosion Control Co., Ltd.
Keeler & Long PPG (251-340 g/L)
Madison Chemical Industries (<100 g/L)
Neogard, a division of Jones-Blair Company
Rust-Oleum Netherlands B.V. (<100 g/L)
Sherwin-Williams (<100 g/L)
Specialty Polymer Coatings, Inc.
U.S. Coatings, LLC (<100 g/L)

■ Epoxy/Epoxy/Urethane

Benjamin Moore & Co. (101-250 g/L)
Carboline Company (341-450 g/L)
Ceilmate USA, Inc. (251-340 g/L)
Coronado Paint (251-340 g/L)
Euronavy
Fox Industries Inc.
Highland International, Inc.

Insl-X Products Corp. (101-250 g/L)
MAB Industrial Coatings
PPG Protective & Marine Coatings (251-340 g/L)
SigmaKalon USA LLC (251-340 g/L)
Superior Environmental Products, Inc.
Tnemec Company, Inc.
U.S. Coatings, LLC (<100 g/L)

■ Fusion-Bonded Epoxy/Urethane

3M Corrosion Protection Products (<100 g/L)

■ MCU Zinc Rich/Urethane/Urethane

Gulf Coast Paint Mfg., Inc.

■ MCU Zinc Rich/Epoxy/Urethane

Gulf Coast Paint Mfg., Inc.

■ Inorganic Zinc/Epoxy/Urethane

Carboline Company (341-450 g/L)
Gulf Coast Paint Mfg., Inc.
Highland International, Inc.
ICI Paints/Devco High Performance Coatings
International Paint LLC (251-340 g/L)
PPG Protective & Marine Coatings (251-340 g/L)
Protega Coatings Ltd.
U.S. Coatings, LLC (251-340 g/L)

■ Organic Zinc/Epoxy/Urethane

Carboline Company (341-450 g/L)
Fox Industries Inc.
Highland International, Inc.
ICI Paints/Devco High Performance Coatings
International Paint LLC (251-340 g/L)
Neogard, a division of Jones-Blair Company
PPG Protective & Marine Coatings (251-340 g/L)
Protega Coatings Ltd.
Sherwin-Williams (251-340 g/L)

■ Urethane Elastomeric (1 Coat)

Chemline
Goldschmidt TIB GmbH
Polibrid Coatings, Inc. (<100 g/L)
Zebron Corporation

■ Vinyl Ester/Vinyl Ester/Vinyl Ester

Corrocoat Ltd
Dudick, Inc.
Visuron Technologies Inc.

■ Epoxy/Vinyl Ester/Vinyl Ester

The Tapecoat Co.

■ Wax

The Tapecoat Co.
Trenton Corporation (<100 g/L)

■ Zinc-rich, inorganic

ZRC Worldwide (<100 g/L)

■ Zinc-rich, organic

ZRC Worldwide (341-450 g/L)

■ Other

Advanced Polymer Coatings (101-250 g/L)
Basell Sales & Marketing Company B.V.
ENECON Corporation (<100 g/L)
Heresite Protective Coatings (251-340 g/L)

Hi-Temp Coatings (101-250, 341-450 g/L)
Industrial Nanotech Inc. (101-250 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
Rust-Oleum Netherlands B.V. (<100 g/L)
Termarust Technologies
The Tapecoat Co.

Aboveground Pipe Exteriors Concrete

■ Alkyd/Acrylic/Acrylic

Duron Paints & Wallcoverings
Mascoat Products (<100 g/L)

■ Epoxy/Acrylic/Acrylic

Duron Paints & Wallcoverings
Epmar Corp.
Fox Industries Inc.
Insl-X Products Corp. (101-250 g/L)
Keeler & Long PPG (251-340 g/L)
Sherwin-Williams (101-250 g/L)

■ Epoxy/Acrylic

Epmar Corp.
Highland International, Inc.
Tnemec Company, Inc.

■ Epoxy/Epoxy/Acrylic

Corrocoat Ltd
Epmar Corp.
Highland International, Inc.

■ Alkyd/Alkyd/Silicone Alkyd

Duron Paints & Wallcoverings

■ Coal Tar/Asphalt

Premium Coatings

■ Epoxy/Epoxy/Epoxy

Benjamin Moore & Co. (251-340 g/L)
Carboline Company (101-250 g/L)
Corrosion Control Products Co.
ICI Paints/Devco High Performance Coatings
Insl-X Products Corp. (101-250 g/L)
Protega Coatings Ltd.
Rust-Oleum Corporation (101-250 g/L)

■ Epoxy 100% Solids (1 or 2 Coats)

Avilion Inc.
Covalence Adhesives Corrosion Protection Group
Crown Polymers, LLC (<100 g/L)
Duomar, Inc. (<100 g/L)
Enviroline Group (<100 g/L)
MAPEI Corporation
PolySpec L.P. / THIOKOL (<100 g/L)

■ Epoxy/Epoxy 100% Solids

Duomar, Inc. (<100 g/L)
ENECON Corporation (<100 g/L)
Superior Environmental Products, Inc.
Tambour Ltd.

■ **Epoxy Coal Tar/Epoxy Coal Tar**
Benjamin Moore & Co. (251-340 g/L)
Tambour Ltd.

■ **Epoxy Novolac (1 or 2 Coats)**
Crown Polymers, LLC (<100 g/L)
Enviroline Group (101-250 g/L)
Superior Environmental Products, Inc.

■ **Epoxy Phenolic/Epoxy Phenolic/Epoxy Phenolic**
Visuron Technologies Inc.

■ **Epoxy Other/Epoxy Other/Epoxy Other**
Tambour Ltd.

■ **Epoxy/Fluoropolymer**
Integument Technologies, Inc.

■ **Epoxy/Fluorourethane**
Wolverine Coatings Corporation

■ **Heat-Shrinkable Sleeves**
Corrosion Control Products Co.
Covalence Adhesives Corrosion Protection

■ **Methyl Methacrylate/Methyl Methacrylate**
ChemMasters

■ **MCU/MCU/MCU**
Keeler & Long PPG (341-450 g/L)
POR-15, Inc.
REMA TIP TOP GmbH (341-450 g/L)
Steelpaint GmbH (341-450 g/L)
Wasser Corporation (251-340 g/L)
X-Calibur Construction Systems Inc.

■ **Polyester/Polyester/Polyester**
Corrocoat Ltd
Visuron Technologies Inc.

■ **Polyurea Pure (1, 2, or 3 Coats)**
Arnco
Dampney Co., Inc.
Polycoat Products
REMA TIP TOP GmbH (<100 g/L)
Rhino Linings USA, Inc. (<100 g/L)
UCSC Ltd.
VersaFlex Incorporated (<100 g/L)

■ **Polyurea Hybrid (2 or 3 Coats)**
Arnco
Polycoat Products
Rhino Linings USA, Inc. (<100 g/L)

■ **Siloxane/Siloxane**
Chemical Products Industries (<100 g/L)

■ **Epoxy/Epoxy/Siloxane**
PPG Protective & Marine Coatings (101-250 g/L)

■ **Tape Wraps**
Corrosion Control Products Co.
Covalence Adhesives Corrosion Protection
Integument Technologies, Inc.
Polyguard Products, Inc. (<100 g/L)

■ **Thermal Spray**
The Platt Brothers & Company
TMS Metalizing Systems, Ltd.

■ **Urethane/Urethane**
Madison Chemical Industries (<100 g/L)
Polycoat Products
Quantum Group (<100 g/L)
Rhino Linings USA, Inc. (<100 g/L)
Specialty Polymer Coatings, Inc.

■ **Epoxy/Urethane**
Benjamin Moore & Co. (251-340 g/L)
Ceilcote USA, Inc.
ChemMasters
Fox Industries Inc.
Gulf Coast Paint Mfg., Inc.
Heresite Protective Coatings (341-450 g/L)
ICI Paints/Devoe High Performance Coatings
ITW Devcon Futura Coatings (101-250 g/L)
Keeler & Long PPG (251-340 g/L)
Madison Chemical Industries (<100 g/L)
Rust-Oleum Netherlands B.V. (<100 g/L)
Sherwin-Williams (<100 g/L)
Specialty Polymer Coatings, Inc.
Superior Environmental Products, Inc.
U.S. Coatings, LLC (<100 g/L)

■ **Epoxy/Epoxy/Urethane**
Carboline Company (341-450 g/L)
Ceilcote USA, Inc. (251-340 g/L)
Coronado Paint (251-340 g/L)
Crown Polymers, LLC (<100 g/L)
Euronavy
Fox Industries Inc.
Gulf Coast Paint Mfg., Inc.
Highland International, Inc.
Insl-X Products Corp. (101-250 g/L)
Sherwin-Williams (<100 g/L)
Tnemec Company, Inc.
U.S. Coatings, LLC (<100 g/L)

■ **Inorganic Zinc/Epoxy/Urethane**
PPG Protective & Marine Coatings (251-340 g/L)

■ **Urethane Elastomeric (1 Coat)**
Madison Chemical Industries (<100 g/L)
Neogard, a division of Jones-Blair Company
Polibrid Coatings, Inc. (<100 g/L)
Zebron Corporation

■ **Vinyl Ester/Vinyl Ester/Vinyl Ester**
Corrocoat Ltd
Dudick, Inc.
Visuron Technologies Inc.

■ **Other**
Advanced Polymer Coatings (101-250 g/L)
ChemMasters
ENECON Corporation (<100 g/L)
GSE Lining Technology, Inc.
Industrial Nanotech Inc. (101-250 g/L)
KCC Corrosion Control Co., Ltd.
Liquid Rubber Industries Inc. (<100 g/L)
Rust-Oleum Netherlands B.V. (<100 g/L)
Termarust Technologies
Tnemec Company, Inc.

Do you know what STINKS about Thioplast™ EPS Resins? NOTHING!



Thioplast EPS resins are low viscosity, epoxy terminated polysulfides, and do not contain thiol end-groups that cause foul odors.

These resins are modifiers for epoxy and acrylic coatings, adhesives, and sealants.

Applications:

- Flexible, chemical, and moisture-resistant coatings for steel and concrete
- Impact, chemical, or fuel-resistant floor coatings, pipe coatings, tank linings, secondary containment
- Pipe and concrete sealants
- Low-temperature, impact-resistant adhesives

Thioplast EPS Advantages:

- Improved wetting, adhesion, chemical and moisture resistance, and low-temperature performance
- High solids coatings
- Superb intercoat adhesion
- Crack bridging
- Cost effective with no foul odor

Akzo Nobel Functional Chemicals
GmbH & Co. KG

USA 1.312.544.6947

International • (011) 49 03661 78-0
Liebigstrasse 3, D-07973 Greiz

www.thioplast.com

